

Pasternak

SK1035-8-F
Ø 90 cm - H 115 cm
E14 6 x MAX 60W



LK1035-6-F2
Ø 70 cm - H 85 cm
E14 6 x MAX 60W




SK1036-48-A
 Ø 140 cm - H 190 cm
 E14 48 x MAX 40W



Pasternak



Technical data



R Ceiling cup / Rosone
 C Chain / Catena
 H Height / Altezza
 Ø Diameter / Diametro
 D Depth / Profondità
 W Width / Larghezza

Bulb / Lampadina
 Weight / Peso
 Insulation class / Classe isolamento

Colors

AC Acacia / Crystal
 Acacia / Cristallo

F Straw
 Pagliesco

C Crystal
 Cristallo

F2 Moka
 Moka

General Specifications

CE IP20 U ENEC



AP1035-2-C
 W 30 cm - H 40 cm - D 25 cm
 E14 1 x MAX 40W 3 KG



LK1035-6-F2
 Ø 70 cm - H 85 cm - C 30 cm - R 10 cm
 E14 6 x MAX 60W 10 KG



SK1035-8-F
 Ø 90 cm - H 115 cm - C 30 cm - R 10 cm
 E14 8 x MAX 60W 16 KG



SK1036-48-A
 Ø 140 cm - H 190 cm - C 55 cm - R 14 cm
 E14 48 x MAX 40W 80 KG