

Slim

Design by Jordi Vilardell

Elegant and magical, like drops of light falling from the sky, Slim's long, slender strands are suspended by fibre cords to draw the eye upwards.

Pendants

0916

ø 40 cm



0917

ø 28 cm



0935

ø 69 cm



0937

53 x 26 cm



0920

ø 16 cm ø 16 cm



0925

ø 10 cm



0931

24 x 24 cm




0933

38 x 24 cm




0940

ø 100 cm





0916



Finishes	LED temperature colour
10/ __ White (NCS S 0300-N)	/1_ 2700 K CRI >90 1268,54 lm 86 lm/W
11/ __ Black (NCS S 8500-N)	/2_ 3000 K CRI >80 1142,4 lm 78 lm/W
24/ __ Beige M1 (NCS S 2005-Y50R)	/3_ 3500 K CRI >90 1453,5 lm 98,9 lm/W
37/ __ Terra Red (NCS S 4040-Y70R)	
47/ __ Green L1 (NCS S 4005-G80Y)	
68/ __ Ocre (NCS S 3050-Y30R)	

Finish customization
(Available options:
Vibia colour palette)

Control

0916 __ / _ 1
DALI

0916 __ / _ B
1-10V, Push

0916 __ / _ Z
Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

7 x LED 2,1 W 700 mA
Constant Current 700 mA
110-240V 50/60Hz

Packaging

1 Box 0,22 x 0,48 x 1,20 m
Vol 0,1278 m³
Gross weight 13 Kg Net weight 9,6 Kg


Notes

Surface

Extra cable length.

UNTIL STOCK RUNS OUT

0917



Finishes	LED temperature colour
10/ __ White (NCS S 0300-N)	/1_ 2700 K CRI >90 724,88 lm 86 lm/W
11/ __ Black (NCS S 8500-N)	/2_ 3000 K CRI >80 652,8 lm 78 lm/W
24/ __ Beige M1 (NCS S 2005-Y50R)	/3_ 3500 K CRI >90 830,6 lm 98,9 lm/W
37/ __ Terra Red (NCS S 4040-Y70R)	
47/ __ Green L1 (NCS S 4005-G80Y)	
68/ __ Ocre (NCS S 3050-Y30R)	

Finish customization
(Available options:
Vibia colour palette)

Control

0917 __ / _ 1
DALI

0917 __ / _ B
1-10V, Push

0917 __ / _ Z
Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

4 x LED 2,1 W 700mA
Constant Current 700 mA
110-240V 50/60Hz

Packaging

1 Box 0,22 x 0,48 x 1,20 m
Vol 0,1278 m³
Gross weight 8 Kg Net weight 5,2 Kg


Notes

Surface

Extra cable length.

UNTIL STOCK RUNS OUT

0920



Finishes

- 10/ __ White (NCS S 0300-N)
- 11/ __ Black (NCS S 8500-N)
- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S 4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)
- 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
(Available options:
Vibia colour palette)

LED temperature colour

- /1_ 2700 K **F** >90 181,22 lm 86 lm/W
- /2_ 3000 K **G** >80 163,2 lm 78 lm/W
- /3_ 3500 K **F** >90 207,6 lm 98,9 lm/W

Control

- 0920 __ / __ 0 On/ Off
- 0920 __ / __ 1 DALI
- 0920 __ / __ B 1-10V, Push
- 0920 __ / __ Z Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

1 x LED 2,1 W 700 mA
Constant Current 700 mA
100-240V 50/60Hz

Packaging

1 Box 0,07 x 0,19 x 1,20 m
Vol 0,0155 m³
Gross weight 2,14 Kg Net weight 1,2 Kg

Notes


Surface
Extra cable length.

LED IP20 CE EAC Bi-volt

Electrical connection

Surface
_18 Free Wire
_23 Built-in
_31 Remote
Micro
for plaster ceilings
_32 Remote
XXS
for all types
of drop
ceilings

0925



Finishes

- 10/ __ White (NCS S 0300-N)
- 11/ __ Black (NCS S 8500-N)
- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S 4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)
- 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
(Available options:
Vibia colour palette)

LED temperature colour

- /1_ 2700 K **F** >90 181,22 lm 86 lm/W
- /2_ 3000 K **G** >80 163,2 lm 78 lm/W
- /3_ 3500 K **F** >90 207,6 lm 98,9 lm/W

Control

- 0925 __ / __ 0 On/ Off
- 0925 __ / __ 1 DALI
- 0925 __ / __ B 1-10V, Push
- 0925 __ / __ Z Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

1 x LED 2,1 W 700 mA
Constant Current 700 mA
100-240V 50/60Hz

Packaging

1 Box 0,17 x 0,19 x 1,21 m
Vol 0,0370 m³
Gross weight 2,48 Kg Net weight 1,35 Kg


Notes

Built-in
Extra cable length.

UNTIL STOCK RUNS OUT

LED IP20 CE EAC Bi-volt

0931



Finishes	LED temperature colour
● 10/ __ White (NCS S 0300-N)	/1 _ 2700 K F → CRI >90 724,88 lm 86 lm/W
● 11/ __ Black (NCS S 8500-N)	/2 _ 3000 K G → CRI >80 652,8 lm 78 lm/W
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/3 _ 3500 K F → CRI >90 830,6 lm 98,9 lm/W
● 37/ __ Terra Red (NCS S 4040-Y70R)	
● 47/ __ Green L1 (NCS S 4005-G80Y)	
● 68/ __ Ocre (NCS S 3050-Y30R)	

Finish customization
(Available options:
Vibia colour palette)

Control

0931 __ / _ 1

DALI

0931 __ / _ B

1-10V, Push

0931 __ / _ Z

Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

4 x LED 2,1 W 700 mA
Constant Current 700 mA
100~240V 50/60Hz

Packaging

1 Box 0,22 x 0,48 x 1,20 m
Vol 0,1267 m³
Gross weight 8 Kg Net weight 5,2 Kg

Notes


Surface

Extra cable length.

UNTIL STOCK RUNS OUT

LED IP20 CE EAC Bi-volt

0933



Finishes	LED temperature colour
● 10/ __ White (NCS S 0300-N)	/1 _ 2700 K F → CRI >90 1087,32 lm 86 lm/W
● 11/ __ Black (NCS S 8500-N)	/2 _ 3000 K G → CRI >80 979,2 lm 78 lm/W
● 24/ __ Beige M1 (NCS S 2005-Y50R)	/3 _ 3500 K F → CRI >90 1245,9 lm 98,9 lm/W
● 37/ __ Terra Red (NCS S 4040-Y70R)	
● 47/ __ Green L1 (NCS S 4005-G80Y)	
● 68/ __ Ocre (NCS S 3050-Y30R)	

Finish customization
(Available options:
Vibia colour palette)

Control

0933 __ / _ 1

DALI

0933 __ / _ B

1-10V, Push

0933 __ / _ Z

Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

6 x LED 2,1 W 700 mA
Constant Current 700 mA
110~240V 50/60Hz

Packaging

1 Box 0,22 x 0,48 x 1,20 m
Vol 0,1267 m³
Gross weight 12,5 Kg Net weight 9,1 Kg

Notes


Surface

Extra cable length.

UNTIL STOCK RUNS OUT

LED IP20 CE EAC Bi-volt

0935



Finishes

- 10/ __ White (NCS S 0300-N)
- 11/ __ Black (NCS S 8500-N)
- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S 4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)
- 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
 (Available options:
 Vibia colour palette)

LED temperature colour

- /1 2700 K CRI >90 954,5 lm 95 lm/W
- /2 3000 K CRI >80 1140 lm 114 lm/W
- /3 3500 K CRI >90 1093,7 lm 109,4 lm/W

Control

- 0935 __ / _ 1 DALI-2
- 0935 __ / _ B 1-10V, Push
- 0935 __ / _ Z Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
 Canopy Plate: Steel.

Light Source and electronics

10 x LED 1 W 350 mA
 Constant Current 350 mA
 110-240V 50/60Hz

Packaging

1 Box 1,14 x 1,14 x 0,34 m
 Vol 0,4410 m³
 Gross weight 19,2 Kg Net weight 14,2 Kg


Notes

Surface
 Extra cable length.

UNTIL STOCK RUNS OUT



0937



Finishes

- 10/ __ White (NCS S 0300-N)
- 11/ __ Black (NCS S 8500-N)
- 24/ __ Beige M1 (NCS S 2005-Y50R)
- 37/ __ Terra Red (NCS S 4040-Y70R)
- 47/ __ Green L1 (NCS S 4005-G80Y)
- 68/ __ Ocre (NCS S 3050-Y30R)

Finish customization
 (Available options:
 Vibia colour palette)

LED temperature colour

- /1 2700 K CRI >90 2355,86 lm 86 lm/W
- /2 3000 K CRI >80 2121,6 lm 78 lm/W
- /3 3500 K CRI >90 2699,4 lm 98,9 lm/W

Control

- 0937 __ / _ 1 DALI-2
- 0937 __ / _ A DALI, 1-10V, Push
- 0937 __ / _ Z Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
 Canopy Plate: Steel.

Light Source and electronics

13 x LED 2,1W 700mA
 Constant Current 700 mA
 110-240V 50/60Hz

Packaging

1 Box 0,22 x 0,48 x 1,20 m
 Vol 0,1267 m³
 Gross weight 12,5 Kg Net weight 18,46 Kg


Notes

Surface
 Extra cable length.

UNTIL STOCK RUNS OUT



0940



Finishes	
● 10/ __ White (NCS S 0300-N)	
● 11/ __ Black (NCS S 8500-N)	
● 24/ __ Beige M1 (NCS S 2005-Y50R)	
● 37/ __ Terra Red (NCS S 4040-Y70R)	
● 47/ __ Green L1 (NCS S 4005-G80Y)	
● 68/ __ Ocre (NCS S 3050-Y30R)	

Finish customization
(Available options:
Vibia colour palette)

LED temperature colour	
/1 _ 2700 K	CRI >90 2099,9 lm 95 lm/W
/2 _ 3000 K	CRI >80 2508 lm 114 lm/W
/3 _ 3500 K	CRI >90 2406,1 lm 109,4 lm/W

Control	
0940 __ / _ 1	DALI
0940 __ / _ B	1-10V, Push
0940 __ / _ Z	Casambi

Materials

Diffuser: Glass. Body: Fiberglass / Carbon fiber.
Canopy Plate: Steel.

Light Source and electronics

22 x LED 1W 350 mA
Constant Current 350 mA
110-240V 50/60Hz

Packaging

1 Box 1,14 x 1,14 x 0,34 m
Vol 0,4420 m³
Gross weight 29,9 Kg Net weight 21,9 Kg

Notes

Surface


Extra cable length.

UNTIL STOCK RUNS OUT




Composing pendants


Next sketches are composed by one or more compositions



22 x 0920.



3 x 0920.



40 x 0920.

Each project is unique.
Visit vibia.com and
choose among multiple
compositions designed
and adapted to your
project needs.

Personalise your own
Slim composition quick
and easy at vibia.com

Electrical connection options for models 0920


Choose your preferred installation option according to your needs. For each composition, the optimal minimum number of drivers will be delivered.

Drop ceiling



The innovative remote and built-in fittings accentuate the silkiness and lightness of compositions on suspended ceilings, its great visual grandeur taking center stage.

For Ref. 0920 __ /10 / 0920 __ /1B

Remote



Micro ø 3 cm
height 7 cm
for plaster ceilings.
Black finish.




XXS ø 6 cm
height 6 cm
for all types of drop
ceilings. Match with
fixture finish.



Built-in



ø 8 cm
height 6 cm
match with
fixture finish.



Regular ceiling

When architecture does not allow for performance, surface and free wire showcase possibilities for any need or desire with no limits, ideal for both individual or cluster arrangements.


For Ref. 0920__/10

Surface




ø 17,3 cm
match with
fixture finish.


Free Wire



ø 20 cm



ø 36 cm



ø 40 cm


For Ref. 0920__/1B / -1 / -Z

Surface




ø 20 cm
match with
fixture finish.


Free Wire



ø 20 cm



ø 36 cm



ø 40 cm

you can choose the finish of the canopy
among black, white or any colour
matching one of the pendants.

