


framed

framed suspension lamp circle
(suitable as up light or down light)




FR.50.CI.AN 50cm anodic brown powder coated
FR.50.CI.CS 50cm coated bare steel
FR.50.CI.LA 50cm latte powder coated
FR.50.CI.MR 50cm marone powder coated **NEW**
FR.50.CI.WH 50cm white powder coated

Ø 50cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
24W / 2700K / 750 lm
Net. weight **4,2kg**
Dimmable driver
Dimmer not included
IP 20




FR.70.CI.AN 70cm anodic brown powder coated
FR.70.CI.CS 70cm coated bare steel
FR.70.CI.LA 70cm latte powder coated
FR.70.CI.MR 70cm marone powder coated **NEW**
FR.70.CI.WH 70cm white powder coated

Ø 70cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
33W / 2700K / 1050 lm
Net. weight **6kg**
Dimmable driver
Dimmer not included
IP 20




FR.100.CI.AN 100cm anodic brown powder coated
FR.100.CI.CS 100cm coated bare steel
FR.100.CI.LA 100cm latte powder coated
FR.100.CI.MR 100cm marone powder coated **NEW**
FR.100.CI.WH 100cm white powder coated

Ø 100cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
47W / 2700K / 1500 lm
Net. weight **8kg**
Dimmable driver
Dimmer not included
IP 20



FR.135.CI.AN 135cm anodic brown powder coated
FR.135.CI.CS 135cm coated bare steel
FR.135.CI.LA 135cm latte powder coated
FR.135.CI.MR 135cm marone powder coated **NEW**
FR.135.CI.WH 135cm white powder coated


Ø 135cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
64W / 2700K / 2025 lm
Net. weight **10kg**
Dimmable driver
Dimmer not included
IP 20



framed

framed suspension lamp circle (suitable as up light or down light)

FR.170.CI.AN	170cm anodic brown powder coated	Ø 170cm
FR.170.CI.CS	170cm coated bare steel	Standard cable length 200cm
FR.170.CI.LA	170cm latte powder coated	Light source integrated
FR.170.CI.MR	170cm marone powder coated NEW	Neon flex LED
FR.170.CI.WH	170cm white powder coated	75W / 2700K / 3000 lm
		Net. weight 12kg
		Dimmable driver
		Dimmer not included
		IP 20




Ø 170cm

framed circle driver & driver box options

Add the desired driver and driver box to your order. The standard white driver box and TRIAC driver will be added to your order if no driver box or driver is mentioned in your purchase order.

DRIVER.TRIAC	TRIAC driver
DRIVER.TYPE1	DALI/1-10V/0-10V/push on the mains
FR.DB.A.AN	framed driver box wxdxh = 24x8x4cm anodic brown
FR.DB.A.GM	framed driver box wxdxh = 24x8x4cm gunmetal
FR.DB.A.LA	framed driver box wxdxh = 24x8x4cm latte
FR.DB.A.MR	framed driver box wxdxh = 24x8x4cm marone NEW
FR.DB.A.WH	framed driver box wxdxh = 24x8x4cm white (standard)
FR.DB.R.AN	framed driver box round Ø23cm x 5cm anodic brown
FR.DB.R.GM	framed driver box round Ø23cm x 5cm gunmetal
FR.DB.R.LA	framed driver box round Ø23cm x 5cm latte
FR.DB.R.MR	framed driver box round Ø23cm x 5cm marone NEW
FR.DB.R.WH	framed driver box round Ø23cm x 5cm white




*Note: driver box round is suitable for 2 framed circles maximum.

If 1 framed circle is ordered, the ceiling cover is provided with 3 mounting points for the suspension cables instead of 6.

framed leaning floor lamp

FR.225.FL.AN	225cm anodic brown powder coated	Wxdxh 10x2,5x225cm
FR.225.FL.CS	225cm coated bare steel	Standard cable length 300cm
FR.225.FL.LA	225cm latte powder coated	Light source integrated LED strip
FR.225.FL.MR	225cm marone powder coated NEW	40W LED / 2700K / 3840 lm
FR.225.FL.WH	225cm white powder coated	Net. weight 10kg
		Gross weight 12kg
		Packaging 230x16,5x16,5cm
		Dimmable driver
		Floor dimmer included
		IP 20




framed

framed wall lamp circle (T2)


FR.50.WA.CI.T2.AN	50cm anodic brown powder coated
FR.50.WA.CI.T2.CS	50cm coated bare steel
FR.50.WA.CI.T2.LA	50cm latte powder coated
FR.50.WA.CI.T2.MR	50cm marone powder coated NEW
FR.50.WA.CI.T2.WH	50cm white powder coated

Ø 50cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
24W / 2700K / 750 lm
Net. weight **4,2kg**
Dimmable driver
Floor dimmer switch included
IP 20




FR.70.WA.CI.T2.AN	70cm anodic brown powder coated
FR.70.WA.CI.T2.CS	70cm coated bare steel
FR.70.WA.CI.T2.LA	70cm latte powder coated
FR.70.WA.CI.T2.MR	70cm marone powder coated NEW
FR.70.WA.CI.T2.WH	70cm white powder coated

Ø 70cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
33W / 2700K / 1050 lm
Net. weight **6kg**
Dimmable driver
Floor dimmer switch included
IP 20




FR.100.WA.CI.T2.AN	100cm anodic brown powder coated
FR.100.WA.CI.T2.CS	100cm coated bare steel
FR.100.WA.CI.T2.LA	100cm latte powder coated
FR.100.WA.CI.T2.MR	100cm marone powder coated NEW
FR.100.WA.CI.T2.WH	100cm white powder coated

Ø 100cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
47W / 2700K / 1500 lm
Net. weight **8kg**
Dimmable driver
Floor dimmer switch included
IP 20




FR.135.WA.CI.T2.AN	135cm anodic brown powder coated
FR.135.WA.CI.T2.CS	135cm coated bare steel
FR.135.WA.CI.T2.LA	135cm latte powder coated
FR.135.WA.CI.T2.MR	135cm marone powder coated NEW
FR.135.WA.CI.T2.WH	135cm white powder coated

Ø 135cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
64W / 2700K / 2025 lm
Net. weight **10kg**
Dimmable driver
Floor dimmer switch included
IP 20



FR.170.WA.CI.T2.AN	170cm anodic brown powder coated
FR.170.WA.CI.T2.CS	170cm coated bare steel
FR.170.WA.CI.T2.LA	170cm latte powder coated
FR.170.WA.CI.T2.MR	170cm marone powder coated NEW
FR.170.WA.CI.T2.WH	170cm white powder coated

Ø 170cm
Standard cable length **200cm**
Light source **integrated**
Neon flex LED
75W / 2700K / 3000 lm
Net. weight **12kg**
Dimmable driver
Floor dimmer switch included
IP 20




framed

framed suspension lamp up-down


- FR.120.SU.UP/DOWN.AN 120cm anodic brown powder coated
- FR.120.SU.UP/DOWN.GM 120cm gunmetal powder coated
- FR.120.SU.UP/DOWN.LA 120cm latte powder coated
- FR.120.SU.UP/DOWN.MR 120cm marone powder coated **NEW**
- FR.120.SU.UP/DOWN.WH 120cm white powder coated

Wxdxh **120x2,5x7cm**
 Standard cable length **200cm**
 Light source **integrated**
LED 13W up – 19W down /
2700K / 1750 lm
 Net. weight **4kg**
 Gross weight **6kg**
 Packaging **125x16,5x16,5cm**
Dimmable driver
Dimmer not included
IP 20




- FR.160.SU.UP/DOWN.AN 160cm anodic brown powder coated
- FR.160.SU.UP/DOWN.GM 160cm gunmetal powder coated
- FR.160.SU.UP/DOWN.LA 160cm latte powder coated
- FR.160.SU.UP/DOWN.MR 160cm marone powder coated **NEW**
- FR.160.SU.UP/DOWN.WH 160cm white powder coated

Wxdxh **160x2,5x7cm**
 Standard cable length **200cm**
 Light source **integrated**
LED 19W up – 26W down /
2700K / 2500 lm
 Net. weight **5,5kg**
 Gross weight **8kg**
 Packaging **165x16,5x16,5cm**
Dimmable driver
Dimmer not included
IP 20



- FR.200.SU.UP/DOWN.AN 200cm anodic brown powder coated
- FR.200.SU.UP/DOWN.GM 200cm gunmetal powder coated
- FR.200.SU.UP/DOWN.LA 200cm latte powder coated
- FR.200.SU.UP/DOWN.MR 200cm marone powder coated **NEW**
- FR.200.SU.UP/DOWN.WH 200cm white powder coated

Wxdxh **200x2,5x7cm**
 Standard cable length **200cm**
 Light source **integrated**
LED 24W up – 34W down /
2700K / 3200 lm
 Net. weight **7kg**
 Gross weight **9,5kg**
 Packaging **205x16,5x16,5cm**
Dimmable driver
Dimmer not included
IP 20



framed suspension lamp up/down driver & driver box options

Add the desired driver and driver box to your order. The standard white driver box and TRIAC driver will be added to your order if no driver box or driver is mentioned in your purchase order.

- DRIVER.TRIAC TRIAC driver
- DRIVER.TYPE1 DALI/1-10V/0-10V/push on the mains
- FR.DB.A.AN framed driver box wxdxh = 24x8x4cm anodic brown
- FR.DB.A.GM framed driver box wxdxh = 24x8x4cm gunmetal
- FR.DB.A.LA framed driver box wxdxh = 24x8x4cm latte
- FR.DB.A.MR framed driver box wxdxh = 24x8x4cm marone **NEW**
- FR.DB.A.WH framed driver box wxdxh = 24x8x4cm white (standard)