

## COSMOS 30 by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)

DIME	VSIONS		CABLE LENGTH	FINISH	TYPE.NR
Ø	30 cm	11,8 inch	Up to 200 cm 78,7 inch	Nickel	11-8915
Н	10 cm	3,9 inch	LIGHTSOURCE	Brass	11-8915-2
CAN	OPY		13x led, 12V/0.6W, 2800K,	Black Brass	11-8915-4
Ø	14 cm	6,7 inch	390 LM, CRI>90		
Н	4,5 cm	1,8 inch	KG KG		
			1 2 34×34×34cm		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W

2400K.

#### COSMOS 80 by Jan Pauwels



Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)

DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
L	80 cm	31,5 inch	Up to 200 cm 78,7 inch	Nickel	11-8920
Н	35 cm	13,8 inch	LICUITAGUIDAE	Brass	11-8920-2
W	35 cm	13,8 inch	LIGHTSOURCE 35x led, 12V/0.6W, 2800K,	Black Brass	11-8920-4
CAN	NOPY		1050 LM, CRI>90		
L	28 cm	II,0 inch			
H	4,5 cm	1,8 inch	KG		
W	10 cm	3,9 inch	KG KG		

1,5 5 63×63×85cm 1 2 60×30×25cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K.

# COSMOS 125 by Jan Pauwels



Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)

DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
L	125 cm	49,2 inch	Up to 200 cm 78,7 inch	Nickel	11-8900
Н	40 cm	15,7 inch	LICUITGOLIDGE	Brass	11-8900-2
W	50 cm	19,7 inch	LIGHTSOURCE 50x led, 12V/0.6W, 2800K,	Black Brass	<b>I</b> 1-8900-4
CAN	NOPY		1500 LM, CRI>90		
L	54 cm	21,3 inch			
Н	4,5 cm	1,8 inch	KG		
W	10 cm	3,9 inch	KG [23]		
			1,5 8 65×50×130cm		
			2.5 3 60×30×25cm		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.


Downlight led 2700K 12V – 3W.

2400K.

OPTIONAL

#### COSMOS 150 by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)



DIM	ENSIONS	
L	150 cm	59,1 inch
Н	40 cm	15,7 inch
W	50 cm	19,7 inch
CAN	NOPY	

W	50 cm	19,7 inch
CAN	NOPY	
L	54 cm	21,3 inch
Н	4,5 cm	1,8 inch
W	10 cm	3,9 inch

CABLE LENGTH Up to 200 cm 78,7 inch	FINISH Nickel	TYPE.NR  11-8921
LIGHTSOURCE 55x led, 12V/0.6W, 2800K, 1650 I.M. CRI>90	Brass Black Brass	<ul><li>11-8921-2</li><li>11-8921-4</li></ul>

KG KG	KG
-------	----

10 65×50×200cm 60×30×25cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and


can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K.

## COSMOS 180 by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)



DIMI L H W	I 80 cm 40 cm 50 cm	70,9 inch 15,7 inch 19,7 inch	CABLE LENGTH Up to 200 cm 78,7 inch LIGHTSOURCE 60x led, 12V/0.6W, 2800K,	FINISH Nickel Brass Black Brass	TYPE.NR
CAN	IOPY		1800 LM, CRI>90		
L H W	54 cm 4,5 cm 10 cm	21,3 inch 1,8 inch 3,9 inch	KG KG		
			2 10 65×50×200cm 2,5 3 60×30×25cm		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge


dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K.

# COSMOS 200 by Jan Pauwels



DIM L H W	ENSIONS 200 cm 40 cm 50 cm	78,7 inch 15,7 inch 19,7 inch	CABLE LENGTH Up to 200 cm 78,7 inch	FINISH Nickel Brass	TYPE.NR  11-8902  11-8902-2
	NOPY	17,7 111011	70x led, 12V/0.6W, 2800K, 2100 LM, CRI>90	Black Brass	11-8902-4
L	54 cm	21,3 inch			

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have


KG KG 10 cm 3,9 inch 10 65×50×200cm 2,5 3 60×30×25cm


STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V - 3W.

2400K.





#### COSMOS VERTICAL 140 by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)

	cm 15,7 inch	CABLE LENGTH Up to 200 cm 78,7 inch	FINISH Nickel		TYPE.NR 11-8935
H 140 W 40	cm 55,1 inch cm 15,7 inch	LIGHTSOURCE 42x led 12V/0.6W, 2800K,	Brass Black Brass	•	11-8935-2 11-8935-4
CANOPY		1260LM			
H 4,5	cm 7,1 inch cm 1,8 inch cm 7,1 inch	KG KG			
		2 9 65×50×200cm 2,5 3 34×34×17cm			


STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K



#### COSMOS VERTICAL 180 by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)

DIMENSIONS L 40 cm H 180 cm W 40 cm	15,7 inch 70,9 inch 15,7 inch	CABLE LENGTH Up to 200 cm 78,7 inch LIGHTSOURCE 54x led 12V/0.6W, 2800K,	FINISH Nickel Brass Black Brass	TYPE.NR  11-8936  11-8936-2  11-8936-4
CANOPY		1620LM		
L 18 cm H 4,5 cm W 18 cm	7,1 inch 1,8 inch 7,1 inch	KG KG		
		2		


STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

 $\ dimmable. \ Nickel, natural\ brass\ or\ blackened\ natural\ brass.\ Brass\ will\ turn\ darker\ in\ time\ and$ 

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K.



# COSMOS FLOOR 160 by Jan Pauwels

As an extension of the Cosmos series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS L 40 cm H 160 cm W 40 cm	15,7 inch 63,0 inch 15,7 inch	LIGHTSOURCE 50x led, 12V/0.6W, 2800K, 1500 LM	FINISH Nickel Brass Black Brass	•	TYPE.NR 11-8933 11-8933-2 11-8933-4
		2 II 65×50×200cm			

STANDARD The frame is completely black. Push dimmer included.

OPTIONAL Remote control for dimmer:

2400K.



#### COSMOS FLOOR 200 by Jan Pauwels

As an extension of the Cosmos series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS 40 cm 15,7 inch 200 cm 78,7 inch Н 40 cm 15,7 inch


LIGHTSOURCE 60x led, 12V/0.6W, 2800K, 1800 I M



2 11 65×50×200cm **FINISH** TYPE.NR Nickel 11-8934

Brass 11-8934-2 11-8934-4 Black Brass

STANDARD The frame is completely black. Push dimmer included. OPTIONAL Remote control for dimmer. 2400K.



## COSMOS DISC 120 by Jan Pauwels

With its half round shape the Cosmos Disc looks different than the standard Cosmos, still random but more harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. See model Universe for the version with E10 lamps.

DIM	Ensions		CABLE LENGTH	FINISH	TYPE.NR
Ø	120 cm	47,2 inch	Up to 200 cm 78,7 inch	Nickel	11-8912
Н	35 cm	13,8 inch	LIGHTSOURCE	Brass	11-8912-2
CANOPY			65x led, 12V/0.6W, 2800K,	Black Brass	11-8912-4
Ø	25 cm	9,8 inch	1950 LM, CRI>90		
Н	5,5 cm	2,2 inch			



30 125×40×140cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL Downlight led 2700K 12V - 3W.

2400K.

# Ø

# COSMOS DISC 200 by Jan Pauwels

With its half round shape the Cosmos Disc looks different than the standard Cosmos, still random but more harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. See model Universe for the version with E10 lamps.



STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge


dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V - 3W.

2400K.

## COSMOS 30 WALL/CEILING by Jan Pauwels

Cosmos looks random but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos is handmade, making every model unique. (see model Universe for the version with E10 lamps)



DIM Ø H	ENSIONS 30 cm 15 cm	11,8 inch 5,9 inch
	NOPY	Control of the Contro
Ø	14 cm	5,5 inch
H	4,5 cm	1,8 inch

CABLE LENGTH Up to 200 cm 78,7 inch LIGHTSOURCE 13x led, 12V/0.6W, 2800K, 390 LM, CRI>90	FINISH Nickel Brass Black Brass	TYPE.NR  11-8916  11-8916-2  11-8916-4
KG KG		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

2 34x34x34cm

OPTIONAL Downlight led 2700K 12V - 3W 2400K.



## COSMOS GLOBE 40 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

DIMENSIONS Ø 40 cm	15,7 inch	CABLE LENGTH Up to 200 cm 78,7 inch	FINISH Nickel	TYPE.NR  11-9104
CANOPY Ø 20 cm H 7,5 cm	7,9 inch 3,0 inch	LIGHTSOURCE 20x led, 12V/0.6W, 2800K, 600 LM, CRI >90	Brass Black Brass	<ul><li>11-9104-2</li><li>11-9104-4</li></ul>
		KG KG 50x50x50cm		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

OPTIONAL 2400K.




#### COSMOS GLOBE 60 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

DIM Ø	ENSIONS 60 cm	23,6 inch	CABLE LENGTH Up to 200 cm 78,7 inch	FINISH Nickel	TYPE.NR  11-9100
CAN Ø H	NOPY 20 cm 7,5 cm	7,9 inch 3,0 inch	LIGHTSOURCE 30x led, 12V/0.6W, 2800K, 900 LM, CRI >90	Brass Black Brass	● 11-9100-2 ● 11-9100-4
			(KG) (KG) (KG) (KG) (KG) (KG) (KG) (KG)		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

OPTIONAL 2400K.



#### COSMOS GLOBE 70 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

DIMENSIONS CABLE LENGTH FINISH TYPE NR 70 cm Up to 200 cm 78,7 inch 27,6 inch Nickel 11-9105 11-9105-2 Brass CANOPY LIGHTSOURCE Black Brass 11-9105-4 Ø 20 cm 7,9 inch 36x led, 12V/0.6W, 2800K, Н 7,5 cm 1080 LM, CRI >91 3.0 inch

4 16 84×84×79cm

 ${\sf STANDARD} \quad {\sf Black \ canopy \ with \ cover \ plate \ in \ matching \ colour \ of \ the \ fixture. \ Leading \ and \ trailing \ edge}$ 

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL 2400K.



## COSMOS GLOBE 80 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

DIMENSIONS FINISH TYPE.NR CABLE LENGTH Ø 80 cm 31,5 inch Up to 200 cm 78,7 inch 11-9101 Nickel Brass 11-9101-2 CANOPY LIGHTSOURCE 11-9101-4 Black Brass 45x led, 12V/0.6W, 2800K, 0 20 cm 7,9 inch 7,5 cm 1200 LM, CRI >90 3,0 inch




5 17 84x84x79cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains.

OPTIONAL 2400K.



# COSMOS GLOBE 100 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

DIMENSIONS FINISH TYPE.NR CABLE LENGTH 100 cm Ø 39,4 inch Up to 200 cm 78,7 inch Nickel 11-9102 11-9102-2 Brass CANOPY LIGHTSOURCE Black Brass 11-9102-4 75× led, 12V/0.6W, 2800K, 0 25 cm 98 inch Н 5 cm 2,0 inch 2250 LM, CRI >90



3 70 110×110×130cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

OPTIONAL 2400K.



#### COSMOS GLOBE 120 by Jan Pauwels

Cosmos Globe looks structured but still harmonious. Random placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. Every Cosmos Globe is handmade, making every model unique.

CABLE LENGTH **DIMENSIONS** FINISH TYPE.NR 120 cm Up to 200 cm 78,7 inch 47,2 inch Nickel 11-9103 11-9103-2 Brass CANOPY LIGHTSOURCE Black Brass 11-9103-4 Ø 30 cm 11,8 inch 120x led, 12V/0.6W, Н 2800K, 3600 LM, CRI >90 5 cm 2.0 inch KG


90 | 130×130×150cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

10

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

OPTIONAL 2400K.



### COSMOS GLOBE FLOOR by Jan Pauwels


As an extension of the Cosmos Globe series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS FINISH TYPE.NR LIGHTSOURCE 60 cm 23,6 inch 30x led, 12V/0.6W, 2800K, 11-8917 Nickel 180 cm 70,9 inch 810 LM, CRI >90 Н Brass 11-8917-2 11-8917-4 Black Brass KG KG 8 63x63x87cm

STANDARD The frame is completely black. Push dimmer included.

OPTIONAL Remote control for dimmer.

2400K.



# COSMOS SQUARE DOUBLE by Jan Pauwels


Cosmos Square looks structured but still harmonious. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. (see model Universe Square for the version with E10 lamps)



STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

can show stains. OPTIONAL 2400K.



#### COSMOS SQUARE TRIPLE by Jan Pauwels

Cosmos Square looks structured but still harmonious. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light goes down and 1/3 goes up. (see model Universe Square for the version with E10 lamps)

DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
L	87,5 cm	34,4 inch	Up to 200 cm 78,7 inch	Nickel	11-8904
Н	37,5 cm	14,8 inch		Brass	11-8904-2
W	39,5 cm	15,6 inch	LIGHTSOURCE		
			128× led, 12V/0.6VV,	Black Brass	11-8904-4
CANOPY			2800K, 3840 LM, CRI>90		
L	58 cm	22,8 inch			
Н	6 cm	2,4 inch	KG KG		
W	20 cm	7,9 inch	/KG		


STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

4,5 15,5 107×49×46cm

can show stains.

OPTIONAL 2400K.



## COSMOS SQUARE 100 by Jan Pauwels

Cosmos Square 100 looks structured but still harmonious. Modular placed LED circuit boards and tiny metal rods are the only two basic elements of this light fixture. They give the lamp its structure and shape. The circuit boards have leds on both sides. 2/3 of the light is going downwards and 1/3 is going upwards. (see model Universe Square 100 for the version with E10 lamps)

L H W	IENSIONS 100 cm 85 cm 100 cm	39,4 inch 33,5 inch 39,4 inch	CABLE LENGTH Up to 200 cm 78,7 inch LIGHTSOURCE 548x led, 12V/0.6W,	FINISH Nickel Brass Black Brass	TYPE.NR 11-8905 11-8905-2 11-8905-4
CAI	NOPY		2800K, 16440 LM,		
L H	59,5 cm 10 cm	23,4 inch 3,9 inch	CRI>90		
W	37 cm	14,6 inch	KG KG		
			9 45   126x  112x  110cm 24 25 36x36x85cm		

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and


can show stains.

OPTIONAL 2400K.

no glassbars

# COSMOS SQUARE WITH DROPS 150 by Jan Pauwels

Illuminating drops fall out of the Cosmos. By playing with heights this modular version of the Cosmos becomes modern and frivolous. (See model Universe with Drops for the version with E10 lamps.)



DIMENSIONS 59,1 inch 150 cm H 40 cm 15,7 inch 30,5 cm 12.0 inch W CANOPY 60 cm 23.5 inch Н 10 cm

20 cm

LIGHTSOURCE 135× led, 12V/0.6W, 2800K, 4050 LM 3,9 inch 7.9 inch

CABLE LENGTH

FINISH TYPE.NR Nickel 11-8918 Brass 11-8918-2 11-8918-4 Black Brass

KG

Up to 200 cm 78,7 inch

20 164x51x50cm

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.


OPTIONAL 2400K.

## COSMOS SQUARE WITH DROPS 300 by Jan Pauwels

Illuminating drops fall out of the Cosmos. By playing with heights this modular version of the Cosmos becomes modern and frivolous. (See model Universe with Drops for the version with E10 lamps.)

Brass

Black Brass



DIMENSIONS 300 cm 118,1 inch L 15,7 inch Н 40 cm 30,5 cm 12,0 inch

CANOPY 60 cm 23,5 inch 10 cm 3,9 inch Н W 20 cm 7,9 inch CABLE LENGTH Up to 200 cm 78,7 inch

LIGHTSOURCE 258x led, 12V/0.6W, 2800K, 7740 LM

KG KG

**FINISH** TYPE.NR Nickel 11-8919

11-8919-2 11-8919-4


60 310x51x50cm 16

STANDARD Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge

dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and

2400K.

OPTIONAL



# COSMOS SQUARE FLOOR I by Jan Pauwels

As an extension of the Cosmos Square series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS 40 cm 15,8 inch 49,6 inch Н 126 cm W 40 cm 15,7 inch LIGHTSOURCE 64x led, 12V/0.6W, 2800K,1920 LM


KG KG

3 18 45×47×152cm FINISH TYPE.NR 11-8931 Nickel Brass 11-8931-2 Black Brass

11-8931-4

STANDARD The frame is completely black. Push dimmer included. OPTIONAL Red, blue or smoke cube.

Remote control for dimmer.



# COSMOS SQUARE FLOOR 2 by Jan Pauwels

As an extension of the Cosmos Square series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS L 40 cm 15,8 inch Н 148,5 cm 58,5 inch 15,7 inch 40 cm

LIGHTSOURCE 64x led, 12V/0.6W, 2800K,1920 LM

KG KG

FINISH TYPE.NR 11-8932 Nickel Brass 11-8932-2 11-8932-4 Black Brass

3 18 45×47×152cm

STANDARD The frame is completely black. Push dimmer included. OPTIONAL Red, blue or smoke cube.

2400K.

Remote control for dimmer.