


Wireflow FreeForm

Design by Arik Levy

Crafted of lean, electrical cables that trace airy, geometric outlines, Free Form is equal parts light and fluidity. The customisable fixture features endlessly adjustable shapes and heights, LED light points, and a wall or ceiling canopy to suit any space.

Pendants



1160 | 10 | /1A | _18 |



Model | Finish | LED temperature colour | Control | Electrical connection
Only for pendants

Each project is unique. Visit vibia.com and chose among multiple compositions designed and adapted to your project needs.

Personalise your own Wireflow composition quick and easy at vibia.com



Pressed-glass diffuser.
*Without pressed-glass diffuser.



0345

Finishes
● 04/ __ Black (RAL 9005)

LED temperature colour
/1 _ 2700 K CRI >90 485 lm 121 lm/W
/2 _ 3000 K CRI >90 485 lm 121 lm/W
/3 _ 3500 K CRI >90 500,3 lm 125,1 lm/W

Control
0345 __ / _ 1 DALI-2
0345 __ / _ B 1-10V, Push
0345 __ / _ Z Casambi


Materials
Diffuser: Pressed-glass. Body: Aluminum.
Canopy: Steel.

Light Source and electronics
1 x LED 4,5 W 700 mA
Constant Current 350 mA
100-240V 50/60Hz

Packaging
1 Box 0,25 x 0,42 x 0,42 m
Vol 0,0441 m³
Gross weight 2,6 Kg Net weight 2,34 Kg

Notes
Pressed-glass diffuser.
Extra cable length.


Bi-volt




Electrical connection
Surface
_18 Free Wire
_23 Built-in
_31 Remote Micro for plaster ceilings
_32 Remote XXS for all types of drop ceilings

0347

Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K  CRI >80 490 lm 109 lm/W

Control
 0347 __ / _ 5
 Push



Materials

Diffuser: Polycarbonate. Body: Aluminum.
Canopy: Steel.

Light Source and electronics

1 x LED 4,5 W 350 mA
Constant Current 350 mA
100~240V 50/60Hz

Packaging

1 Box 0,13 x 0,20 x 0,20 m
Vol 0,0055 m³
Gross weight 1,5 Kg Net weight 1,35 Kg


Notes

Electric cable 2,5 m. With plug.
Dimmer push button on the wall plate.
Without pressed-glass diffuser.




0348

Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K  CRI >80 490 lm 109 lm/W

Control
 0348 __ / _ 5
 Push



Materials

Diffuser: Pressed-glass. Body: Aluminum.
Canopy: Steel.

Light Source and electronics

1 x LED 4,5 W 350 mA
Constant Current 350 mA
100~240V 50/60Hz

Packaging

1 Box 0,26 x 0,26 x 0,26 m
Vol 0,0175 m³
Gross weight 1,9 Kg Net weight 1,71 Kg




Notes

Electric cable 2,5 m. With plug.
Dimmer push button on the wall plate.
Without pressed-glass diffuser.




0349

Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K  CRI >90 970 lm 121 lm/W
 /2_ 3000 K  CRI >90 970 lm 121 lm/W
 /3_ 3500 K  CRI >90 1000,6 lm 125,1 lm/W

Control
 0349 __ / _ A
 DALI-2, 1-10V, Push
 0349 __ / _ Z
 Casambi



Materials

Diffuser: Pressed-glass. Body: Aluminum.
Canopy: Steel.

Light Source and electronics

2 x LED 4,5 W 350 mA
Constant Current 350 mA
100~240V 50/60Hz

Packaging

1 Box 0,27 x 0,60 x 0,60 m
Vol 0,0972 m³
Gross weight 4,6 Kg Net weight 4,14 Kg


Notes

Pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0350



Finishes
 ● 04/ _ _ Black (RAL 9005)

LED temperature colour
 /1 _ 2700 K **D** CRI >90 1455 lm 121 lm/W
 /2 _ 3000 K **E** CRI >90 1455 lm 121 lm/W
 /3 _ 3500 K **E** CRI >90 1500,9 lm 125,1 lm/W

Control
 0350 _ _ / _ A DALI-2, 1-10V, Push
 0350 _ _ / _ Z Casambi

Materials
 Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.


Light Source and electronics
 3 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 5,2 Kg Net weight 4,68 Kg

Notes
 Pressed-glass diffuser.
UNTIL STOCK RUNS OUT



0351



Finishes
 ● 04/ _ _ Black (RAL 9005)

LED temperature colour
 /1 _ 2700 K **D** CRI >90 1940 lm 121 lm/W
 /2 _ 3000 K **E** CRI >90 1940 lm 121 lm/W
 /3 _ 3500 K **E** CRI >90 2001,2 lm 125,1 lm/W

Control
 0351 _ _ / _ A DALI, 1-10V, Push
 0351 _ _ / _ Z Casambi

Materials
 Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.


Light Source and electronics
 4 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 5,6 Kg Net weight 5,04 Kg

Notes
 Pressed-glass diffuser.
UNTIL STOCK RUNS OUT



0353



Finishes
 ● 04/ _ _ Black (RAL 9005)

LED temperature colour
 /1 _ 2700 K **D** CRI >90 2425 lm 121 lm/W
 /2 _ 3000 K **E** CRI >90 2425 lm 121 lm/W
 /3 _ 3500 K **E** CRI >90 2501,5 lm 125,1 lm/W

Control
 0353 _ _ / _ A DALI, 1-10V, Push
 0353 _ _ / _ Z Casambi

Materials
 Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.


Light Source and electronics
 5 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 6,1 Kg Net weight 5,49 Kg

Notes
 Pressed-glass diffuser.
UNTIL STOCK RUNS OUT



0355




<p>Finishes</p> <ul style="list-style-type: none"> ● 04/ __ Black (RAL 9005) 	<p>LED temperature colour</p> <ul style="list-style-type: none"> /1 _ 2700 K D >90 2910 lm 121 lm/W /2 _ 3000 K E >90 2910 lm 121 lm/W /3 _ 3500 K E >90 3001,8 lm 125,1 lm/W 	<p>Control</p> <ul style="list-style-type: none"> 0355 __ / _ A DALI, 1-10V, Push 0355 __ / _ Z Casambi
---	--	--

<p>Materials</p> <p>Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.</p> <p>Light Source and electronics</p> <p>6 x LED 4,5 W 350 mA Constant Current 350 mA 100~240V 50/60Hz</p>	<p>Packaging</p> <p>1 Box 0,27 x 0,60 x 0,60 m Vol 0,0972 m³ Gross weight 6,7 Kg Net weight 6,03 Kg</p> <p>Notes</p> <p>Pressed-glass diffuser.</p> <p>UNTIL STOCK RUNS OUT</p>
--	---



0356




<p>Finishes</p> <ul style="list-style-type: none"> ● 04/ __ Black (RAL 9005) 	<p>LED temperature colour</p> <ul style="list-style-type: none"> /1 _ 2700 K D >90 3395 lm 121 lm/W /2 _ 3000 K E >90 3395 lm 121 lm/W /3 _ 3500 K E >90 3502,1 lm 125,1 lm/W 	<p>Control</p> <ul style="list-style-type: none"> 0356 __ / _ A DALI, 1-10V, Push 0356 __ / _ Z Casambi
---	--	--

<p>Materials</p> <p>Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.</p> <p>Light Source and electronics</p> <p>7 x LED 4,5 W 350 mA Constant Current 350 mA 100~240V 50/60Hz</p>	<p>Packaging</p> <p>1 Box 0,27 x 0,60 x 0,60 m Vol 0,0972 m³ Gross weight 7,9 Kg Net weight 7,11 Kg</p> <p>Notes</p> <p>Pressed-glass diffuser.</p> <p>UNTIL STOCK RUNS OUT</p>
--	---



0358




<p>Finishes</p> <ul style="list-style-type: none"> ● 04/ __ Black (RAL 9005) 	<p>LED temperature colour</p> <ul style="list-style-type: none"> /1 _ 2700 K D >90 3880 lm 121 lm/W /2 _ 3000 K E >90 3880 lm 121 lm/W /3 _ 3500 K E >90 4002,4 lm 125,1 lm/W 	<p>Control</p> <ul style="list-style-type: none"> 0358 __ / _ A DALI, 1-10V, Push 0358 __ / _ Z Casambi
---	--	--

<p>Materials</p> <p>Diffuser: Pressed-glass. Body: Aluminum. Canopy: Steel.</p> <p>Light Source and electronics</p> <p>8 x LED 4,5 W 350 mA Constant Current 350 mA 100~240V 50/60Hz</p>	<p>Packaging</p> <p>1 Box 0,27 x 0,60 x 0,60 m Vol 0,0972 m³ Gross weight 8,4 Kg Net weight 7,56 Kg</p> <p>Notes</p> <p>Pressed-glass diffuser.</p> <p>UNTIL STOCK RUNS OUT</p>
--	---



0360



Finishes
● 04/ _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** > 4365 lm 121 lm/W
/2 _ 3000 K **E** > 4365 lm 121 lm/W
/3 _ 3500 K **E** > 4502,7 lm 125,1 lm/W

Control
0360 _ _ / _ A
DALI, 1-10V, Push
0360 _ _ / _ Z
Casambi

Materials
Diffuser: Pressed-glass. Body: Aluminum.
Canopy: Steel.


Light Source and electronics
9 x LED 4,5 W 350 mA
Constant Current 350 mA
100~240V 50/60Hz

Packaging
1 Box 0,27 x 0,60 x 0,60 m
Vol 0,0972 m³
Gross weight 9,1 Kg Net weight 8,19 Kg

Notes
Pressed-glass diffuser.
UNTIL STOCK RUNS OUT

LED IP20 CE EAC Bi-volt

0361



Finishes
● 04/ _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** > 485 lm 121 lm/W
/2 _ 3000 K **E** > 485 lm 121 lm/W
/3 _ 3500 K **E** > 500,3 lm 125,10 lm/W

Control
0361 _ _ / _ 1
DALI
0361 _ _ / _ B
1-10V, Push
0361 _ _ / _ Z
Casambi

Materials
Diffuser: Polycarbonate. Body: Aluminum.
Canopy: Steel.


Light Source and electronics
1 x LED 4,5 W 700 mA
Constant Current 350 mA
100~240V 50/60Hz

Packaging
1 Box 0,25 x 0,42 x 0,42 m
Vol 0,0441 m³
Gross weight 2,6 Kg Net weight 2,34 Kg

Notes
Without pressed-glass diffuser.
Additional cable length personalisation

LED IP20 CE EAC Bi-volt

0362



Finishes
● 04/ _ _ Black
(RAL 9005)

LED temperature colour
/1 _ 2700 K **D** > 980 lm 109 lm/W

Control
0362 _ _ / _ A
DALI-2, 1-10V, Push
0362 _ _ / _ Z
Casambi

Materials
Diffuser: Polycarbonate. Body: Aluminum.
Canopy: Steel.

Light Source and electronics
2 x LED 4,5 W 350 mA
Constant Current 350 mA
100~240V 50/60Hz


Packaging
1 Box 0,27 x 0,60 x 0,60 m
Vol 0,0972 m³
Gross weight 4,6 Kg Net weight 4,14 Kg

Notes
Without pressed-glass diffuser.
UNTIL STOCK RUNS OUT

LED IP20 CE EAC Bi-volt

Electrical connection
Surface
_18 Free Wire
_23 Built-in
_31 Remote
Micro
for plaster
ceilings
_32 Remote
XXS
for all types
of drop
ceilings

0363



Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >80 1471 lm 109 lm/W

Control
 0363 __ / _ A
 DALI-2, 1-10V, Push

0363 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics
 3 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz


Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 5,2 Kg Net weight 4,68 Kg

Notes
 Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0364



Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >80 1471 lm 109 lm/W

Control
 0364 __ / _ A
 DALI-2, 1-10V, Push

0364 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics
 4 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz


Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 5,6 Kg Net weight 5,04 Kg

Notes
 Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0365



Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >80 2451 lm 109 lm/W

Control
 0365 __ / _ A
 DALI-2, 1-10V, Push

0365 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics
 5 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz


Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 5,04 Kg Net weight 5,49 Kg

Notes
 Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0366



Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >80 2942 lm 109 lm/W

Control
 0366 __ / _ A
 DALI-2, 1-10V, Push

0366 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics
 6 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz


Packaging
 1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 6,7 Kg Net weight 6,03 Kg

Notes
 Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0367



Finishes
 ● 04/ _ _ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K 
 CRI >80 3432 lm 109 lm/W

Control
 0367 _ _ / _ A
 DALI-2, 1-10V, Push
 0367 _ _ / _ Z
 Casambi

Materials

Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics

7 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging

1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 7,9 Kg Net weight 7,11 Kg


Notes

Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0368



Finishes
 ● 04/ _ _ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K 
 CRI >80 3922 lm 109 lm/W

Control
 0368 _ _ / _ A
 DALI-2, 1-10V, Push
 0368 _ _ / _ Z
 Casambi

Materials

Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics

8 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging

1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 8,4 Kg Net weight 7,56 Kg


Notes

Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



0369



Finishes
 ● 04/ _ _ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K 
 CRI >80 4412 lm 109 lm/W

Control
 0369 _ _ / _ A
 DALI-2, 1-10V, Push
 0369 _ _ / _ Z
 Casambi

Materials

Diffuser: Polycarbonate. Body: Aluminum.
 Canopy: Steel.

Light Source and electronics

9 x LED 4,5 W 350 mA
 Constant Current 350 mA
 100~240V 50/60Hz

Packaging

1 Box 0,27 x 0,60 x 0,60 m
 Vol 0,0972 m³
 Gross weight 9,1 Kg Net weight 8,19 Kg

Notes


Without pressed-glass diffuser.

UNTIL STOCK RUNS OUT



Composing pendants


Next sketches are composed by one or more compositions




28 x 0361.




28 x 0345.




6 x 0345.




9 x 0361.




6 x 0361.



3 x 0361.




9 x 0345.



3 x 0361.

Composing pendants


Next sketches are composed by one or more compositions



9 x 0361.

Each project is unique.
Visit vibia.com and
chose among multiple
compositions designed
and adapted to your
project needs.

Personalise your own
Wireflow FreeForm
composition quick
and easy at vibia.com



Electrical connection options for models 0345 / 0361


Choose your preferred installation option according to your needs. For each composition, the optimal minimum number of drivers will be delivered.

Drop ceiling



The innovative remote and built-in fittings accentuate the silkiness and lightness of compositions on suspended ceilings, its great visual grandeur taking center stage.

For Ref. 0345 / 0361

Remote



Micro ø 3 cm
height 7 cm
for plaster ceilings.
Black finish.





XXS ø 6 cm
height 6 cm
for all types of drop ceilings. Match with fixture finish.

Built-in



ø 8 cm
height 6 cm
match with fixture finish.



Regular ceiling


When architecture does not allow for performance, surface and free wire showcase possibilities for any need or desire with no limits, ideal for both individual or cluster arrangements.

For Ref. 0345 / 0361


Surface



ø 20 cm
match with
fixture finish.




Free Wire




1 - 3 wires

ø 20 cm



4 - 6 wires

ø 36 cm



7 - 9 wires

ø 40 cm

you can choose the finish of the canopy
among black, white or any colour
matching one of the pendants.

