

Wireflow Lineal


Design by Arik Levy

Crafted of black, electrical cables and lacquered metal rods, Linear traces an airy, two-dimensional outline that lends it a powerful graphic presence. The slim cables are tipped with LED terminals and can be customised.

Pendants


0320

57 cm




0325

155 cm




0330

275 cm




0332

275 cm




0338

145 cm



0340

205 cm




Each project is unique. Visit vibia.com and chose among multiple compositions designed and adapted to your project needs.

Personalise your own Wireflow composition quick and easy at vibia.com



Without pressed-glass diffuser.




0320

Finishes
 ● 04/ __ Black (RAL 9005)

LED temperature colour
 /1_ 2700 K [D] CRI >90 970 lm 121 lm/W
 /2_ 3000 K [E] CRI >90 970 lm 121 lm/W
 /3_ 3500 K [E] CRI >90 1000,6 lm 125,1 lm/W

Control
 0320 __ / _ 1 DALI
 0320 __ / _ B 1-10V, Push
 0320 __ / _ Z Casambi




Materials
 Diffuser: Polycarbonate. Horizontal rods: Steel.
 Body: Aluminum. Canopy: Aluminum.

Light Source and electronics
 2 x LED 4,5 W 350 mA
 Constant Current 350 mA
 110-240V 50/60Hz

Packaging
 1 Box 0,20 x 0,075 x 0,70 m
 Vol 0,0150 m³
 Gross weight 5,1 Kg Net weight 2,6 Kg

Notes
 Linear canopy
 LED [Symbol] IP20 CE EAC [Symbol] Bi-volt

0325



Finishes
 ● 04/ __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >90 2910 lm 121 lm/W
 /2_ 3000 K CRI >90 2910 lm 121 lm/W
 /3_ 3500 K CRI >90 3001,8 lm 125,1 lm/W

Control
 0325 __ / _ 1
 DALI

0325 __ / _ B
 1-10V, Push

0325 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Horizontal rods: Steel.
 Body: Aluminum. Canopy: Aluminum.


Light Source and electronics
 6 x LED 4,5 W 350 mA
 Constant Current 350 mA
 110~240V 50/60Hz

Packaging
 1 Box 0,20 x 0,075 x 2,30 m
 Vol 0,0345 m³
 Gross weight 8 Kg Net weight 4,5 Kg

Notes
 Linear canopy



0330



Finishes
 ● 04/ __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >90 4850 lm 121 lm/W
 /2_ 3000 K CRI >90 4850 lm 121 lm/W
 /3_ 3500 K CRI >90 5003,0 lm 125,1 lm/W

Control
 0330 __ / _ 1
 DALI

0330 __ / _ B
 1-10V, Push


0330 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Horizontal rods: Steel.
 Body: Aluminum. Canopy: Aluminum.


Light Source and electronics
 10 x LED 4,5 W 700 mA
 Constant Current 350 mA
 220~240V 50/60Hz

Packaging
 1 Box 0,20 x 0,075 x 3,30 m
 Vol 0,0495 m³
 Gross weight 9,5 Kg Net weight 5,0 Kg

Notes
 Linear canopy



0332



Finishes
 ● 04/ __ Black
 (RAL 9005)

LED temperature colour
 /1_ 2700 K CRI >80 4902,7 lm 109 lm/W

Control
 0332 __ / _ 1
 DALI

0332 __ / _ B
 1-10V, Push

0332 __ / _ Z
 Casambi


Materials
 Diffuser: Polycarbonate. Horizontal rods: Steel.
 Body: Aluminum. Canopy: Aluminum.

Light Source and electronics
 10 x LED 4,5 W 700 mA
 Constant Current 350 mA
 220~240V 50/60Hz


Packaging
 1 Box 0,20 x 0,075 x 3,30 m
 Vol 0,0345 m³
 Gross weight 9,2 Kg Net weight 8,3 Kg

Notes
 Linear canopy.

UNTIL STOCK RUNS OUT



0338



Finishes
 ● 04/ _ _ Black (RAL 9005)

LED temperature colour
 /1 _ 2700 K CRI >90 2910 lm 121 lm/W
 /3 3500 K CRI >90 3001,8 lm 125,1 lm/W

Control
 0338 _ _ / _ 1 DALI

0338 _ _ / _ B 1-10V, Push

0338 _ _ / _ Z Casambi

Materials

Diffuser: Polycarbonate. Horizontal rods: Steel. Body: Aluminum. Canopy: Aluminum.

Light Source and electronics

6 x LED 4,5 W 350 mA
 Constant Current 350 mA
 110-240V 50/60Hz

Packaging


1 Box 0,20 x 0,075 x 3,30 m
 Vol 0,0495 m³
 Gross weight 9,5 Kg Net weight 5,0 Kg

Notes

Linear canopy



0340



Finishes
 ● 04/ _ _ Black (RAL 9005)

LED temperature colour
 /1 _ 2700 K CRI >90 3922 lm 109 lm/W

Control
 0340 _ _ / _ 1 DALI

0340 _ _ / _ B 1-10V, Push

0340 _ _ / _ Z Casambi

Materials

Diffuser: Polycarbonate. Horizontal rods: Steel. Body: Aluminum. Canopy: Aluminum.

Light Source and electronics

8 x LED 4,5 W 700 mA
 Constant Current 350 mA
 220-240V 50/60Hz

Packaging

1 Box 0,20 x 0,075 x 2,30 m
 Vol 0,0345 m³
 Gross weight 10,2 Kg Net weight 9,3 Kg

Notes

Linear canopy.

UNTIL STOCK RUNS OUT

