

Mayfair

Design by Diego Fortunato

Mayfair is a modern reimagining of the traditional 19th-century lights, distinguished by its timeless design and sleek silhouette.

Table Floor




5500

- Finishes
- 07/ __ Graphite and green (RAL 7016, RAL 6026)
 - 08/ __ Graphite and orange (RAL 7016, RAL 2009)

LED temperature colour
/1_ 2700 K 
CRI >90 2027,0 lm 135 lm/W

Control
5500 __ / __ 6
Optical sensor



Materials
Diffuser: Polycarbonate. Shade: Methacrylate.
Tube: Steel. Base: Zamak.


Light Source and electronics
1 x LED STRIP 24V 2,4 W
1 x LED STRIP 24V 12,6 W
Constant Voltage 24V
100~240V 50/60Hz

Packaging
1 Box 0,22 x 0,35 x 0,61 m
Vol 0,0470 m³
Gross weight 3,6 Kg Net weight 3,4 Kg

Notes
Touch dimmer on base. Electric cable 2 m.
Ask if you require Push without memory (hotel room type)

LED  IP20   
Dimmer  Bi-volt

5505



- Finishes
- 18/ __ Graphite (RAL 7016)
 - 93/ __ White (RAL 9016)

Finish customization
 (Available options:
 Vibia colour palette)

LED temperature colour
 /1_ 2700 K
 CRI >90 2027,0 lm 135 lm/W

Control
 5505 __ / _ 6
 Optical sensor

- Finishes
- 20/ __ Gold
 - 67/ __ Copper

LED temperature colour
 /1_ 2700 K
 CRI >90 2027,0 lm 135 lm/W

Control
 5505 __ / _ 6
 Optical sensor

Materials

Diffuser: Polycarbonate. Shade and tube: Steel.
 Base: Zamak.

Light Source and electronics

1 x LED STRIP 24V 2,4 W
 1 x LED STRIP 24V 12,6 W
 Constant Voltage 24V
 100~240V 50/60Hz

Packaging

1 Box 0,22 x 0,35 x 0,61 m
 Vol 0,0470 m³
 Gross weight 3,6 Kg Net weight 3,4 Kg

Notes


Touch dimmer on base. Electric cable 2 m

LED IP20

Dimmer Bi-volt




5510



<p>Finishes</p> <ul style="list-style-type: none"> ● 07/ __ Graphite and green (RAL 7016, RAL 6026) ● 08/ __ Graphite and orange (RAL 7016, RAL 2009) 	<p>LED temperature colour</p> <p>/1_ 2700 K CRI >90 2027,0 lm 135 lm/W</p>	<p>Control</p> <p>5510 __ / __ 6 Optical sensor</p>
<p>Materials</p> <p>Diffuser: Polycarbonate. Shade: Methacrylate. Tube: Steel. Base: Zamak.</p>		<p>Packaging</p> <p>1 Box 1,50 x 0,32 x 0,34 m Vol 0,1630 m³ Gross weight 12,8 Kg Net weight 6,2 Kg</p>
<p>Light Source and electronics</p> <p>1 x LED STRIP 24V 2,4 W 1 x LED STRIP 24V 12,6 W Constant Voltage 24V 100~240V 50/60Hz</p>		<p>Notes</p> <p>Touch dimmer on shade. Electric cable 2 m</p>
<p> </p> <p> </p>		

5515



<p>Finishes</p> <ul style="list-style-type: none"> ● 18/ __ Graphite (RAL 7016) ● 93/ __ White (RAL 9016) <p>Finish customization (Available options: Vibia colour palette)</p>	<p>LED temperature colour</p> <p>/1_ 2700 K CRI >90 2027,0 lm 135 lm/W</p>	<p>Control</p> <p>5515 __ / __ 6 Optical sensor</p>
<p>Finishes</p> <ul style="list-style-type: none"> ● 20/ __ Gold ● 67/ __ Copper 	<p>LED temperature colour</p> <p>/1_ 2700 K CRI >90 2027,0 lm 135 lm/W</p>	<p>Control</p> <p>5515 __ / __ 6 Optical sensor</p>
<p>Materials</p> <p>Diffuser: Polycarbonate. Shade and tube: Steel. Base: Zamak.</p>		<p>Packaging</p> <p>1 Box 1,50 x 0,32 x 0,34 m Vol 0,1630 m³ Gross weight 12,8 Kg Net weight 6,2 Kg</p>
<p>Light Source and electronics</p> <p>1 x LED STRIP 24V 2,4 W 1 x LED STRIP 24V 12,6 W Constant Voltage 24V 100~240V 50/60Hz</p>		<p>Notes</p> <p>Touch dimmer on shade. Electric cable 2 m</p>
<p> </p> <p> </p>		



Pendants




Ø 30 cm

Ø 30 cm

5520

5525

5520



- Finishes**
- 07/ __ Graphite and green (RAL 7016. RAL 6026)
 - 08/ __ Graphite and orange (RAL 7016. RAL 2009)

LED temperature colour
 /1_ 2700 K
 CRI >90 2027,0 lm 135 lm/W

Control
 5520 __ / _ 1
 DALI

5520 __ / _ B
 1-10V, Push

5520 __ / _ Z
 Casambi

Materials
 Diffuser: Polycarbonate. Shade: Methacrylate.
 Tube and canopy: Steel.

Light Source and electronics
 1 x LED STRIP 24V 2,4 W
 1 x LED STRIP 24V 12,6 W
 Constant Voltage 24V
 220~240V 50/60Hz

Packaging
 1 Box 0,50 x 0,31 x 0,31 m
 Vol 0,0500 m³
 Gross weight 2,8 Kg Net weight 1,8 Kg


Notes
 Extra cable length.

LED IP20 CE EAC

Electrical connection
 Surface
 _18 Free Wire
 _23 Built-in
 _31 Remote
 Micro
 for plaster
 ceilings
 _32 Remote
 XXS
 for all types
 of drop
 ceilings



5525



- Finishes**
- 18/ __ Graphite (RAL 7016)
 - 93/ __ White (RAL 9016)

Finish customization
(Available options:
Vibia colour palette)

- Finishes**
- 20/ __ Gold
 - 67/ __ Copper

LED temperature colour
/1 _ 2700 K
CRI >90 2027,0 lm 135 lm/W

LED temperature colour
/1 _ 2700 K
CRI >90 2027,0 lm 135 lm/W

Control
5525 __ / _ 1
DALI

5525 __ / _ B
1-10V, Push

5525 __ / _ Z
Casambi

Control
5525 __ / _ 1
DALI

5525 __ / _ B
1-10V, Push


5525 __ / _ Z
Casambi

Materials
Diffuser: Polycarbonate.
Shade, tube and canopy: Steel.

Light Source and electronics
1 x LED STRIP 24V 2,4 W
1 x LED STRIP 24V 12,6 W
Constant Voltage 24V
220-240V 50/60Hz

Packaging
1 Box 0,50 x 0,31 x 0,31 m
Vol 0,0500 m³
Gross weight 2,9 Kg Net weight 1,9 Kg

Notes
Extra cable length.




Electrical connection


- Surface
- _18 Free Wire
- _23 Built-in
- _31 Remote Micro for plaster ceilings
- _32 Remote XXS for all types of drop ceilings

Composing pendants


Next sketches are composed by one or more compositions



6 x 5520.



4 x 5525.



4 x 5525.

Each project is unique.
Visit vibia.com and
chose among multiple
compositions designed
and adapted to your
project needs.

Personalise your own
Mayfair composition quick
and easy at vibia.com

Electrical connection options for models 5520 / 5525


Choose your preferred installation option according to your needs. For each composition, the optimal minimum number of drivers will be delivered.

Drop ceiling


The innovative remote and built-in fittings accentuate the silkiness and lightness of compositions on suspended ceilings, its great visual grandeur taking center stage.

For Ref. 5520 / 5525

Remote




Micro \varnothing 3 cm
height 7 cm
for plaster ceilings.
Black finish.



Built-in



\varnothing 8 cm
height 6 cm
match with
fixture finish.



Regular ceiling

When architecture does not allow for performance, surface and free wire showcase possibilities for any need or desire with no limits, ideal for both individual or cluster arrangements.

For Ref. 5520 / 5525


Surface




ø 16 cm

match with
fixture finish.


Free Wire



1 wire



2 - 6 wires



7 - 9 wires

ø 20 cm

ø 36 cm

ø 40 cm

you can choose the finish of the canopy
among black, white or any colour
matching one of the pendants.

