

Origami


Design by Ramón Esteve

Recalling the folded paper of the Japanese art form for which it's named, Origami generates a stunning play of light and shadows. Composed of two architectural modules that be arranged in countless personalized designs, it creates the effect of climbing ivy along a blank expanse of wall.

Wall Outdoor

4500

30 cm




4501

30 cm




4504

53 cm




4506

73 cm




4508

94 cm




Each project is unique. Visit vibia.com and chose among multiple compositions designed and adapted to your project needs.

Personalise your own Origami composition quick and easy at vibia.com



4500



Finishes

- 10/ __ White (NCS S 0300-N)
- 29/ __ Brown D1 (NCS S 8005-Y50R)
- 38/ __ Terra Dark (NCS S 5040-Y70R)
- 53/ __ Green M1 (NCS S 6005-G80Y)

LED temperature colour

- /1 _ 2700 K **D**
CRI >90 756,42 lm 120 lm/W
- /3 _ 3500 K **E**
CRI >90 799,1 lm 126,8 lm/W

Control

4500 __ / _ 4
 TRIAC

Materials

Shade: ABS. Diffuser: Polycarbonate.
 Lid: Polycarbonate. Arm: Polycarbonate.

Light Source and electronics

1 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging


1 Box 0,35 x 0,35 x 0,12 m
 Vol 0,0150 m³
 Gross weight 1,5 Kg Net weight 1 Kg

Notes

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system



4501



- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Finishes</p> <ul style="list-style-type: none"> ● 10/ __ White
(NCS S 0300-N) ● 29/ __ Brown D1
(NCS S 8005-Y50R) ● 38/ __ Terra Dark
(NCS S 5040-Y70R) ● 53/ __ Green M1
(NCS S 6005-G80Y) | <p>LED temperature colour</p> <p>/1 _ 2700 K
CRI >90 756,42 lm 120 lm/W</p> <p>/3 _ 3500 K
CRI >90 799,1 lm 126,8 lm/W</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Control
4501 __ / _ 4
 TRIAC

Materials
 Shade: ABS. Diffuser: Polycarbonate.
 Lid: Polycarbonate. Arm: Polycarbonate.


Packaging
 1 Box 0,35 x 0,35 x 0,12 m
 Vol 0,0150 m³
 Gross weight 1,5 Kg Net weight 1 Kg

Light Source and electronics
 1 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system



4504



- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Finishes</p> <ul style="list-style-type: none"> ● 10/ __ White
(NCS S 0300-N) ● 29/ __ Brown D1
(NCS S 8005-Y50R) ● 38/ __ Terra Dark
(NCS S 5040-Y70R) ● 53/ __ Green M1
(NCS S 6005-G80Y) | <p>LED temperature colour</p> <p>/1 _ 2700 K
CRI >90 1512,84 lm 120 lm/W</p> <p>/3 _ 3500 K
CRI >90 1598,2 lm 126,8 lm/W</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Control
4504 __ / _ 4
 TRIAC

Materials
 Shade: ABS. Diffuser: Polycarbonate.
 Lid: Polycarbonate. Arm: Polycarbonate.


Packaging
 1 Box 0,64 x 0,40 x 0,22 m
 Vol 0,0563 m³
 Gross weight 4,05 Kg Net weight 2,15 Kg

Light Source and electronics
 2 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system



4506



- | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Finishes</p> <ul style="list-style-type: none"> ● 10/ __ White
(NCS S 0300-N) ● 29/ __ Brown D1
(NCS S 8005-Y50R) ● 38/ __ Terra Dark
(NCS S 5040-Y70R) ● 53/ __ Green M1
(NCS S 6005-G80Y) | <p>LED temperature colour</p> <p>/1 _ 2700 K
CRI >90 2269,26 lm 120 lm/W</p> <p>/3 _ 3500 K
CRI >90 2397,2 lm 126,8 lm/W</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|


Control
4506 __ / _ 4
 TRIAC

Materials
 Shade: ABS. Diffuser: Polycarbonate.
 Lid: Polycarbonate. Arm: Polycarbonate.


Packaging
 1 Box 0,95 x 0,40 x 0,22 m
 Vol 0,0836 m³
 Gross weight 5,33 Kg Net weight 3,23 Kg

Light Source and electronics
 3 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Notes
 A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system



4508



Finishes	LED temperature colour	Control
● 10/ __ White (NCS S 0300-N)	/1 2700 K CRI >90 3025,68 lm 120 lm/W	4508 __ / __ 4 TRIAC
● 29/ __ Brown D1 (NCS S 8005-Y50R)	/3 3500 K CRI >90 3196,3 lm 126,8 lm/W	
● 38/ __ Terra Dark (NCS S 5040-Y70R)		
● 53/ __ Green M1 (NCS S 6005-G80Y)		

Materials

Shade: ABS. Diffuser: Polycarbonate.
 Lid: Polycarbonate. Arm: Polycarbonate.

Light Source and electronics

4 x LED STRIP 6,3 W 350 mA
 Constant Current 350 mA
 110-277V 50/60Hz

Packaging

1 Box 1,25 x 0,40 x 0,22 m
 Vol 0,1100 m³
 Gross weight 7,2 Kg Net weight 6,48 Kg

Notes

A maximum of 30 modules can be connected to a single connection point. For bigger compositions, check connection system

