


## TESS 90 by Jan Pauwels

The floating curved satellite is both elegant and organized. LED circuit boards and tint curved metal rods are giving this lamp its structure and shape. 2/3 of the lights goes down and 1/3 goes up.



### DIMENSIONS

L	90 cm	35,4 inch
H	30 cm	11,8 inch
W	40 cm	15,7 inch

### CANOPY

L	28 cm	11,0 inch
H	4,5 cm	1,8 inch
W	9 cm	3,5 inch

### CABLE LENGTH

Up to 200 cm 78,7 inch

### LIGHTSOURCE

23x led, 12V/0.6W, 2800K, 690 LM



2,5	5	45x40x130cm
2,5	3	60x30x25cm

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR


● 11-9313-1  
● 11-9313-2  
● 11-9313-4

**STANDARD** Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V – 3W  
2400K.

## TESS 125 by Jan Pauwels

The floating curved satellite is both elegant and organized. LED circuit boards and tint curved metal rods are giving this lamp its structure and shape. 2/3 of the lights goes down and 1/3 goes up.



### DIMENSIONS

L	125 cm	49,2 inch
H	30 cm	11,8 inch
W	40 cm	15,7 inch

### CANOPY

L	54 cm	21,3 inch
H	4,5 cm	1,8 inch
W	10 cm	3,9 inch

### CABLE LENGTH

Up to 200 cm 78,7 inch

### LIGHTSOURCE

32x led, 12V/0.6W, 2800K, 960 LM



1,5	5	45x40x130cm
2,5	3	60x30x25cm

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR


● 11-9310  
● 11-9310-2  
● 11-9310-4

**STANDARD** Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V – 3W  
2400K

## TESS 150 by Jan Pauwels

The floating curved satellite is both elegant and organized. LED circuit boards and tint curved metal rods are giving this lamp its structure and shape. 2/3 of the lights goes down and 1/3 goes up.



### DIMENSIONS

L	150 cm	59,1 inch
H	30 cm	11,8 inch
W	40 cm	15,7 inch

### CANOPY

L	54 cm	21,3 inch
H	4,5 cm	1,8 inch
W	10 cm	3,9 inch

### CABLE LENGTH

Up to 200 cm 78,7 inch

### LIGHTSOURCE

38x led, 12V/0.6W, 2800K, 1140 LM



3	5	45x40x205cm
2,5	3	60x30x25cm

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR


● 11-9314-1  
● 11-9314-2  
● 11-9314-4

**STANDARD** Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V – 3W  
2400K.

## TESS 180 by Jan Pauwels

The floating curved satellite is both elegant and organized. LED circuit boards and tint curved metal rods are giving this lamp its structure and shape. 2/3 of the lights goes down and 1/3 goes up.



### DIMENSIONS

L	180 cm	70,9 inch
H	30 cm	11,8 inch
W	40 cm	15,7 inch

### CANOPY

L	54 cm	21,3 inch
H	4,5 cm	1,8 inch
W	10 cm	3,9 inch

### CABLE LENGTH

Up to 200 cm	78,7 inch
--------------	-----------

### LIGHTSOURCE

46x led, 12V/0.6W, 2800K, 1380 LM



2	5	45x40x205cm
2,5	3	60x30x25cm

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR


● 11-9311  
● 11-9311-2  
● 11-9311-4

**STANDARD** Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V – 3W 2400K

## TESS 200 by Jan Pauwels

The floating curved satellite is both elegant and organized. LED circuit boards and tint curved metal rods are giving this lamp its structure and shape. 2/3 of the lights goes down and 1/3 goes up.



### DIMENSIONS

L	200 cm	78,7 inch
H	30 cm	11,8 inch
W	40 cm	15,7 inch

### CANOPY

L	54 cm	21,3 inch
H	4,5 cm	1,8 inch
W	10 cm	3,9 inch

### CABLE LENGTH

Up to 200 cm	78,7 inch
--------------	-----------

### LIGHTSOURCE

51x led, 12V/0.6W, 2800K, 1530 LM



2	5	45x40x205cm
2,5	3	60x30x25cm

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR

● 11-9312  
● 11-9312-2  
● 11-9312-4

**STANDARD** Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** Downlight led 2700K 12V – 3W 2400K

## TESS FLOOR 160 by Jan Pauwels

As an extension of the Tess series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.



### DIMENSIONS

L	30 cm	11,8 inch
H	160 cm	63,0 inch
W	30 cm	11,8 inch

### LIGHTSOURCE

31x led, 12V/0.6W, 2800K, 930 LM

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR

● 11-9320-1  
● 11-9320-2  
● 11-9320-4

**STANDARD** The frame is completely black. Push dimmer included.

**OPTIONAL** Remote control for dimmer. 2400K.



## TESS FLOOR 200 by Jan Pauwels

As an extension of the Tess series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

DIMENSIONS		LIGHTSOURCE	FINISH	TYPE.NR
L	30 cm 11,8 inch	39x led, 12V/0.6W, 2800K,	Nickel	● 11-9321-1
H	200 cm 78,7 inch	1170 LM	Brass	● 11-9321-2
W	30 cm 11,8 inch		Black Brass	● 11-9321-4

**STANDARD** The frame is completely black. Push dimmer included.


**OPTIONAL** Remote control for dimmer:  
2400K.



## TESS GLOBE 40 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior. Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.

DIMENSIONS		CABLE LENGTH	FINISH	TYPE.NR
Ø	40 cm 15,7 inch	Up to 200 cm 78,7 inch	Nickel	● 11-9315-1
<b>CANOPY</b>		<b>LIGHTSOURCE</b>	Brass	● 11-9315-2
Ø	20 cm 7,9 inch	20x led, 12V/0.6W, 2800K,	Black Brass	● 11-9315-4
H	7,5 cm 3,0 inch	600 LM, CRI>90		



**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.


**OPTIONAL** 2400K.



## TESS GLOBE 60 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior. Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.

DIMENSIONS		CABLE LENGTH	FINISH	TYPE.NR
Ø	60 cm 23,6 inch	Up to 200 cm 78,7 inch	Nickel	● 11-9316-1
<b>CANOPY</b>		<b>LIGHTSOURCE</b>	Brass	● 11-9316-2
Ø	20 cm 7,9 inch	30x led, 12V/0.6W, 2800K,	Black Brass	● 11-9316-4
H	7,5 cm 3,0 inch	900 LM, CRI>90		



**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** 2400K.



## TESS GLOBE 70 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior: Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.

DIMENSIONS		CABLE LENGTH		FINISH		TYPE.NR	
Ø	70 cm 27,6 inch	Up to 200 cm	78,7 inch	Nickel	●	11-9322-1	
CANOPY		LIGHTSOURCE		Brass		●	11-9322-2
Ø	20 cm 7,9 inch	36x led, 12V/0.6W, 2800K,		Black Brass		●	11-9322-4
H	7,5 cm 3,0 inch	1080 LM, CRI>90					

**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** 2400K.



## TESS GLOBE 80 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior: Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.


DIMENSIONS		CABLE LENGTH		FINISH		TYPE.NR	
Ø	80 cm 31,5 inch	Up to 200 cm	78,7 inch	Nickel	●	11-9317-1	
CANOPY		LIGHTSOURCE		Brass		●	11-9317-2
Ø	20 cm 7,9 inch	40x led, 12V/0.6W, 2800K,		Black Brass		●	11-9317-4
H	7,5 cm 3,0 inch	1200 LM, CRI>90					



5 17 84x84x79cm

**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** 2400K.



## TESS GLOBE 100 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior: Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.

DIMENSIONS		CABLE LENGTH		FINISH		TYPE.NR	
Ø	100 cm 39,4 inch	Up to 200 cm	78,7 inch	Nickel	●	11-9318-1	
CANOPY		LIGHTSOURCE		Brass		●	11-9318-2
Ø	25 cm 9,8 inch	75x led, 12V/0.6W, 2800K,		Black Brass		●	11-9318-4
H	5,5 cm 2,2 inch	2250 LM, CRI>90					




3 70 110x110x130cm

**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** 2400K.





∅

## TESS GLOBE 120 by Jan Pauwels

Because of its round shape the Tess Globe is well suited to every interior: Whether its modern or classic. The lamp is slightly more frivolous because of its curved rods. The Tess Globe is available as a single suspension. By mixing different sizes or even finishes you can create an astonishing composition.

### DIMENSIONS

∅ 120 cm 47,2 inch

### CANOPY

∅ 30 cm 11,8 inch  
H 5,5 cm 2,2 inch

### CABLE LENGTH

Up to 200 cm 78,7 inch

### LIGHTSOURCE

125x led, 12V/0.6W,  
2800K, 3750 LM, CRI>90

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR


● 11-9319-1  
● 11-9319-2  
● 11-9319-4



10 90 130x130x150cm

**STANDARD** The fixture is supplied with a black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

**OPTIONAL** 2400K.



∅

## TESS GLOBE FLOOR by Jan Pauwels

As an extension of the Tess Globe series. A very subtle frame is carrying the light sculpture without affecting its unique appearance. Perfect in an open space, in front of a wall or in a corner.

### DIMENSIONS

∅ 60 cm 23,6 inch  
H 180 cm 70,9 inch

### LIGHTSOURCE

30x led, 12V/0.6W, 2800K,  
900 LM, CRI>90

### FINISH

Nickel  
Brass  
Black Brass

### TYPE.NR

● 11-9323-1  
● 11-9323-2  
● 11-9323-4

**STANDARD** The frame is completely black. Push dimmer included.

**OPTIONAL** Remote control for dimmer:  
2400K.