

Realised in various versions through an innovative technology developed by Nemo for coupling extrusions, Ellisse guarantees diffused direct and indirect lighting with the LED housed within the structure while remaining unobtrusive. The design is linear and contemporary, while an elegant black marble base becomes a pedestal for the floor version.

- IT Realizzata in diverse versioni attraverso un'innovativa tecnologia sviluppata da Nemo appositamente per l'accoppiamento degli estrusi, Ellisse garantisce un'illuminazione diffusa diretta e indiretta grazie al LED ospitato nella struttura senza risultare invadente. Il design è lineare e contemporaneo, mentre un elegante base in marmo nero diventa piedistallo per la versione da terra.
- FR Suspensions, lampadaires et appliques fabriqués grâce à une technologie innovante développée par Nemo spécifiquement pour le couplage d'extrusions. Le design d'Ellisse est linéaire et contemporain et garantit un éclairage diffus direct et indirect grâce à la LED logée dans la structure sans être intrusive. Une élégante base en marbre noir devient un piédestal pour la version au sol.
- DE Hänge-, Steh- und Wandleuchten, die mit einer innovativen Technologie hergestellt werden, die von Nemo speziell für die Verbindung von Formteilen entwickelt wurde. Das Design von Ellisse ist geradlinig und zeitgemäß und garantiert dank der in der Struktur untergebrachten LED eine diffuse direkte und indirekte Beleuchtung, ohne aufdringlich zu wirken. Ein eleganter schwarzer Marmorsockel wird zum Sockel für die Bodenversion.

Ellisse finishes

White




Black



Gold painted



Polished aluminium







Gold pol. anodized






Black Marquinia marble



<p>Floor/wall</p> 	<p>Technical information</p>	<p>Linear LED 66W Diffused emission Dimmable on cable 110-240V CCT 2700K 3450lm</p>	<p>CRI 85 IP20 Cable length 5m Base and wall hanger sold separately</p>
<p>Versions</p>			<p>Black ELP LNN 21 Gold polished anodized ELP LGN 21</p>
<p>Base</p>			<p>Black marquinia marble ELP BNN 21</p>
<p>Hanger</p>			<p>Gold polished anodized ELP AGG 31</p>
<p>Pendant minor</p> 	<p>Technical information</p>	<p>Linear LED 50W Diffused emission downlight or uplight Dimmable 1-10V 110-240V 2250lm</p>	<p>CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m</p>
<p>Versions</p>		<p>Downlight 2700K</p>	<p>White ELP LW2 52 Black ELP LN2 52 Gold painted ELP LO2 52 Polished aluminium ELP LL2 52 Gold polished anodized ELP LGW 52</p>
<p>Versions</p>		<p>Downlight 3000K</p>	<p>White ELP LWW 52 Black ELP LNW 52 Gold painted ELP LOW 52 Polished aluminium ELP LLW 52</p>
<p>Versions</p>		<p>Uplight 2700K</p>	<p>White ELP LW2 51 Black ELP LN2 51 Gold painted ELP LO2 51 Polished aluminium ELP LL2 51 Gold polished anodized ELP LGW 51</p>
<p>Versions</p>		<p>Uplight 3000K</p>	<p>White ELP LWW 51 Black ELP LNW 51 Gold painted ELP LOW 51 Polished aluminium ELP LLW 51</p>

Pendant major	Technical information	Linear LED 69W Diffused emission downlight or uplight Dimmable 1-10V 110-240V 3450lm	CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m
	Versions	Downlight 2700K	White ELP LW2 54 Black ELP LN2 54 Gold painted ELP LO2 54 Polished aluminium ELP LL2 54 Gold polished anodized ELP LGW 54
		Downlight 3000K	White ELP LWW 54 Black ELP LNW 54 Gold painted ELP LOW 54 Polished aluminium ELP LLW 54
		Uplight 2700K	White ELP LW2 53 Black ELP LN2 53 Gold painted ELP LO2 53 Polished aluminium ELP LL2 53 Gold polished anodized ELP LGW 53
		Uplight 3000K	White ELP LWW 53 Black ELP LNW 53 Gold painted ELP LOW 53 Polished aluminium ELP LLW 53
Pendant mega	Technical information	Linear LED 76W Diffused emission downlight or uplight Dimmable 1-10V 110-240V 4425lm	CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m
	Versions	Downlight 2700K	White ELP LW2 59 Black ELP LN2 59 Gold painted ELP LO2 59
		Downlight 3000K	White ELP LWW 59 Black ELP LNW 59 Gold painted ELP LOW 59
		Uplight 2700K	White ELP LW2 58 Black ELP LN2 58 Gold painted ELP LO2 58
		Uplight 3000K	White ELP LWW 58 Black ELP LNW 58 Gold painted ELP LOW 58

<p>Pendant double</p> 	Technical information	<p>Linear LED 85W Diffused emission downlight (major) and uplight (minor) Dimmable 1-10V 110-240V 2825+1850lm</p>	<p>CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m</p>
	Versions	2700K	<p>White ELP LW2 56 Black ELP LN2 56 Gold painted ELP LO2 56 Polished aluminium ELP LL2 56 Gold polished anodized ELP LGW 56</p>
		3000K	<p>White ELP LWW 56 Black ELP LNW 56 Gold painted ELP LOW 56 Polished aluminium ELP LLW 56</p>
<p>Pendant double mega</p> 	Technical information	<p>Linear LED 90W Diffused emission downlight (mega) and uplight (major) Dimmable 1-10V 110-240V 2825+1850lm</p>	<p>CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m</p>
	Versions	2700K	<p>White ELP LW2 5A Black ELP LN2 5A Gold painted ELP LO2 5A</p>
		3000K	<p>White ELP LWW 5A Black ELP LNW 5A Gold painted ELP LOW 5A</p>
<p>Pendant triple</p> 	Technical information	<p>Linear LED 94W Diffused emission downlight (major, minor) and uplight (minor) Dimmable 1-10V 110-240V 1325+2050+1325lm</p>	<p>CRI 85 IP20 Adjustable cable length from 2,5m to 0,4m</p>
	Versions	2700K	<p>White ELP LW2 57 Black ELP LN2 57 Gold painted ELP LO2 57 Polished aluminium ELP LL2 57 Gold polished anodized ELP LGW 57</p>
		3000K	<p>White ELP LWW 57 Black ELP LNW 57 Gold painted ELP LOW 57 Polished aluminium ELP LLW 57</p>