





Discover more at marset.com



Ambrosia 120

Code	Finish	CCT
A704-001-15-22K	● Matt Gold	22K
A704-001-15-27K	● Matt Gold	27K
A704-001-15-30K	● Matt Gold	30K
A704-001-16-22K	● Black	22K
A704-001-16-27K	● Black	27K
A704-001-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 19,2W 2200K CRI90 2116lm
 Luminaire Ambrosia 22K: (Power supply not included) 1885lm


Light source Ambrosia 27K: LED SMD 24Vdc 19,2W 2700K CRI90 2028lm
 Luminaire Ambrosia 27K: (Power supply not included) 1891lm

Light source Ambrosia 30K: LED SMD 24Vdc 19,2W 3000K CRI90 2256lm
 Luminaire Ambrosia 30K: (Power supply not included) 1927lm

Weight: Net 2,4 kg – Gross 3 kg

Package: 29 x 10 x 135 cm - 2 kg - VOL - 0,04 m³
 8 x 8 x 128 cm - 1 kg - VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



Dimmable



Ambrosia 120 + Pole 60



Wire installation: Hardwired / Recessed

Ambrosia 180

Code	Finish	CCT
A704-002-15-22K	● Matt Gold	22K
A704-002-15-27K	● Matt Gold	27K
A704-002-15-30K	● Matt Gold	30K
A704-002-16-22K	● Black	22K
A704-002-16-27K	● Black	27K
A704-002-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2823lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2833lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2886lm

Weight: 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units.) They can be combined..

Wire installation: Hardwired / Recessed

Ambrosia 210

Code	Finish	CCT
A704-003-15-22K	● Matt Gold	22K
A704-003-15-27K	● Matt Gold	27K
A704-003-15-30K	● Matt Gold	30K
A704-003-16-22K	● Black	22K
A704-003-16-27K	● Black	27K
A704-003-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.


Product type: Pendant / Ceiling
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm



Weight: Net 3,1 kg – Gross 3,6 kg
 Package: 29 x 10 x 135 cm - 2 kg – VOL - 0,04 m³
 8 x 8 x 68 cm - 0,6 kg – VOL - 0,004 m³
 8 x 8 x 128 cm - 1 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed



Ambrosia 315

Code	Finish	CCT
A704-004-15-22K	● Matt Gold	22K
A704-004-15-27K	● Matt Gold	27K
A704-004-15-30K	● Matt Gold	30K
A704-004-16-22K	● Black	22K
A704-004-16-27K	● Black	27K
A704-004-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant / Ceiling

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
 Luminaire Ambrosia 22K: (Power supply not included) 4220lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4563lm
 Luminaire Ambrosia 27K: (Power supply not included) 4235lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5076lm
 Luminaire Ambrosia 30K: (Power supply not included) 4314lm


Weight: Net 5,1 kg – Gross 5,9 kg

Package: 29 x 10 x 225 cm - 3,5 kg – VOL - 0,065 m³

8 x 8 x 98 cm - 0,8 kg – VOL - 0,006 m³


8 x 8 x 188 cm - 1,6 kg – VOL - 0,01 m³

Product notes: 24V remote power supply to be ordered separately.
 LED included



(1) The height can be increased by means of the 40 or 60 cm poles (max. 3 units per each side). They can be combined.

Wire installation: Hardwired / Recessed




Pole Ambrosia 40

Code	Finish
A704-005-15	● Matt Gold
A704-005-16	● Black

Materials
 Structure: Metal

Product type: Accessory



Pole Ambrosia 60

Code	Finish
A704-006-15	● Matt Gold
A704-006-16	● Black



Materials
 Structure: Metal

Product type: Accessory



Ambrosia canopy

Code	Finish	Dimming	Class
A666-214-15	● Matt Gold - 20W 24V	Triac	II
A666-214-16	● Black - 20W 24V	Triac	II
A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I
A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-223-15	● Matt Gold - 60W 24V	Casambi	I
A666-223-16	● Black - 60W 24V	Casambi	I
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I
A666-218-15	● Matt Gold - 60W 24V	DALI	I
A666-218-16	● Black - 60W 24V	DALI	I



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.



Ambrosia recessed power supply

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply
 Luminaire: 220 - 240 VAC





Ambrosia A 60 left

Code	Finish	CCT
A704-015-15-22K	● Matt Gold	22K
A704-015-15-27K	● Matt Gold	27K
A704-015-15-30K	● Matt Gold	30K
A704-015-16-22K	● Black	22K
A704-015-16-27K	● Black	27K
A704-015-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included) 1003lm

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included) 1007lm

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included) 1025lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,59 kg – Gross 1,3 kg

Package: 6,8 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 60 right

Code	Finish	CCT
A704-016-15-22K	● Matt Gold	22K
A704-016-15-27K	● Matt Gold	27K
A704-016-15-30K	● Matt Gold	30K
A704-016-16-22K	● Black	22K
A704-016-16-27K	● Black	27K
A704-016-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 9,6W 2200K CRI90 1058lm
 Luminaire Ambrosia 22K: (Power supply not included) 1003lm

Light source Ambrosia 27K: LED SMD 24Vdc 9,6W 2700K CRI90 1014lm
 Luminaire Ambrosia 27K: (Power supply not included) 1007lm

Light source Ambrosia 30K: LED SMD 24Vdc 9,6W 3000K CRI90 1028lm
 Luminaire Ambrosia 30K: (Power supply not included) 1025lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,59 kg – Gross 1,3 kg

Package: 6,8 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 left

Code	Finish	CCT
A704-017-15-22K	● Matt Gold	22K
A704-017-15-27K	● Matt Gold	27K
A704-017-15-30K	● Matt Gold	30K
A704-017-16-22K	● Black	22K
A704-017-16-27K	● Black	27K
A704-017-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included) 1497lm

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included) 1497lm

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included) 1525lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,68 kg – Gross 1,5 kg

Package: 9,8 x 8 x 8 cm - 0,8 kg – Vol - 0,006 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 90 right

Code	Finish	CCT
A704-018-15-22K	● Matt Gold	22K
A704-018-15-27K	● Matt Gold	27K
A704-018-15-30K	● Matt Gold	30K
A704-018-16-22K	● Black	22K
A704-018-16-27K	● Black	27K
A704-018-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 14,4W 2200K CRI90 1587lm
 Luminaire Ambrosia 22K: (Power supply not included) 1497lm

Light source Ambrosia 27K: LED SMD 24Vdc 14,4W 2700K CRI90 1521lm
 Luminaire Ambrosia 27K: (Power supply not included) 1497lm

Light source Ambrosia 30K: LED SMD 24Vdc 14,4W 3000K CRI90 1692lm
 Luminaire Ambrosia 30K: (Power supply not included) 1525lm


Product notes: 24V remote power supply to be ordered separately.

Weight: Net 0,68 kg – Gross 1,5 kg

Package: 9,8 x 8 x 8 cm - 0,8 kg – Vol - 0,006 m³

14,5 x 13,5 x 61 cm - 0,7 kg – Vol - 0,01 m³

LED included



Wire installation: Hardwired / Recessed



Ambrosia A 210

Code	Finish	CCT
A704-021-15-22K	● Matt Gold	22K
A704-021-15-27K	● Matt Gold	27K
A704-021-15-30K	● Matt Gold	30K
A704-021-16-22K	● Black	22K
A704-021-16-27K	● Black	27K
A704-021-16-30K	● Black	30K

Materials
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Wall
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3042lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3384lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm

Product notes: 24V remote power supply to be ordered separately.


Weight: Net 1,42 kg – Gross 3,6 kg

Package: 68 x 8 x 8 cm - 0,6 kg – Vol - 0,004 m³

128 x 8 x 8 cm - 1 kg – Vol - 0,008 m³

16,5 x 13,5 x 152 cm - 2 kg – Vol - 0,033 m³

LED included




Wire installation: Hardwired / Recessed

Disk accessory

Code	Finish
A704-022-15	● Matt Gold
A704-022-16	● Black

Materials
 Structure: Metal

Product type: Accessory
 Accessory used to hide the driver behind the canopy.
 Two units are required for Ambrosia A 210, one for each canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Product type: Power supply



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Ambrosia A 60 left AC NEW

Code	Finish	CCT	Dimming
A704-030-15-22K	● Matt Gold	22K	Triac
A704-030-15-27K	● Matt Gold	27K	Triac
A704-030-15-30K	● Matt Gold	30K	Triac
A704-030-16-22K	● Black	22K	Triac
A704-030-16-27K	● Black	27K	Triac
A704-030-16-30K	● Black	30K	Triac
A704-031-15-22K	● Matt Gold	22K	DALI
A704-031-15-27K	● Matt Gold	27K	DALI
A704-031-15-30K	● Matt Gold	30K	DALI
A704-031-16-22K	● Black	22K	DALI
A704-031-16-27K	● Black	27K	DALI
A704-031-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 8,6W 2200K CRI90 1184lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 10,7W 112lm / DALI 11,1W
 Light source Ambrosia 27K: LED SMD 500mA 8,6W 2700K CRI90 1190lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 10,7W 117lm / DALI 11,1W
 Light source Ambrosia 30K: LED SMD 500mA 8,6W 2700K CRI90 1210lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 10,7W 1089lm / DALI 11,1W

Weight: Net 0,6 kg – Gross 1,2 kg
 Package: 13 x 15,5 x 69 cm - 1,2 kg – Vol - 0,01 m³
 LED included. Power supply included.



Wire installation: Hardwired



Ambrosia A 60 right AC NEW

Code	Finish	CCT	Dimming
A704-032-15-22K	● Matt Gold	22K	Triac
A704-032-15-27K	● Matt Gold	27K	Triac
A704-032-15-30K	● Matt Gold	30K	Triac
A704-032-16-22K	● Black	22K	Triac
A704-032-16-27K	● Black	27K	Triac
A704-032-16-30K	● Black	30K	Triac
A704-033-15-22K	● Matt Gold	22K	DALI
A704-033-15-27K	● Matt Gold	27K	DALI
A704-033-15-30K	● Matt Gold	30K	DALI
A704-033-16-22K	● Black	22K	DALI
A704-033-16-27K	● Black	27K	DALI
A704-033-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 8,6W 2200K CRI90 1184lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 10,7W 112lm / DALI 11,1W
 Light source Ambrosia 27K: LED SMD 500mA 8,6W 2700K CRI90 1190lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 10,7W 117lm / DALI 11,1W
 Light source Ambrosia 30K: LED SMD 500mA 8,6W 2700K CRI90 1210lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 10,7W 1089lm / DALI 11,1W

Weight: Net 0,6 kg – Gross 1,2 kg
 Package: 13 x 15,5 x 69 cm - 1,2 kg – Vol - 0,01 m³
 LED included. Power supply included.



Wire installation: Hardwired



Ambrosia A 90 left AC NEW

Code	Finish	CCT	Dimming
A704-034-15-22K	● Matt Gold	22K	Triac
A704-034-15-27K	● Matt Gold	27K	Triac
A704-034-15-30K	● Matt Gold	30K	Triac
A704-034-16-22K	● Black	22K	Triac
A704-034-16-27K	● Black	27K	Triac
A704-034-16-30K	● Black	30K	Triac
A704-035-15-22K	● Matt Gold	22K	DALI
A704-035-15-27K	● Matt Gold	27K	DALI
A704-035-15-30K	● Matt Gold	30K	DALI
A704-035-16-22K	● Black	22K	DALI
A704-035-16-27K	● Black	27K	DALI
A704-035-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 12,9W 2200K CRI90 1776lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 15,4W 1668lm / DALI 15,5W
 Light source Ambrosia 27K: LED SMD 500mA 12,9W 2700K CRI90 17985lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 15,4W 1756lm / DALI 15,5W
 Light source Ambrosia 30K: LED SMD 500mA 12,9W 2700K CRI90 1815lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 15,4W 1634lm / DALI 15,5W

Weight: Net 0,75 kg – Gross 1,5 kg
 Package: 13 x 15,5 x 99 cm - 1,5 kg – Vol - 0,02 m³
 LED included. Power supply included.



Wire installation: Hardwired



Ambrosia A 90 right AC NEW

Code	Finish	CCT	Dimming
A704-036-15-22K	● Matt Gold	22K	Triac
A704-036-15-27K	● Matt Gold	27K	Triac
A704-036-15-30K	● Matt Gold	30K	Triac
A704-036-16-22K	● Black	22K	Triac
A704-036-16-27K	● Black	27K	Triac
A704-036-16-30K	● Black	30K	Triac
A704-037-15-22K	● Matt Gold	22K	DALI
A704-037-15-27K	● Matt Gold	27K	DALI
A704-037-15-30K	● Matt Gold	30K	DALI
A704-037-16-22K	● Black	22K	DALI
A704-037-16-27K	● Black	27K	DALI
A704-037-16-30K	● Black	30K	DALI


Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate
 Canopy: Aluminium / Steel

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI

Product type: Wall

Light source Ambrosia 22K: LED SMD 500mA 12,9W 2200K CRI90 1776lm
 Luminaire Ambrosia 22K: 220 - 240 VAC TRIAC 15,4W 1668lm / DALI 15,5W
 Light source Ambrosia 27K: LED SMD 500mA 12,9W 2700K CRI90 17985lm
 Luminaire Ambrosia 27K: 220 - 240 VAC TRIAC 15,4W 1756lm / DALI 15,5W
 Light source Ambrosia 30K: LED SMD 500mA 12,9W 2700K CRI90 1815lm
 Luminaire Ambrosia 30K: 220 - 240 VAC TRIAC 15,4W 1634lm / DALI 15,5W

Weight: Net 0,75 kg – Gross 1,5 kg
 Package: 13 x 15,5 x 99 cm - 1,5 kg – Vol - 0,02 m³
 LED included. Power supply included.



Wire installation: Hardwired





Ambrosia V 130 Plug-in NEW

Code	Finish	CCT
A704-147-15-22K	● Matt Gold	22K
A704-147-15-27K	● Matt Gold	27K
A704-147-15-30K	● Matt Gold	30K
A704-147-16-22K	● Black	22K
A704-147-16-27K	● Black	27K
A704-147-16-30K	● Black	30K

Materials: Aluminium
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 3021lm


Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 3078lm

Weight: Net 1,4 kg – Gross 2,1 kg

Package: 13 x 13 x 136 cm - 2,1 kg – VOL - 0,02 m³

LED included

Dimmable



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ambrosia V 130 NEW

Code	Finish	CCT
A704-146-15-22K	● Matt Gold	22K
A704-146-15-27K	● Matt Gold	27K
A704-146-15-30K	● Matt Gold	30K
A704-146-16-22K	● Black	22K
A704-146-16-27K	● Black	27K
A704-146-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: (Power supply not included) 3009lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: (Power supply not included) 3021lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: (Power supply not included) 3078lm

Product notes: 24V remote power supply to be ordered separately.
Weight: Net 1,2 kg – Gross 1,9 kg
Package: 13 x 13 x 136 cm - 1,9 kg – VOL - 0,02 m³
LED included



Wire installation: Hardwired
Cable length: 2 m
Color cord: Black



Ambrosia V 175 Plug-in NEW

Code	Finish	CCT
A704-145-15-22K	● Matt Gold	22K
A704-145-15-27K	● Matt Gold	27K
A704-145-15-30K	● Matt Gold	30K
A704-145-16-22K	● Black	22K
A704-145-16-27K	● Black	27K
A704-145-16-30K	● Black	30K

Materials: Aluminium
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimmer type: Progressive from 0 to 100


Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: 100 - 240 50,5W VAC 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: 100 - 240 50,5W VAC 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: 100 - 240 50,5W VAC 4575lm

Weight: Net 1,6 kg – Gross 2,7 kg
Package: 13 x 13 x 184 cm – 2,7 kg – VOL - 0,03 m³
LED included



Dimmable



CE

ERC

Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Ambrosia V 175 NEW

Code	Finish	CCT
A704-144-15-22K	● Matt Gold	22K
A704-144-15-27K	● Matt Gold	27K
A704-144-15-30K	● Matt Gold	30K
A704-144-16-22K	● Black	22K
A704-144-16-27K	● Black	27K
A704-144-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Pendant


Light source Ambrosia 22K: LED SMD 24Vdc 43,2W 2200K CRI90 4761lm
Luminaire Ambrosia 22K: (Power supply not included) 4476lm

Light source Ambrosia 27K: LED SMD 24Vdc 43,2W 2700K CRI90 4788lm
Luminaire Ambrosia 27K: (Power supply not included) 4491lm

Light source Ambrosia 30K: LED SMD 24Vdc 43,2W 3000K CRI90 5016lm
Luminaire Ambrosia 30K: (Power supply not included) 4575lm

Weight: Net 1,4 kg – Gross 2,5 kg
Package: 13 x 13 x 184 cm - 2,5 kg – VOL - 0,03 m³

Product notes: 24V remote power supply to be ordered separately.
LED included



Dimmable



CE

ERAC

UK
CA

Wire installation: Hardwired
Cable length: 2 m
Color cord: Black



Canopy Ambrosia V 50W

Code	Finish	Dimming	Class
A666-239-15	● Matt Gold	Triac	I
A666-240-15	● Matt Gold	DALI	I
A666-241-15	● Matt Gold	Casambi	I
A666-239-16	● Black	Triac	I
A666-240-16	● Black	DALI	I
A666-241-16	● Black	Casambi	I

Materials
Structure: Painted iron

Product type: Accessory
Luminaire: 220 - 240 VAC TRIAC 50W (max.)
220 - 240 VAC DALI / Casambi 60W (max.)

Weight: Net 1,2 kg – Gross 1,6 kg
Package: 42 x 42 x 8 cm -1,6 kg – VOL - 0,01 m³

Wire installation: Hardwired
Canopy color: Black - Entry points: 1


Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)
DALI
Casambi

Dimmable

ERC

CE

UK
CA




Disk Accessory - Steel cable

Code	Finish
A718-034-39	● Black

Materials
Structure: Metal


Product type: Accessory
Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Product type: Power supply



CE

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.



Cluster Ambrosia V 100W

Code A666-234-39
 Finish ● Black



Dimming Triac
 Class II

Materials
 Structure: Painted iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Accessory
 Luminaire: 220 - 240 VAC TRIAC 100W (max.)

Weight: Net 3,2 kg – Gross 3,8 kg
 Package: 42 x 42 x 8 cm - 3,8 kg – VOL - 0,01 m³
 Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
 Canopy color: Black - Entry points: 3

Cluster Ambrosia V 200W

Code A666-237-39
 A666-235-39
 A666-236-39
 Finish ● Black
 ● Black
 ● Black



Dimming Triac
 DALI (max. 150W)
 Casambi (max. 150W)
 Class II
 I
 I

Materials
 Structure: Painted iron

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 DALI
 Casambi

Product type: Accessory
 Luminaire: 220 - 240 VAC TRIAC 200W (max.)
 220 - 240 VAC DALI / Casambi 150W (max.)

Weight: Net 3,4 kg – Gross 4 kg
 Package: 42 x 42 x 8 cm - 4 kg – VOL - 0,01 m³
 Product notes: Canopy for 24V luminaires.



Wire installation: Hardwired
 Canopy color: Black - Entry points: 5


Hook Accessory

Code A693-007
 Finish ● Black

Materials
 Structure: Painted iron

Product type: Accessory
 Weight: Net 0,01 kg – Gross 0,01 kg
 Package: 2 x 2 x 5 cm - 0,01 kg – VOL - 0,002 m³

Product notes: Accessory to guide the cable.





Ambrosia V 235 Plug-in NEW

Code	Finish	CCT
A704-141-15-22K	● Matt Gold	22K
A704-141-15-27K	● Matt Gold	27K
A704-141-15-30K	● Matt Gold	30K
A704-141-16-22K	● Black	22K
A704-141-16-27K	● Black	27K
A704-141-16-30K	● Black	30K

Materials
Structure: Aluminium
Diffuser: Methacrylate

Dimmable: Yes
Integrated dimmer: Yes
Dimming protocols: Progressive from 0 to 100

Product type: Pendant

Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
Luminaire Ambrosia 22K: 100 - 240 VAC 33,8W 2802lm


Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
Luminaire Ambrosia 27K: 100 - 240 VAC 33,8W 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
Luminaire Ambrosia 30K: 100 - 240 VAC 33,8W 2865lm

Weight: Net 1,6 kg – Gross 4,2 kg

Package: 15,4 x 15,4 x 256 cm - 4,2 kg – VOL - 0,06 m³

LED included



Dimmable



CE

ERAC

Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line



Code	Finish	CCT
A704-140-15-22K	● Matt Gold	22K
A704-140-15-27K	● Matt Gold	27K
A704-140-15-30K	● Matt Gold	30K
A704-140-16-22K	● Black	22K
A704-140-16-27K	● Black	27K
A704-140-16-30K	● Black	30K

Materials: Aluminium
 Structure: Aluminium
 Diffuser: Methacrylate


Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.

Product type: Pendant
 Light source Ambrosia 22K: LED SMD 24Vdc 28,8W 2200K CRI90 3174lm
 Luminaire Ambrosia 22K: (Power supply not included) 2802lm

Light source Ambrosia 27K: LED SMD 24Vdc 28,8W 2700K CRI90 3267lm
 Luminaire Ambrosia 27K: (Power supply not included) 2812lm

Light source Ambrosia 30K: LED SMD 24Vdc 28,8W 3000K CRI90 3324lm
 Luminaire Ambrosia 30K: (Power supply not included) 2865lm


Weight: Net 1,4 kg – Gross 4 kg
 Package: 15,4 x 15,4 x 256 cm - 4 kg – VOL - 0,06 m³
 Product notes: 24V remote power supply to be ordered separately.
 LED included




Wire installation: Hardwired
 Cable length: 2 m
 Color cord: Black

Canopy Ambrosia

Code	Finish	Dimming	Class
A666-222-15	● Matt Gold - 35W 24V	Casambi	I
A666-222-16	● Black - 35W 24V	Casambi	I



A666-216-15	● Matt Gold - 50W 24V	Triac	II
A666-216-16	● Black - 50W 24V	Triac	II
A666-217-15	● Matt Gold - 35W 24V	DALI	I
A666-217-16	● Black - 35W 24V	DALI	I



Product type: Ceiling
 Luminaire: 220 - 240 VAC
 Weight: Weight 0,7 kg – Gross 1 kg
 Package: 34 x 21 x 7 cm - 1 kg - VOL - 0,01 m³

Materials
 Structure: Metal

Dimmable

Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.




Disk Accessory

Code	Finish
A718-039-39	● Black

Materials
 Structure: Metal

Product type: Accessory
 Product notes: Accessory used to hide the driver behind the canopy.



Power supply Dimmable

Code	Description	Dimming	Class
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II

Dimmable



Product notes: Take into account the total power in watts and the power of the driver. The wattage of the selected lamps cannot exceed the max wattage of the canopy's driver. Therefore, you must choose your canopy/driver by the power required.

Product type: Power supply

This power supplies are not compatible with Fris Pro.

Accessory Extensor V255

Code	Finish
A704-150-09	● Inox

Materials
 Structure: Stainless steel

Product type: Accessory
 Weight: Net 0,09 kg – Gross 0,4 kg
 Package: 8 x 8 x 37,8 cm - 0,4 kg – VOL - 0,002 m³
 Product notes: Accessory to lengthen the Ambrosia V 235.
 Total increase of 20 cm.

