




Dipping Light, Jordi Canudas

Beyond its function as a lamp, the Dipping Light seeks to excite. When it's turned on, its different shades of paint sift the light, creating a magical ambient effect. When it's off, its colored glass sphere is an object charged with beauty, and eye-

catching design piece for a shelf, bedside, or table. The various layers of paint draw concentric circles and capture the light, moderating its intensity. The paint becomes the shade, colouring and texturing the light.



Discover more at marset.com




Dipping Light

| Code | Finish |
|----------|-----------------------|
| A691-001 | White - Brushed Brass |
| A691-060 | White - Graphite |
| A691-002 | Blue - Brushed Brass |
| A691-061 | Blue - Graphite |
| A691-003 | Green - Brushed Brass |
| A691-062 | Green - Graphite |
| A691-004 | Amber - Brushed Brass |
| A691-063 | Amber - Graphite |
| A691-005 | Pink - Brushed Brass |
| A691-064 | Pink - Graphite |

Materials Dimmable: No
Body: Metal
Diffuser: Brilliant white blown glass globe with layered paint

Product type: Table
Light source: LED SMD 700mA 2,2W 2700K CRI90 216lm
Luminaire: 90 - 264 VAC 3,72W 123lm
Weight: Net 1,2 kg - Gross 1,8 kg
Package: 35 x 35 x 18 cm - 1,8 kg Vol - 0,011 m³



Cable length: 2 m
Wire installation: Plug-in
Color cord: Black
Switch location: In-line


Dipping Light S

| Code | Finish |
|----------|-----------------------|
| A691-066 | White - Brushed Brass |
| A691-067 | White - Graphite |
| A691-068 | Blue - Brushed Brass |
| A691-069 | Blue - Graphite |
| A691-070 | Green - Brushed Brass |
| A691-071 | Green - Graphite |
| A691-072 | Amber - Brushed Brass |
| A691-073 | Amber - Graphite |
| A691-074 | Pink - Brushed Brass |
| A691-075 | Pink - Graphite |

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W
 Weight: Net 1,4 kg – Gross 2,5 kg
 Package: 17 x 35 x 17 cm – 1,4 kg Vol – 0,009 m³
 25 x 25 x 31 cm – 1,1 kg Vol – 0,02 m³
 LED included



Cable length: 2 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light M

| Code | Finish |
|----------|-----------------------|
| A691-007 | White - Brushed Brass |
| A691-078 | White - Graphite |
| A691-008 | Blue - Brushed Brass |
| A691-079 | Blue - Graphite |
| A691-009 | Green - Brushed Brass |
| A691-080 | Green - Graphite |
| A691-010 | Amber - Brushed Brass |
| A691-081 | Amber - Graphite |
| A691-011 | Pink - Brushed Brass |
| A691-082 | Pink - Graphite |

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimming protocols: Progressive dimmer from 0 to 100

Product type: Table
 Light source: LED SMD 700mA 8,6W 2700K CRI90 765lm
 Luminaire: 85 - 264 VAC 11,56W 312lm
 Weight: Net 3,3 kg – Gross 5,3 kg
 Package: 34 x 26 x 26 cm – 2,9 kg Vol – 0,022 m³
 41 x 41 x 41 cm – 2,4 kg Vol – 0,068 m³
 LED included



Cable length: 1,75 m
 Wire installation: Plug-in
 Color cord: Black
 Switch location: In-line




Dipping Light Portable

| Code | Finish |
|----------|-------------------------|
| A691-530 | ● White - Brushed Brass |
| A691-532 | ● Blue - Brushed Brass |
| A691-534 | ● Green - Brushed Brass |
| A691-536 | ● Amber - Brushed Brass |
| A691-538 | ● Pink - Brushed Brass |

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: Yes
 Dimmer type: 3 positions dimmer

Product type: Table
 Light source: LED SMD 1A 3,5W 2700K CRI90 216lm
 Luminaire: in 5 Vdc 1,5A 123lm
 Weight: Net 1,2 kg – Gross 1,5 kg
 Package: 18 x 18 x 35 cm – 1,5 kg Vol – 0,011 m³
 Charging cable included (USB to USB-C). Power adapter not included.
 LED included



Dimmer



CE

ERC

UK
CA



Switch location: Body
 Charging time: 10 h


Battery life time:
 5 hours in peak power
 10 hours in half power
 20 hours in a quarter power

Disk accessory + magnet

| Code | Finish |
|----------|---------|
| A691-097 | ● Black |

Materials
 Structure: Metal counterweight

Product type: Accessory
 Weight: Net 0,5 kg – Gross 0,6 kg
 Package: 16 x 14 x 9 cm - 0,6 kg – VOL - 0,002 m³




Magnet accessory

| Code | Finish |
|----------|--------|
| A680-008 | ● Inox |

Materials
 Structure: Neodymium magnet

Product type: Accessory
 Weight: Net 0,01 kg – Gross 0,02 kg
 Package: 12 x 17,5 x 1 cm - 0,02 kg – VOL - 0,001 m³






Dipping Light A1-13

| Code | Finish |
|----------|-----------------------|
| A691-200 | White - Brushed Brass |
| A691-202 | Blue - Brushed Brass |
| A691-204 | Green - Brushed Brass |
| A691-206 | Amber - Brushed Brass |
| A691-208 | Pink - Brushed Brass |

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall
 Light source: LED COB 500mA 5,68W 2700K CRI90 645lm
 Luminaire: 220 - 240 VAC TRIAC 9,3W
 Weight: Net 0,9 kg – Gross 1,5 kg
 Package: 18 x 18 x 28 cm – 1,5 kg Vol – 0,001 m³
 LED included



Dimmable



CE

ERC

UK
CA

Wire installation: Hardwired




Dipping Light A2-13

| Code | Finish |
|----------|-----------------------|
| A691-220 | White - Brushed Brass |
| A691-221 | White - Graphite |
| A691-222 | Blue - Brushed Brass |
| A691-223 | Blue - Graphite |
| A691-224 | Green - Brushed Brass |
| A691-225 | Green - Graphite |
| A691-226 | Amber - Brushed Brass |
| A691-227 | Amber - Graphite |
| A691-228 | Pink - Brushed Brass |
| A691-229 | Pink - Graphite |

Materials
 Body: Metal
 Diffuser: Brilliant white blown glass globe with layered paint

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)

Product type: Wall, Ceiling
 Light source: LED SMD 500mA 8,6W 2700K CRI90 765lm
 Luminaire: 220 - 240 VAC TRIAC 7,96W
 Weight: Net 0,7 kg – Gross 1,4 kg
 Package: 18 x 18 x 35 cm – 1,4 kg Vol – 0,001 m³
 LED included



Dimmable




CE

ERC

UK
CA

Wire installation: Hardwired





Dipping Light 13

| Code | Finish |
|----------|--------|
| A691-240 | White |
| A691-241 | Blue |
| A691-242 | Green |
| A691-243 | Amber |
| A691-244 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 203lm
 Weight: Net 0,8 kg – Gross 1,3 kg
 Package: 21 x 22 x 23 cm – 1,3 kg Vol – 0,01 m³
 LED included



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.



Dipping Light 13 - 24V

| Code | Finish |
|----------|--------|
| A691-250 | White |
| A691-251 | Blue |
| A691-252 | Green |
| A691-253 | Amber |
| A691-254 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 203lm
 Weight: Net 0,6 kg – Gross 1 kg
 Package: 21 x 22 x 23 cm – 1 kg Vol – 0,01 m³
 Product notes: Use with Cluster page 49. 1 pc. hook accessory included
 LED included



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black


Dipping Light 20

| Code | Finish |
|----------|--------|
| A691-260 | White |
| A691-261 | Blue |
| A691-262 | Green |
| A691-263 | Amber |
| A691-264 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm
 Luminaire: 220 - 240 VAC TRIAC 5,72W 231lm
 Weight: Net 1,3 kg – Gross 1,9 kg
 Package: 33 x 26 x 26 cm – 1,9 kg Vol – 0,02 m³
 LED included



Dimmable




CE

ERC

UK
CA

Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.




Dipping Light 20 - 24V

| Code | Finish |
|----------|--------|
| A691-270 | White |
| A691-271 | Blue |
| A691-272 | Green |
| A691-273 | Amber |
| A691-274 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm
 Luminaire: (Power supply not included) 231lm
 Weight: Net 1,06 kg – Gross 1,7 kg
 Package: 36 x 26 x 26 cm – 1,7 kg Vol – 0,02 m³
 Product notes: Use with Cluster page 49.
 1 pc. hook accessory included
 LED included



Dimmable



CE

ERC

UK
CA

Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black




Dipping Light 30

| Code | Finish |
|----------|--------|
| A691-280 | White |
| A691-281 | Blue |
| A691-282 | Green |
| A691-283 | Amber |
| A691-284 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate
 Canopy: Metal

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac)
 Casambi
 DALI

Product type: Pendant
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm
 Luminaire: 220 - 240 VAC TRIAC 10,87W 379lm
 Weight: Net 2,4 kg – Gross 3,6 kg
 Package: 41 x 40 x 41 cm – 3,6 kg Vol – 0,07 m³
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 2 m
 Wire installation: Hardwired
 Color cord: Black
 Canopy color: Black - Entry points: 1

Product notes: Casambi available upon request.
 DALI available upon request.


Dipping Light 30 - 24V

| Code | Finish |
|----------|--------|
| A691-290 | White |
| A691-291 | Blue |
| A691-292 | Green |
| A691-293 | Amber |
| A691-294 | Pink |

Materials
 Diffuser: Brilliant white blown glass globe with layered paint
 Cover: Polycarbonate

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: It depends on the purchased power supply.
 Phase cut (Triac), DALI, Casambi

Product type: Pendant
 Light source: LED SMD 24Vdc 11,5W 2700K CRI90 1024lm
 Luminaire: (Power supply not included) 379lm
 Weight: Net 2 kg – Gross 3,3 kg
 Package: 41 x 40 x 41 cm – 3,3 kg Vol – 0,07 m³
 Product notes: Use with Cluster page 49.
 1 pc. hook accessory included
 LED included



Dimmable



CE

ERC

UK
CA



Cable length: 4 m
 Wire installation: Hardwired
 Color cord: Black


Dipping Light 40

| Code | Finish |
|-----------------|--------|
| A691-437-35-27K | White |
| A691-437-48-27K | Blue |
| A691-437-45-27K | Green |
| A691-437-30-27K | Amber |
| A691-437-44-27K | Pink |

Materials
Diffuser: Brilliant white blown glass globe with layered paint
Cover: Polycarbonate
Canopy: Metal

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: Phase cut (Triac)

Product type: Pendant
Light source: LED COB 700mA 23,7W 2700K CRI90 3280lm
Luminaire: 220 - 240 VAC TRIAC 28,4W
Weight: Net 4,2 kg – Gross 6,5 kg
Package: 55 x 55 x 57 cm – 6,5 kg Vol – 0,17 m³
LED included



Dimmable




CE

ERC

UK
PA



Cable length: 3 m
Wire installation: Hardwired
Color cord: Black
Canopy color: Black - Entry points: 1



Spare parts

| Code | Product | Finish | Spare part |
|--------------|------------------------|--------|------------------------|
| A691-402 | Dipping light | White | Glass |
| A691-401 | Dipping light | Blue | Glass |
| A691-405 | Dipping light | Green | Glass |
| R691-005 | Dipping light | Amber | Glass |
| A691-404 | Dipping light | Pink | Glass |
| A691-509 | Dipping light S | White | Glass |
| A691-510 | Dipping light S | Blue | Glass |
| A691-511 | Dipping light S | Green | Glass |
| A691-512 | Dipping light S | Amber | Glass |
| A691-514 | Dipping light S | Pink | Glass |
| A691-101 | Dipping light M | White | Glass |
| A691-102 | Dipping light M | Blue | Glass |
| A691-103 | Dipping light M | Green | Glass |
| A691-104 | Dipping light M | Amber | Glass |
| A691-105 | Dipping light M | Pink | Glass |
| R691-012 | Dipping light A | White | Glass |
| R691-013 | Dipping light A | Blue | Glass |
| R691-014 | Dipping light A | Green | Glass |
| R691-015 | Dipping light A | Amber | Glass |
| R691-016 | Dipping light A | Pink | Glass |
| R691-018 | Dipping Light 13 | White | Glass |
| R691-019 | Dipping Light 13 | Blue | Glass |
| R691-020 | Dipping Light 13 | Green | Glass |
| R691-021 | Dipping Light 13 | Amber | Glass |
| R691-022 | Dipping Light 13 | Pink | Glass |
| R691-024 | Dipping Light 20 | White | Glass |
| R691-025 | Dipping Light 20 | Blue | Glass |
| R691-026 | Dipping Light 20 | Green | Glass |
| R691-027 | Dipping Light 20 | Amber | Glass |
| R691-028 | Dipping Light 20 | Pink | Glass |
| R691-030 | Dipping Light 30 | White | Glass |
| R691-031 | Dipping Light 30 | Blue | Glass |
| R691-032 | Dipping Light 30 | Green | Glass |
| R691-033 | Dipping Light 30 | Amber | Glass |
| R691-034 | Dipping Light 30 | Pink | Glass |
| R691-064 | Dipping Light 40 | White | Glass |
| R691-065 | Dipping Light 40 | Blue | Glass |
| R691-066 | Dipping Light 40 | Green | Glass |
| R691-067 | Dipping Light 40 | Amber | Glass |
| R691-068 | Dipping Light 40 | Pink | Glass |
| R680-014 | Dipping Light portable | | Battery |
| R968-001-EU | Dipping Light portable | | Black power adapter |
| R968-002-USA | Dipping Light portable | | Black power adapter |
| R968-003-AU | Dipping Light portable | | Black power adapter |
| R968-004-UK | Dipping Light portable | | Black power adapter |
| R961-057 | Dipping Light portable | | Usb type C cable black |