

The Ginger collection is notable for its great simplicity of form, its lightweight appearance and reflected direct light. A design for any type of project.

Available in two very different materials, wood or metal, it provides a warm glow with no glare, illuminating just the areas that need it.



Discover more at [marset.com](http://marset.com)




## Ginger 20

Code	Finish
A662-180	● Oak - White
A662-181	● Wenge - White
A662-182	● Oak - Oak
A662-183	● Wenge - Wenge
A662-340	● Brushed brass - Brushed brass
A662-341	● Brushed brass - White
A662-342	● Black - White

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Pendant  
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm  
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm  
 Weight: Net 0,6 kg – Gross 0,8 kg  
 Package: 23 x 21 x 10 cm – 0,8 kg Vol – 0,01 m<sup>3</sup>



Dimmable

CE

ERC

UK

□

Cable length: 3 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black




## Ginger 20 - 24V

Code	Finish
A662-392	● Oak - White
A662-393	● Wenge - White
A662-394	● Oak - Oak
A662-395	● Wenge - Wenge
A662-344	● Brushed brass - Brushed brass
A662-345	● Brushed brass - White
A662-346	● Black - White

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: It depends on the purchased power supply.
	Phase cut (Triac)
	DALI

Product type: Pendant  
 Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
 Luminaire: (Power supply not included) 161lm  
 Weight: Net 0,3 kg – Gross 0,5 kg  
 Package: 23 x 21 x 10 cm – 0,5 kg Vol – 0,01 m<sup>3</sup>  
 Product notes: Use with Cluster page 49. 1 pc. hook accessory included  
 LED included



Dimmable

CE

ERC

UK  
CA



Cable length: 4 m  
 Wire installation: Hardwired  
 Color cord: Black




## Ginger 20x3

Code	Finish
A662-184	● Oak - White
A662-185	● Wenge - White
A662-186	● Oak - Oak
A662-187	● Wenge - Wenge
A662-348	● Brushed brass - Brushed brass
A662-349	● Brushed brass - White
A662-350	● Black - White

Materials	Dimmable: Yes
Diffuser: Pressed wood or brushed aluminium	Integrated dimmer: No
Dissipater: Aluminium	Dimming protocols: Phase cut (Triac)

Product type: Pendant  
 Light source: LED SMD 350mA 4,1W(x3) 2700K CRI90 463lm(x3)  
 Luminaire: 220 - 240 VAC TRIAC 15,13W 161lm(x3)  
 Weight: Net 1,5 kg – Gross 2 kg  
 Package: 42 x 42 x 7 cm – 2 kg Vol – 0,01 m<sup>3</sup>  
 LED included



Dimmable

CE

ERC

UK  
CA



Cable length: 3 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black - Entry point: 3




## Ginger accessory 20x3

Code A662-188  
 Finish ● Black

Materials  
 Disc: Iron

Product type: Accessory  
 Weight: Net 0,75 kg – Gross 0,8 kg  
 Package: 41 x 41 x 1 cm – 0,8 kg – VOL - 0,001 m<sup>3</sup>




## Ginger 32

Code	Finish	Dimming	Class
A662-019	● Oak - White	Triac	II
A662-020	● Wenge - White	Triac	II
A662-021	● Oak - White	DALI	I
A662-022	● Wenge - White	DALI	I
A662-023	● Oak - White	1-10V	I
A662-024	● Wenge - White	1-10V	I
A662-352	● Brushed brass - Brushed brass	Triac	II
A662-353	● Brushed brass - White	Triac	II
A662-354	● Black - White	Triac	II
A662-356	● Brushed brass - Brushed brass	DALI	I
A662-357	● Brushed brass - White	DALI	I
A662-358	● Black - White	DALI	I

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 DALI, Casambi  
 1-10V

Product type: Pendant  
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
 Luminaire: 220 - 240 VAC TRIAC 10,87W 350lm  
 220 - 240 VAC DALI 11,59W 350lm  
 220 - 240 VAC 1-10V 10,36W 350lm  
 Weight: Net 1,4 kg – Gross 2,5 kg  
 Package: 48 x 48 x 17 cm – 2,5 kg Vol – 0,04 m<sup>3</sup>  
 LED included



Dimmable

CE

ERC

UK  
 CA

\* 6,5cm (DALI)

Cable length: 2 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black

Product notes: Casambi available upon request




## Ginger 42

Code	Finish	Dimming	Class
A662-025	● Oak - White	Triac	II
A662-026	● Wenge - White	Triac	II
A662-027	● Oak - White	DALI	I
A662-028	● Wenge - White	DALI	I
A662-029	● Oak - White	1-10V	I
A662-030	● Wenge - White	1-10V	I
A662-360	● Brushed brass - Brushed brass	Triac	II
A662-361	● Brushed brass - White	Triac	II
A662-362	● Black - White	Triac	II
A662-364	● Brushed brass - Brushed brass	DALI	I
A662-365	● Brushed brass - White	DALI	I
A662-366	● Black - White	DALI	I

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 DALI, Casambi  
 1-10V

Product type: Pendant  
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm  
 220 - 240 VAC DALI 20,32W 698lm  
 220 - 240 VAC 1-10V 20,85W 698lm  
 Weight: Net 2 kg – Gross 3,5 kg  
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
 LED included



Dimmable

CE

ERC

UK  
CA

\* 6.5cm (DALI)

Cable length: 2 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black

Product notes: Casambi available upon request




## Ginger 60

Code	Finish	Dimming	Class
A662-742-2035-27K	🌰 Oak - White	Triac	II
A662-742-2135-27K	🌰 Wenge - White	Triac	II
A662-747-2035-27K	🌰 Oak - White	DALI	I
A662-747-2135-27K	🌰 Wenge - White	DALI	I
A662-744-2035-27K	🌰 Oak - White	1-10V	I
A662-744-2135-27K	🌰 Wenge - White	1-10V	I
A662-743-1515-27K	🟡 Brushed brass - Brushed brass	Triac	II
A662-743-1535-27K	🟡 Brushed brass - White	Triac	II
A662-743-3935-27K	⬛ Black - White	Triac	II
A662-748-1515-27K	🟡 Brushed brass - Brushed brass	DALI	I
A662-748-1535-27K	🟡 Brushed brass - White	DALI	I
A662-748-3935-27K	⬛ Black - White	DALI	I

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 DALI, Casambi  
 1-10V

Product type: Pendant  
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm  
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm  
 220 - 240 VAC DALI 26,37W 1165lm  
 220 - 240 VAC 1-10V 27,15W 1165lm  
 Weight: Net 3,5 kg – Gross 6,2 kg  
 Package: 72 x 72 x 28 cm – 6,2 kg Vol – 0,1 m<sup>3</sup>  
 LED included



Dimmable

CE

ERC

UK  
CA

Cable length: 3 m  
 Wire installation: Hardwired  
 Color cord: Black  
 Canopy color: Black

Product notes: Casambi available upon request







## Ginger 20 M

Code	Finish
A662-560	● Oak - White
A662-561	● Wenge - White
A662-562	● Brushed brass - Brushed brass
A662-563	● Brushed brass - White

Materials  
Diffuser and base: Pressed wood or brushed aluminium  
Dissipater: Aluminium  
Stem: Aluminium

Integrated dimmer: Yes  
Dimmer type: 3 positions dimmer

Product type: Table / Portable  
Light source: LED SMD 1A 3,5W 2700K CRI90 395lm  
Luminaire: in 5 Vdc 1,5A 290lm  
Weight: Net 0,8 kg – Gross 1 kg  
Package: 40 x 21 x 17 cm – 1 kg Vol – 0,01 m<sup>3</sup> (1u)  
39 x 22 x 41 cm – 2,4 kg Vol – 0,04 m<sup>3</sup> (2u)  
Product notes: Multiple order of 2 units  
Charging cable included (USB to USB-C). Power adapter not included.



Switch location: Base  
Charging time 10 h

Battery life time:  
5 hours in peak power  
10 hours in half power  
20 hours in a quarter power




## Ginger S

Code	Finish
A662-031	● Oak - White
A662-032	● Wenge - White

Materials  
Diffuser and base: Pressed wood  
Dissipater: Aluminium  
Stem: Aluminium

Integrated dimmer: Yes  
Dimmer type: Progressive from 0 to 100

Product type: Table  
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
Luminaire: 85 - 264 VAC 10,56W 350lm  
Weight: Net 2,6 kg – Gross 4,5 kg  
Package: 58 x 53 x 17 cm – 4,5 kg Vol – 0,05 m<sup>3</sup>  
LED included



Cable length: 2 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line




## Ginger M

Code	Finish
A662-068	● Oak - White
A662-069	● Wenge - White

Materials  
Diffuser and base: Pressed wood  
Dissipater: Aluminium  
Stem: Aluminium

Integrated dimmer: Yes  
Dimmer type: Progressive from 0 to 100

Product type: Table  
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
Luminaire: 85 - 264 VAC 16,85W 698lm  
Weight: Net 3,4 kg – Gross 5,6 kg  
Package: 61 x 61 x 22 cm – 5,6 kg Vol – 0,08 m<sup>3</sup>  
LED included



Dimmer

CE

ERC



Cable length: 2 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line




## Ginger P

Code	Finish
A662-033	● Oak - White
A662-034	● Wenge - White

Materials  
Diffuser and base: Pressed wood  
Dissipater: Aluminium  
Stem: Aluminium

Integrated dimmer: Yes  
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor  
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
Luminaire: 85 - 264 VAC 17W 698lm  
Weight: Net 4,9 kg – Gross 8,5 kg  
Package: 57 x 53 x 17 cm – 6,5 kg Vol – 0,051 m<sup>3</sup>  
19 x 18 x 133 cm – 2 kg Vol – 0,045 m<sup>3</sup>  
LED included



Dimmer

CE

ERC



Cable length: 2 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line





## Ginger XL 42

Code A662-070  
A662-071


Finish  
● Oak - White  
● Wenge - White

Materials  
Diffuser: Pressed wood  
Dissipater: Aluminium  
Stem: Metal  
Arm: Carbon fiber

Integrated dimmer: Yes  
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor  
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
Luminaire: 85 - 264 VAC 17W 698lm  
Weight: Net 23,8 kg – Gross 27,8 kg  
Package: 57 x 53 x 17 cm – 2,8 kg Vol – 0,051 m<sup>3</sup>  
191 x 20 x 11 cm – 10 kg Vol – 0,04 m<sup>3</sup>  
63 x 63 x 4 cm – 15 kg Vol – 0,02 m<sup>3</sup>

LED included



Dimmer



Cable length: 2,5 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line

## Ginger XXL 60


Code A662-072  
A662-073

Finish  
● Oak - White  
● Wenge - White

Materials  
Diffuser: Pressed wood  
Dissipater: Aluminium  
Stem: Metal  
Arm: Carbon fiber

Integrated dimmer: Yes  
Dimmer type: Foot-operated progressive in-line dimmer

Product type: Floor  
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm  
Luminaire: 220 - 240 VAC 25,45W 1165lm  
Weight: Net 31,5 kg – Gross 38,5 kg  
Package: 72 x 72 x 28 cm – 5,5 kg Vol – 0,1 m<sup>3</sup>  
215 x 22 x 11 cm – 12 kg Vol – 0,05 m<sup>3</sup>  
72 x 72 x 4 cm – 21 kg Vol – 0,02 m<sup>3</sup>





Dimmer





Cable length: 2,5 m  
Wire installation: Plug-in  
Color cord: Black  
Switch location: In-line

## Ginger 20 A

Code Finish Dimmer


Plug-in  
 A662-142  Oak - White Yes  
 A662-143  Wenge - White Yes

Hardwired  
 A662-144  Oak - White -  
 A662-145  Wenge - White -

Materials Integrated dimmer: Yes (Plug-in version)  
 Diffuser: Pressed wood Dimmer type: Progressive in-line dimmer  
 Dissipater: Aluminium from 0 to 100.  
 Structure: Metal

Product type: Wall  
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm  
 Luminaire: 85 - 264 VAC 5,7W 161lm  
 Weight: Net 0,6 kg – Gross 1,5 kg  
 Package: 46 x 28 x 24 cm – 1,5 kg Vol – 0,03 m<sup>3</sup>  
 Product notes: Plug in: Progressive dimmer from 0 to 100.  
 Hardwired: Canopy with switch on/off.

LED included





Color cord: Black



Wire installation: Plug-in / Hardwired




## Ginger A

Code Finish Dimmer


Plug-in  
 A662-074  Oak - White Progressive  
 A662-075  Wenge - White Progressive

Hardwired (Canopy)  
 A662-081  Oak - White Triac / on-off  
 A662-082  Wenge - White Triac / on-off

RSC (Recessed canopy)  
 A662-130  Oak - White Triac  
 A662-131  Wenge - White Triac

Materials Integrated dimmer: Yes (Plug-in version)  
 Diffuser: Pressed wood Dimmer type: Progressive dimmer from 0  
 Dissipater: Aluminium to 100  
 Structure: Metal Dimming protocols: Phase cut (Triac)

Product type: Wall  
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
 Luminaire: 220 - 240 VAC TRIAC 9,89W 350lm  
 Weight: Net 1,5 kg – Gross 3 kg  
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m<sup>3</sup>  
 LED included



Color cord: Black

Wire installation: Plug-in / Hardwired



## Ginger A XL 42

Code	Finish	Dimmer
Plug-in		
A662-076	● Oak - White	Progressive
A662-077	● Wenge - White	Progressive

Code	Finish	Dimmer
Hardwired		
A662-079	● Oak - White	Triac
A662-080	● Wenge - White	Triac


Code	Finish	Dimmer
RSC (Recessed canopy)		
A662-132	● Oak - White	Triac
A662-133	● Wenge - White	Triac

Materials  
 Diffuser: Pressed wood  
 Dissipater: Aluminium  
 Structure: Metal  
 Arm: Carbon fiber

Integrated dimmer: Yes (Plug-in version)  
 Dimmer type: Foot-operated progressive in-line dimmer  
 Dimming protocols: Phase cut (Triac)

Product type: Wall  
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
 Luminaire: 85 - 264 VAC 11W 698lm  
 Weight: Net 3,4 kg – Gross 5,7 kg  
 Package: 60 x 60 x 22 cm – 5 kg Vol – 0,079 m<sup>3</sup>  
 138 x 5 x 5 cm – 0,7 kg Vol – 0,003 m<sup>3</sup>

LED included



Dimmer / Dimmable



Color cord: Black  
 Wire installation: Plug-in / Hardwired




## Ginger 20C

Code	Finish
A662-376	● Oak - White
A662-377	● Wenge - White
A662-378	● Oak - Oak
A662-379	● Wenge - Wenge
A662-380	● Brushed brass - Brushed brass
A662-381	● Black - White
A662-569-36-27K	● Mauve (RAL 010 70 10)
A662-569-37-27K	● Sand (RAL 050 85 10)
A662-569-38-27K	● Stone Grey (RAL 000 65 00)

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
 Light source: LED SMD 350mA 4,05W 2700K CRI90 463lm  
 Luminaire: 220 - 240 VAC TRIAC 5,72W 161lm  
 Weight: Net 0,4 kg – Gross 0,7 kg  
 Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m<sup>3</sup>  
 LED included



Dimmable



Canopy color: Black  
 Wire installation: Hardwired




## Ginger 32C

Code	Finish
A662-146	● Oak - White
A662-147	● Wenge - White
A662-148	● Oak - Oak
A662-149	● Wenge - Wenge
A662-382	● Brushed brass - Brushed brass
A662-383	● Black - White
A662-570-36-27K	● Mauve (RAL 010 70 10)
A662-570-37-27K	● Sand (RAL 050 85 10)
A662-570-38-27K	● Stone Grey (RAL 000 65 00)

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium  
 Canopy: Metal


Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 Casambi

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
 Luminaire: 220 - 240 VAC TRIAC 9W 350lm  
 Weight: Net 1 kg – Gross 2 kg  
 Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m<sup>3</sup>  
 LED included



Canopy color: Black  
 Wire installation: Hardwired

Product notes: Casambi available upon request  
 DALI available upon request




## Ginger 42C

Code	Finish
A662-150	● Oak - White
A662-151	● Wenge - White
A662-152	● Oak - Oak
A662-153	● Wenge - Wenge
A662-384	● Brushed brass - Brushed brass
A662-385	● Black - White
A662-571-36-27K	● Mauve (RAL 010 70 10)
A662-571-37-27K	● Sand (RAL 050 85 10)
A662-571-38-27K	● Stone Grey (RAL 000 65 00)

Materials  
 Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium  
 Canopy: Metal


Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 Casambi

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
 Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm  
 Weight: Net 1,9 kg – Gross 3,5 kg  
 Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
 LED included



Canopy color: Black  
 Wire installation: Hardwired

Product notes: Casambi available upon request  
 DALI available upon request




## Ginger 60C

Code	Finish
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials: Diffuser: Pressed wood or brushed aluminium  
 Dissipater: Aluminium  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)  
 Casambi

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm  
 Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm  
 Weight: Net 3,3 kg – Gross 6,3 kg  
 Package: 72 x 72 x 28 cm – 6,3 kg Vol – 0,1 m<sup>3</sup>  
 LED included



Product notes: Casambi available upon request

DALI available upon request



## Accessory C2 20/32

Code	Finish
A662-421	● Black

Shades 20	Finish
A662-426	● Oak - White
A662-427	● Wenge - White
A662-428	● Oak - Oak
A662-429	● Wenge - Wenge
A662-430	● Brushed brass - Brushed brass
A662-431	● Black - White
A662-573-36-27K	● Mauve (RAL 010 70 10)
A662-573-37-27K	● Sand (RAL 050 85 10)
A662-573-38-27K	● Stone Grey (RAL 000 65 00)



Shades 32	Finish
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)

Materials: Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 12,25W 2700K CRI90 1376lm  
 Luminaire: 180 - 295 VAC TRIAC 15,3W 511lm  
 Weight: Net 4,5 kg – Gross 6 kg  
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m<sup>3</sup>  
 57 x 53 x 17 cm – 3 kg Vol – 0,051 m<sup>3</sup>  
 62 x 20 x 9 cm – 2 kg Vol – 0,01 m<sup>3</sup>

Product notes: Accessory to combine Ginger models 20 C and 32 C for a single junction box.  
 LED included





Canopy color: Black  
 Wire installation: Hardwired



## Accessory C2 32/42

Code	Finish
Structure A662-422	● Black
Shades 32	
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)



Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)



Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 24,5W 2700K CRI90 2786lm  
 Luminaire: 180 - 295 VAC TRIAC 29W 1048lm  
 Weight: Net 7,8 kg – Gross 9 kg  
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m<sup>3</sup>  
           57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
           62 x 20 x 9 cm – 2,5 kg Vol – 0,01 m<sup>3</sup>  
 Product notes: Accessory to combine Ginger models 32 C and 42 C for a single junction box.

Canopy color: Black  
 Wire installation: Hardwired

## Accessory C2 42/60

Code	Finish
Structure A662-423	● Black
Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)



Shades 60	
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials	Dimmable: Yes
Canopy: Metal	Integrated dimmer: No
	Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 38,7W 2700K CRI90 4806lm  
 Luminaire: 180 - 295 VAC TRIAC 45,5W 1863lm  
 Weight: Net 9,1 kg – Gross 10,5 kg  
 Package: 72 x 72 x 28 cm – 5 kg Vol – 0,098 m<sup>3</sup>  
           57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
           64 x 14 x 11 cm – 2 kg Vol – 0,051 m<sup>3</sup>  
 Product notes: Accessory to combine Ginger models 42 C and 60 C for a single junction box.

Canopy color: Black  
 Wire installation: Hardwired


## Accessory C3 20/32/42

Code	Finish
Structure	
A662-424	● Black
Shades 20	
A662-426	○ Oak - White
A662-427	○ Wenge - White
A662-428	○ Oak - Oak
A662-429	○ Wenge - Wenge
A662-430	○ Brushed brass - Brushed brass
A662-431	○ Black - White
A662-573-36-27K	○ Mauve (RAL 010 70 10)
A662-573-37-27K	○ Sand (RAL 050 85 10)
A662-573-38-27K	○ Stone Grey (RAL 000 65 00)


Shades 32	
A662-432	○ Oak - White
A662-433	○ Wenge - White
A662-434	○ Oak - Oak
A662-435	○ Wenge - Wenge
A662-436	○ Brushed brass - Brushed brass
A662-437	○ Black - White
A662-574-36-27K	○ Mauve (RAL 010 70 10)
A662-574-37-27K	○ Sand (RAL 050 85 10)
A662-574-38-27K	○ Stone Grey (RAL 000 65 00)

Shades 42	
A662-438	○ Oak - White
A662-439	○ Wenge - White
A662-440	○ Oak - Oak
A662-441	○ Wenge - Wenge
A662-442	○ Brushed brass - Brushed brass
A662-443	○ Black - White
A662-575-36-27K	○ Mauve (RAL 010 70 10)
A662-575-37-27K	○ Sand (RAL 050 85 10)
A662-575-38-27K	○ Stone Grey (RAL 000 65 00)

Materials: Canopy: Metal  
 Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)



Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 28,5W 2700K CRI90 3243lm  
 Luminaire: 180 - 295 VAC TRIAC 33,5W 1209lm  
 Weight: Net 7,8 kg – Gross 10 kg  
 Package: 23 x 21 x 10 cm – 1 kg Vol – 0,01 m<sup>3</sup>  
           57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
           57 x 53 x 17 cm – 3 kg Vol – 0,051 m<sup>3</sup>  
           53 x 53 x 12 cm – 2,5 kg Vol – 0,03 m<sup>3</sup>  
 Product notes: Accessory to combine Ginger models 20 C, 32 C, and 42 C for a single junction box.



Canopy color: Black  
 Wire installation: Hardwired

## Accessory C3 32/42/60

Code	Finish
Structure	
A662-425	● Black
Shades 32	
A662-432	● Oak - White
A662-433	● Wenge - White
A662-434	● Oak - Oak
A662-435	● Wenge - Wenge
A662-436	● Brushed brass - Brushed brass
A662-437	● Black - White
A662-574-36-27K	● Mauve (RAL 010 70 10)
A662-574-37-27K	● Sand (RAL 050 85 10)
A662-574-38-27K	● Stone Grey (RAL 000 65 00)

Shades 42	
A662-438	● Oak - White
A662-439	● Wenge - White
A662-440	● Oak - Oak
A662-441	● Wenge - Wenge
A662-442	● Brushed brass - Brushed brass
A662-443	● Black - White
A662-575-36-27K	● Mauve (RAL 010 70 10)
A662-575-37-27K	● Sand (RAL 050 85 10)
A662-575-38-27K	● Stone Grey (RAL 000 65 00)


Shades 60	
A662-154	● Oak - White
A662-155	● Wenge - White
A662-156	● Oak - Oak
A662-157	● Wenge - Wenge
A662-386	● Brushed brass - Brushed brass
A662-387	● Black - White
A662-572-36-27K	● Mauve (RAL 010 70 10)
A662-572-37-27K	● Sand (RAL 050 85 10)
A662-572-38-27K	● Stone Grey (RAL 000 65 00)

Materials  
 Canopy: Metal

Dimmable: Yes  
 Integrated dimmer: No  
 Dimming protocols: Phase cut (Triac)



Product type: Wall / Ceiling  
 Light source: LED SMD 700mA 47W 2700K CRI90 5719lm  
 Luminaire: 180 - 295 VAC TRIAC 55,2W 2213lm  
 Weight: Net 11,8 kg – Gross 13,5 kg  
 Package: 57 x 53 x 17 cm – 3 kg Vol – 0,051 m<sup>3</sup>  
           57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
           72 x 72 x 28 cm – 5 kg Vol – 0,098 m<sup>3</sup>  
           63 x 62 x 7 cm – 3 kg Vol – 0,027 m<sup>3</sup>  
 Product notes: Accessory to combine Ginger models 32 C, 42 C, and 60 C for a single junction box.



Canopy color: Black  
 Wire installation: Hardwired

Spare parts

Code	Product	Finish	Spare part
R662-013	Ginger 20	Oak - White	Shade
R662-014	Ginger 20	Wenge - White	Shade
R662-015	Ginger 20	Oak	Shade
R662-016	Ginger 20	Wenge	Shade
R662-017	Ginger 20	Brushed brass	Shade
R662-018	Ginger 20	Brushed brass - White	Shade
R662-019	Ginger 20	Black - White	Shade
R662-211-36	Ginger 20	Mauve	Shade
R662-211-37	Ginger 20	Sand	Shade
R662-211-38	Ginger 20	Stone Grey	Shade
R662-039	Ginger 32	Oak - White	Shade
R662-040	Ginger 32	Wenge - White	Shade
R662-038	Ginger 32	Oak	Shade
R662-041	Ginger 32	Wenge	Shade
R662-042	Ginger 32	Brushed brass	Shade
R662-043	Ginger 32	Brushed brass - White	Shade
R662-044	Ginger 32	Black - White	Shade
R662-212-36	Ginger 32	Mauve	Shade
R662-212-37	Ginger 32	Sand	Shade
R662-212-38	Ginger 32	Stone Grey	Shade
R662-032	Ginger 42	Oak - White	Shade
R662-024	Ginger 42	Wenge - White	Shade
R662-046	Ginger 42	Oak	Shade
R662-047	Ginger 42	Wenge	Shade
R662-048	Ginger 42	Brushed brass	Shade
R662-049	Ginger 42	Brushed brass - White	Shade
R662-050	Ginger 42	Black - White	Shade
R662-213-36	Ginger 42	Mauve	Shade
R662-213-37	Ginger 42	Sand	Shade
R662-213-38	Ginger 42	Stone Grey	Shade
R662-052	Ginger 60	Oak - White	Shade
R662-025	Ginger 60	Wenge - White	Shade
R662-053	Ginger 60	Oak	Shade
R662-054	Ginger 60	Wenge	Shade
R662-055	Ginger 60	Brushed brass	Shade
R662-056	Ginger 60	Brushed brass - White	Shade
R662-037	Ginger 60	Black - White	Shade
R662-214-36	Ginger 60	Mauve	Shade
R662-214-37	Ginger 60	Sand	Shade
R662-214-38	Ginger 60	Stone Grey	Shade
A662-400	Ginger 20M		Battery
R968-001-EU	Ginger 20M		Black power adapter
R968-002-USA	Ginger 20M		Black power adapter
R968-003-AU	Ginger 20M		Black power adapter
R968-004-UK	Ginger 20M		Black power adapter
R961-057	Ginger 20M		Usb type C cable black








## Ginger Outdoor, Joan Gaspar

The Ginger collection is moving outdoors, with wall sconces that can be installed individually or in a cluster, a 15 cm sconce – perfect for passageways and small outdoor areas –, a lamppost, small floor lamps and a wall version with an arm.

The Ginger outdoor also features a unique rust finish, with a deep, warm glow, alongside the standard black-white metal finish of the indoor version.



### Ginger 15C IP65


Code  
A662-549-31  
A662-549-39

Finish  
● Rust Brown  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium  
Structure: Stainless steel

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.  
Phase cut (Triac)  
DALI

Product type: Wall / Ceiling  
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
Luminaire: (Power supply not included) 67lm - Black-White  
(Power supply not included) 27lm - Rust brown  
Weight: Net 0,4 kg – Gross 0,5 kg  
Package: 24 x 21 x 10 cm – 0,5 kg Vol – 0,01 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable


CE

ERC

UK  
CA



IP65



Power supplies on page 136

Canopy color: Black  
Wire installation: Hardwired

## Ginger 20C IP65


Code  
A662-550-31  
A662-550-39

Finish  
● Rust Brown  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.  
Phase cut (Triac)  
DALI

Product type: Wall / Ceiling  
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
Luminaire: (Power supply not included) 161lm - Black-White  
(Power supply not included) 291lm - Rust brown  
Weight: Net 0,5 kg – Gross 0,7 kg  
Package: 24 x 21 x 10 cm – 0,7 kg Vol – 0,01 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable



CE

IP65

ERC

UK  
CA

Power supplies on page 136

Canopy color: Black



## Ginger 32C IP65


Code  
A662-551-31  
A662-551-39

Finish  
● Rust Brown  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
Light source: LED SMD 700mA 8,2W 2700K CRI90 913lm  
Luminaire: 220 - 240 VAC TRIAC 9W 350lm - Black-White  
220 - 240 VAC TRIAC 9W 811lm - Rust Brown  
Weight: Net 0,9 kg – Gross 2 kg  
Package: 43 x 48 x 17 cm – 2 kg Vol – 0,04 m<sup>3</sup>  
Product notes: DALI and Casambi upon request  
LED included



Dimmable



CE

IP65

ERC

UK  
CA

Canopy color: Black



## Ginger 42C IP65


Code  
A662-552-31  
A662-552-39

Finish  
● Rust Brown  
▲ Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Dissipater: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
Light source: LED SMD 700mA 16,28W 2700K CRI90 1873lm  
Luminaire: 180 - 295 VAC TRIAC 19,71W 698lm - Black-White  
180 - 295 VAC TRIAC 19,71W 186lm - Rust brown  
Weight: Net 1,8 kg – Gross 3,5 kg  
Package: 57 x 53 x 17 cm – 3,5 kg Vol – 0,051 m<sup>3</sup>  
Product notes: DALI and Casambi upon request  
LED included



□  
**IP65**



Canopy color: Black

## Ginger 60C IP65


Code  
A662-553-31  
A662-553-39

Finish  
● Rust Brown  
▲ Black - White (RAL 9005-9010)


Materials  
Diffuser: Aluminium  
Dissipater: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: Phase cut (Triac)

Product type: Wall / Ceiling  
Light source: LED SMD 700mA 22,4W 2700K CRI90 2933lm  
Luminaire: 180 - 295 VAC TRIAC 26,09W 1165lm - Black-White  
180 - 295 VAC TRIAC 26,09W 245lm - Rust brown  
Weight: Net 3,6 kg – Gross 6,3 kg  
Package: 67 x 67 x 24 cm – 6,3 kg Vol – 0,1 m<sup>3</sup>  
Product notes: DALI and Casambi upon request  
LED included



□  
**IP65**



Canopy color: Black



## Ginger B 20/44


Code  
A662-554-31  
A662-554-39

Finish  
● Rust Brown - White  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Structure: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard  
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
Luminaire: (Power supply not included) 161lm  
Weight: Net 0,8 kg – Gross 1,3 kg  
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m<sup>3</sup>  
15 x 13 x 48 cm – 0,6 kg Vol – 0,009 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable

CE

ERC

UK  
CA



IP65



Power supplies on page 136

Cable length: 2,6 m

## Ginger B 20/63


Code  
A662-543-31  
A662-543-39

Finish  
● Rust Brown - White  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Structure: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard  
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
Luminaire: (Power supply not included) 161lm  
Weight: Net 0,9 kg – Gross 1,4 kg  
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m<sup>3</sup>  
15 x 13 x 66,5 cm – 0,7 kg Vol – 0,01 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable

CE

ERC

UK  
CA



IP65



Power supplies on page 136

Cable length: 2,4 m



## Ginger B 20/86


Code  
A662-544-31  
A662-544-39

Finish  
● Rust Brown - White  
● Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Structure: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.

Product type: Bollard  
Light source: LED SMD 24Vdc 5W 2700K CRI90 495lm  
Luminaire: (Power supply not included) 161lm  
Weight: Net 1 kg – Gross 1,6 kg  
Package: 25 x 23 x 12 cm – 0,7 kg Vol – 0,007 m<sup>3</sup>  
15 x 13 x 98,5 cm – 0,9 kg Vol – 0,02 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable



CE

IP65

ERC

UK  
CA



Power supplies on page 136

Cable length: 2,1 m


## Ginger B 32/65 NEW

Code  
A662-593-31-27K ■ Rust Brown - White  
A662-593-39-27K ■ Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Structure: Stainless steel

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.  
Phase cut (Triac)  
DALI

Product type: Bollard  
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm  
Luminaire: (Power supply not included) 350lm  
Weight: Net 1,7 kg – Gross 3,1 kg  
Package: 14 x 13 x 65 cm - 1,16 kg – VOL - 0,01 m<sup>3</sup>  
43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable



CE

IP65

ERC

UK  
CA



Power supplies on page 136

Cable length: 2,6 m


## Ginger B 32/88 NEW

Code  
A662-594-31-27K ■ Rust Brown - White  
A662-594-39-27K ■ Black - White (RAL 9005-9010)

Materials  
Diffuser: Aluminium  
Structure: Stainless steel

Dimmable: Yes  
Integrated dimmer: No  
Dimming protocols: It depends on the purchased power supply.  
Phase cut (Triac)  
DALI

Product type: Bollard  
Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm  
Luminaire: (Power supply not included) 350lm  
Weight: Net 1,9 kg – Gross 3,3 kg  
Package: 14 x 13 x 88 cm - 1,4 kg – VOL - 0,02 m<sup>3</sup>  
43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m<sup>3</sup>  
Product notes: 24V remote power supply to be ordered separately.  
LED included



Dimmable



CE

IP65

ERC

UK  
CA




Power supplies on page 136

Cable length: 2,3 m

Code                      Finish  
 A662-595-31-27K      ● Rust Brown - White  
 A662-595-39-27K      ● Black - White (RAL 9005-9010)

Materials                      Dimmable: Yes  
 Diffuser: Aluminium      Integrated dimmer: No  
 Structure: Stainless steel    Dimming protocols: It depends on the  
    purchased power supply.  
    Phase cut (Triac)  
    DALI

Product type: Bollard  
 Light source: LED SMD 24Vdc 10W 2700K CRI90 1038lm  
 Luminaire: (Power supply not included) 350lm  
 Weight: Net 2,1 kg – Gross 3,6 kg  
 Package: 14 x 12 x 111 cm - 1,7 kg – VOL - 0,02 m<sup>3</sup>  
             43 x 48 x 16 cm - 1,9 kg – VOL - 0,03 m<sup>3</sup>  
 Product notes: 24V remote power supply to be ordered separately.  
 LED included



Dimmable



CE

IP65

ERC

UK  
CA

Power supplies on page 136

Cable length: 2,1 m




Post accessory

Code                      Finish  
 A662-555                ● Stainless steel

Materials  
 Structure: Stainless steel 316 L

Product type: Accessory  
 Weight: Net 0,3 kg – Gross 0,4 kg  
 Package: 14 x 14 x 28 cm - 0,4 kg – VOL - 0,006 m<sup>3</sup>




## Ground fixation plate

Code A662-556  
 Finish ● Stainless steel

Materials  
 Structure: Stainless steel 316 L

Product type: Accessory  
 Weight: Net 0,3 kg – Gross 0,4 kg  
 Package: 15 x 15 x 13 cm - 0,4 kg – VOL - 0,003 m<sup>3</sup>



## Ginger: Power Supply - Non Dimmable IP


Code	Description	Dimming	Class
968-249	Power supply 20W - 24V - IP68	-	II
968-250	Power supply 70W - 24V - IP67	-	II

## Ginger: Power Supply - Dimmable

Code	Description	Dimming	Class
968-223-23	Power supply 20W - 24V	Triac	II
968-205	Power supply 50W - 24V	Triac	II
968-227	Power supply 35W - 24V	DALI	II
968-206	Power supply 60W - 24V	DALI	II

## Ginger: Connection Box

Code	Description	Dimming	Class
A666-210	Connection box 50W - 24V - IP67 (230 x 126 x 56mm)	Triac	II
A666-211	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	DALI	II
A666-212	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	DALI	II
A666-611	Connection box 35W - 24V - IP67 (230 x 126 x 56mm)	Casambi	II
A666-612	Connection box 120W - 24V - IP67 (280 x 165 x 82mm)	Casambi	II



## Ginger: Connector Accessory

Code	Description
A963-001	2 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).
A963-002	3/4 way terminal block 4 poles IP68 H2O Stop. (ø5,5÷12mm cable).




## Ginger 60/298

Code A662-735  
Finish **Black-White** (RAL 9005-9010)

Materials: Diffuser: Aluminium  
Structure: Stainless Steel  
Dissipater: Aluminium

Dimmable: Yes  
Integrated dimmer: No  
Dimming: Depending on the connection ON / OFF  
1-10V

Product type: Lamppost  
Light source: LED SMD 1050mA 33,8W 2700K CRI90 4037lm  
Luminaire: 90 - 305 VAC 1-10V 35,8W 1463lm  
Weight: Net 13,25 kg – Gross 20,05 kg  
Package: 68 x 69 x 24 cm – 5,7 kg Vol – 0,11 m<sup>3</sup>  
61 x 16 x 255 cm – 11,1 kg Vol – 0,25 m<sup>3</sup>  
25 x 25 x 44 cm – 3,25 kg Vol – 0,03 m<sup>3</sup>  
LED included



Dimmable



CE

IP65

ERC

UK  
CA



Wire installation: Hardwired

## Ground fixation plate

Code A662-733  
Finish **Stainless steel**

Materials: Structure: Stainless steel 316 L

Product type: Accessory  
Weight: Net 1,6 kg – Gross 2,4 kg  
Package: 35 x 24 x 24 cm - 2,4 kg – VOL - 0,02 m<sup>3</sup>

