


## 725 Quarzo

Suspension



**Materiali - Materials**

**Diffusore - Diffuser:**

**Struttura - Structure:**

Cristallo, Crystal

Metallo, Metal


a richiesta con \_ on request with

DALI



Casambi Bluetooth



Code	L x P	h1	h2	Color Temperature	Lumen	LED	 Kg	Finitura Finish
725/4	46x46	28	52	3000 K - CRI>80	2400	26w	7	Trasp. / Transp. / C / OC
725/4+4	60x60	41	39	3000 K - CRI>80	4800	52w	12	Trasp. / Transp. / C / OC
725/8	85 x 85	28	52	3000 K - CRI>80	4800	52w	10	Trasp. / Transp. / C / OC
725/8+4	85 x 85	41	39	3000 K - CRI>80	7200	78w	14	Trasp. / Transp. / C / OC
725/12+8	110x110	41	39	3000 K - CRI>80	12000	130w	20	Trasp. / Transp. / C / OC

**GENERAL INFO:** Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Suspension



a richiesta con \_ on request with

**Materiali \_ Materials**

**Diffusore - Diffuser:**

**Struttura - Structure:**

Cristallo, Crystal  
Metallo, Metal

DALI


Casambi Bluetooth

Code	Ø	h1	h2 cable adj	Color Temperature	Lumen	LED		Finitura Finish
725/S1	13	27	10-100	3000 K - CRI>80	600	6,5w	1,5	Trasp. / Transp. / C / OC

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Suspension



a richiesta con \_ on request with

**Materiali \_ Materials**

**Diffusore - Diffuser:**

**Struttura - Structure:**

Cristallo, Crystal  
Metallo, Metal

DALI


Casambi Bluetooth

Code	L x P	h1	h2 cable adj	Color Temperature	Lumen	LED		Finitura Finish
725/L8	93 x 55	35	10-100	3000 K - CRI>80	4800	52w	12	Trasp. / Transp. / C / OC
725/L10	120 x 55	35	10-100	3000 K - CRI>80	6000	65w	15	Trasp. / Transp. / C / OC
725/L12	147 x 55	35	10-100	3000 K - CRI>80	7200	78w	18	Trasp. / Transp. / C / OC
725/L14	173 x 55	35	10-100	3000 K - CRI>80	8400	91w	21	Trasp. / Transp. / C / OC

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Wall



a richiesta con \_ on request with

**Materiali \_ Materials**

**Diffusore - Diffuser:**

**Struttura - Structure:**

Cristallo, Crystal  
Metallo, Metal

DALI


Casambi Bluetooth

Code	L	H	P	Color Temperature	Lumen	LED		Finitura Finish
725/AP1	13	38	18	3000 K - CRI>80	600	6,5w	1,5	Trasp. / Transp. / C / OC
725/AP2	29	60	19	3000 K - CRI>80	1200	13w	3	Trasp. / Transp. / C / OC

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Suspension



a richiesta con \_ on request with

**Materiali \_ Materials**

**Diffusore - Diffuser:**

**Struttura - Structure:**

Cristallo, Crystal  
Metallo, Metal

DALI

Casambi Bluetooth

Code	L x P	h1	h2	Color Temperature	Lumen	LED		Finitura Finish
725/4-L	46x46	28	52	3000 K - CRI>80	2400	26w	7	Tortora / Dove / BB
725/4+4-L	60x60	41	39	3000 K - CRI>80	4800	52w	12	Tortora / Dove / BB
725/8-L	85 x 85	28	52	3000 K - CRI>80	4800	52w	10	Tortora / Dove / BB
725/8+4-L	85 x 85	41	39	3000 K - CRI>80	7200	78w	14	Tortora / Dove / BB
725/12+8-L	110x110	41	39	3000 K - CRI>80	12000	130w	20	Tortora / Dove / BB

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Suspension



**Materiali - Materials:**  
**Diffusore - Diffuser:**  
**Struttura - Structure:**

Cristallo, Crystal  
 Metallo, Metal

a richiesta con \_ on request with

DALI


Casambi Bluetooth

Code	Ø	h1	h2 cable adj	Color Temperature	Lumen	LED		Finitura Finish
725/S1-L	13	27	10-100	3000 K - CRI>80	600	6,5w	1,5	Tortora / Dove / BB

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Suspension



**Materiali - Materials:**  
**Diffusore - Diffuser:**  
**Struttura - Structure:**

Cristallo, Crystal  
 Metallo, Metal

a richiesta con \_ on request with

DALI


Casambi Bluetooth

Code	L x P	h1	h2 cable adj	Color Temperature	Lumen	LED		Finitura Finish
725/L8-L	93 x 55	35	10-100	3000 K - CRI>80	4800	52w	12	Tortora / Dove / BB
725/L10-L	120 x 55	35	10-100	3000 K - CRI>80	6000	65w	15	Tortora / Dove / BB
725/L12-L	147 x 55	35	10-100	3000 K - CRI>80	7200	78w	18	Tortora / Dove / BB
725/L14-L	173 x 55	35	10-100	3000 K - CRI>80	8400	91w	21	Tortora / Dove / BB

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.

## 725 Quarzo

Wall



**Materiali - Materials:**  
**Diffusore - Diffuser:**  
**Struttura - Structure:**

Cristallo, Crystal  
 Metallo, Metal

a richiesta con \_ on request with

DALI

Casambi Bluetooth

Code	L	H	P	Color Temperature	Lumen	LED		Finitura Finish
725/AP1-L	13	38	18	3000 K - CRI>80	600	6,5w	1,5	Tortora / Dove / BB
725/AP2-L	29	60	19	3000 K - CRI>80	1200	13w	3	Tortora / Dove / BB

GENERAL INFO: Driver non dimmerabile incluso - No dimmable driver included.