


Nappe

SUSPENSION
APPLIQUE



Struttura in metallo verniciato con astine di metallo o Pyrex. Diffusori in Pyrex. Illuminazione a LED.

Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

Lackierte Metallstruktur mit Metall- oder Pyrex-Stäben. Pyrex-Diffusoren. LED-Beleuchtung.

Estructura de metal pintado con varillas de metal o Pyrex. Difusores en Pyrex. Iluminación LED.

Structure en metal coloré, avec métal ou pyrex tige. Diffuseur en Pyrex. Eclairage en LED.

Окрашенная металлическая структура с тонкими металлическими стержнями или с Pyrex. Рассеиватели из Pyrex. Светодиодное освещение.


这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。LED照明。

هيكل معدني مطلي مع قضبان معدنية أو بيركس. ناشرات ضوء بيركس. إضاءة ليد.

FINISHINGS

STANDARD FRAME

TOTAL WHITE



v95 Bianco opaco
Matt white

TOTAL BLACK



v90 Nero opaco
Matt Black

TOTAL COPPER



g29 Rame spazzolato
Brushed copper

MIXED COLOURS



V95 + V21 + V51 + V72

MIXED WARM



V35 + V70 + V84

MATERIALS

METAL BEAMS



v93 Oro verniciato
Painted gold



g29 Rame spazzolato
Brushed copper



v95 Bianco opaco
Matt white

DIFFUSER



Smoky Pyrex

NAPPE METAL DETAILS



g12 Oro spazzolato
Brushed gold



g12 Oro spazzolato
Brushed gold



g12 Oro spazzolato
Brushed gold



g29 Rame spazzolato
Brushed copper



g29 Rame spazzolato
Brushed copper

NAPPE XL METAL DETAILS



f01 Foglia Oro
Gold leaf




f01 Foglia Oro
Gold leaf

STANDARD CABLES



WHEN SINGLE SUSPENSION (N-XL):
1 single cable*
(120 cm / 47.24")
with canopy




WHEN COMPOSITION (C3-C5-C10):
2 cables*
(160 cm / 62.99" each)
with connection spheres

*CABLES COLOR:
For V95 version the cable
color is white. For V90
and mixed colors the cable
color is black


NAPPE N0	
ø 7,5 cm / 3.00"	
H 34 cm / 13.40"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N1	
ø 15 cm / 5.90"	
H 36 cm / 14.20"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N2	
ø 15 cm / 5.90"	
H 40 cm / 15.70"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N3	
ø 7,5 cm / 3.00"	
H 36 cm / 14.20"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N4	
ø 7,5 cm / 3.00"	
H 38 cm / 15.00"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N5	
ø 15 cm / 5.90"	
H 40 cm / 15.70"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N6	
ø 15 cm / 5.90"	
H 32 cm / 12.60"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO




NAPPE N7	
ø 7,5 cm / 3.00"	
H 34 cm / 13.40"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LMC
DIMMABLE
NO



NAPPE N8	
ø 15 cm / 5.90"	
H 39 cm / 15.40"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



NAPPE N9	
ø 7,5 cm / 3.00"	
H 39 cm / 15.40"	

STANDARD INTEGRATED LED LIGHTING
5,4 W CRI>90 3000 K - 688 NOMINAL LM
ON REQUEST
5,4 W CRI>90 2700 K - 653 NOMINAL LM
DIMMABLE
NO



: for the US market, refer to the relevant price list.

NAPPE XL1 

∅ 30 cm / 11.80"
H 125 cm / 49.20"

STANDARD INTEGRATED LED LIGHTING


UP 6,6 W CRI>90
3000 K - 1150 NOMINAL LM
DOWN 9,2 W CRI>90
3000 K - 1450 NOMINAL LM


ON REQUEST

UP 6,6 W CRI>90
2700 K - 1092 NOMINAL LM
DOWN 9,2 W CRI>90
2700 K - 1370 NOMINAL LM

DIMMABLE

1-10V + DALI + PUSH



NAPPE XL2 

∅ 35 cm / 13.80"
H 135 cm / 53.10"

STANDARD INTEGRATED LED LIGHTING

UP 6,6 W CRI>90
3000 K - 1150 NOMINAL LM
DOWN 9,2 W CRI>90
3000 K - 1450 NOMINAL LM

ON REQUEST

UP 6,6 W CRI>90
2700 K - 1092 NOMINAL LM
DOWN 9,2 W CRI>90
2700 K - 1370 NOMINAL LM

DIMMABLE

1-10V + DALI + PUSH



NAPPE XL3 

∅ 30 cm / 11.80"
H 110 cm / 43.30"

STANDARD INTEGRATED LED LIGHTING

12,2 W CRI>90
3000 K - 2000 NOMINAL LM

ON REQUEST

12,2 W CRI>90
2700 K - 1900 NOMINAL LM

DIMMABLE


1-10V + DALI + PUSH



NAPPE C3




STANDARD INTEGRATED LED LIGHTING
3 × 16,2 W CRI>90 3000 K - 2064 NOMINAL LM
ON REQUEST
3 × 16,2 W CRI>90 2700 K - 1960 NOMINAL LM
DIMMABLE
1-10V + PUSH



NAPPE C5




STANDARD INTEGRATED LED LIGHTING
5 × 27 W CRI>90 3000 K - 3440 NOMINAL LM
ON REQUEST
5 × 27 W CRI>90 2700 K - 3268 NOMINAL LM
DIMMABLE
1-10V + PUSH






NAPPE C10






STANDARD INTEGRATED LED LIGHTING
10 × 54 W CRI>90 3000 K - 6880 NOMINAL LM
ON REQUEST
10 × 54 W CRI>90 2700 K - 6536 NOMINAL LM
DIMMABLE
1-10V + PUSH + DALI






SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5




SUGGESTED CONFIGURATION FOR C10



Ⓢ : for the US market, refer to the relevant price list.


NAPPE C3 LN 75 


W 75 cm / 29.50"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM
ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM
DIMMABLE
 1-10V + PUSH




NAPPE C3 LN 125 

W 125 cm / 49.20"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM
ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM
DIMMABLE
 1-10V + PUSH




NAPPE C5 LN 175 

W 175 cm / 68.90"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM
ON REQUEST
 5 x 27 W CRI>90
 2700 K - 3268 NOMINAL LM
DIMMABLE
 1-10V + PUSH




NAPPE C3 RD 40 


ø 40 cm / 15.70"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM
ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM
DIMMABLE
 1-10V + PUSH




NAPPE C3 RD 60 

ø 60 cm / 23.60"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM
ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM
DIMMABLE
 1-10V + PUSH



NAPPE C5 RD 80 

ø 80 cm / 31.50"
 H MAX 155 cm / 61.00"
STANDARD INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM
ON REQUEST
 5 x 27 W CRI>90
 2700 K - 3268 NOMINAL LM
DIMMABLE
 1-10V + PUSH



 : for the US market, refer to the relevant price list.

NAPPE APP N4



W 7,5 cm / 3.00"
 D 14 cm / 5.50"
 H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING


5,4 W CRI>90
 3000 K - 688 NOMINAL LM

ON REQUEST

5,4 W CRI>90
 2700 K - 653 NOMINAL LM

DIMMABLE

NO



NAPPE APP N2



W 15 cm / 5.90"
 D 18 cm / 7.10"
 H 42 cm / 16.50"

STANDARD INTEGRATED LED LIGHTING


5,4 W CRI>90
 3000 K - 688 NOMINAL LM

ON REQUEST


5,4 W CRI>90
 2700 K - 653 NOMINAL LM

DIMMABLE

NO




SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	10 cm / 3.90"	● V95	● G12	NAPPE N0-N1-N2-N3-N4
H	5 cm / 2.00"	● V72 ● V51 ● V21 ● V95	● G12	N5-N6-N7-N8-N9
		● V90	● G12	
		● V35 ● V70 ● V84	● G12	
		● G29	● G29	

SINGLE CANOPY



SIZE		FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
Ø	22,5 cm / 8.90"	● V95	● F01	NAPPE XL1 - XL2 - XL3
H	6 cm / 2.40"	● V90	● F01	NAPPE XL1 - XL2 - XL3
		● V35 ● V70 ● V84	● F01	NAPPE XL1 - XL2 - XL3
		● V72 ● V51 ● V21 ● V95	● V95	NAPPE XL1
		● V72 ● V51 ● V21 ● V95	● V72	NAPPE XL2
		● V72 ● V51 ● V21 ● V95	● V51	NAPPE XL3

LINEAR CANOPY LN 75

	SIZE	FINISHINGS	PRODUCT NAME
	W	75 cm / 29.50"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	
			NAPPE C3 LN 75

LINEAR CANOPY LN 125

	SIZE	FINISHINGS	PRODUCT NAME
	W	125 cm / 49.20"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	
			NAPPE C3 LN 125

LINEAR CANOPY LN 175

	SIZE	FINISHINGS	PRODUCT NAME
	W	175 cm / 68.90"	● V98
	D	20 cm / 7.90"	
	H	4 cm / 1.60"	
			NAPPE C5 LN 175

ROUND CANOPY RD 40

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	40 cm / 15.70"	● V98
	H	4 cm / 1.60"	
			NAPPE C3 RD 40

ROUND CANOPY RD 60

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	60 cm / 23.60"	● V98
	H	4 cm / 1.60"	
			NAPPE C3 RD 60

ROUND CANOPY RD 80

	SIZE	FINISHINGS	PRODUCT NAME
	Ø	80 cm / 31.50"	● V98
	H	4 cm / 1.60"	
			NAPPE C5 RD 80