

Nappe

Struttura in metallo verniciato con astine di metallo o Pyrex. Diffusori in Pyrex. Illuminazione a LED.

Painted metal frame with metal or Pyrex rods. Pyrex diffusers. Led Lighting.

Lackierte Metallstruktur mit Metall- oder Pyrex-Stäben. Pyrex-Diffusoren. LED-Beleuchtung.

Estructura de metal pintado con varillas de metal o Pyrex. Difusores en Pyrex. Iluminación LED.


Structure en metal coloré, avec métal ou Pyrex tige. Diffuseur en Pyrex. Eclairage en LED.

Окрашенная металлическая структура с тонкими металлическими стержнями или с Pyrex. Рассеиватели из Pyrex. Светодиодное освещение.


这种灯具的结构是涂漆的金属，然而光扩散是小金属棒或玻璃做的。LED照明。

هيكل معدني مطلي مع قضبان معدنية أو بيركس. ناشرات ضوء بيركس. إضاءة ليد.

FINISHINGS



TOTAL WHITE
v95 Bianco opaco
Matt white



TOTAL BLACK
v90 Nero opaco
Matt Black



TOTAL COPPER
g29 Rame spazzolato
Brushed copper




MIXED COLOURS
v95 + v21 + v51 + v72



MIXED WARM
v35 + v70 + v84


METAL BEAMS



v93 Oro verniciato
Painted gold



v95 Bianco opaco
Matt white




g29 Rame spazzolato
Brushed copper

DIFFUSER



Smoky Pyrex


NAPPE METAL DETAILS




g12 Oro spazzolato
Brushed gold




g12 Oro spazzolato
Brushed gold



g12 Oro spazzolato
Brushed gold



g29 Rame spazzolato
Brushed copper



g29 Rame spazzolato
Brushed copper

NAPPE XL METAL DETAILS



F01 Foglia Oro
Gold leaf



F01 Foglia Oro
Gold leaf

NAPPE N0

Ø 7,5 cm / 3.00"
H 34 cm / 13.40"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N1

Ø 15 cm / 5.90"
H 36 cm / 14.20"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N2

Ø 15 cm / 5.90"
H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N3

Ø 7,5 cm / 3.00"
H 36 cm / 14.20"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N7

Ø 7,5 cm / 3.00"
H 34 cm / 13.40"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE APP N2

w 15 cm / 5.90"
d 18 cm / 7.10"
H 42 cm / 16.50"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N4

Ø 7,5 cm / 3.00"
H 38 cm / 15.00"

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N8

Ø 15 cm / 5.90"
H 39 cm / 15.40"

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE XL1

Ø 30 cm / 11.80"
H 125 cm / 49.20"


STANDARD INTEGRATED LED LIGHTING	
UP 6,6 W CRI>90	3000 K - 1150 NOMINAL LM
DOWN 9,2 W CRI>90	3000 K - 1450 NOMINAL LM
ON REQUEST	
UP 6,6 W CRI>90	2700 K - 1092 NOMINAL LM
DOWN 9,2 W CRI>90	2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	



NAPPE N5

Ø 15 cm / 5.90"
H 40 cm / 15.70"

STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE N9

Ø 7,5 cm / 3.00"
H 39 cm / 15.40"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE XL2

Ø 35 cm / 13.80"
H 135 cm / 53.10"


STANDARD INTEGRATED LED LIGHTING	
UP 6,6 W CRI>90	3000 K - 1150 NOMINAL LM
DOWN 9,2 W CRI>90	3000 K - 1450 NOMINAL LM
ON REQUEST	
UP 6,6 W CRI>90	2700 K - 1092 NOMINAL LM
DOWN 9,2 W CRI>90	2700 K - 1370 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	



NAPPE N6

Ø 15 cm / 5.90"
H 32 cm / 12.60"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE APP N4

w 7,5 cm / 3.00"
d 14 cm / 5.50"
H 40 cm / 15.70"


STANDARD INTEGRATED LED LIGHTING	
5,4 W CRI>90	3000 K - 688 NOMINAL LM
ON REQUEST	
5,4 W CRI>90	2700 K - 653 NOMINAL LM
DIMMABLE	
NO	



NAPPE XL3

Ø 30 cm / 11.80"
H 110 cm / 43.30"

STANDARD INTEGRATED LED LIGHTING	
12,2 W CRI>90	3000 K - 2000 NOMINAL LM
ON REQUEST	
12,2 W CRI>90	2700 K - 1900 NOMINAL LM
DIMMABLE	
1-10V + DALI + PUSH	



DISCOVER MORE




NAPPE C3



STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE
 1-10V + PUSH




NAPPE C5



STANDARD INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

ON REQUEST
 5 x 27 W CRI>90
 2700 K - 3268 NOMINAL LM

DIMMABLE
 1-10V + PUSH




NAPPE C10



STANDARD INTEGRATED LED LIGHTING
 10 x 54 W CRI>90
 3000 K - 6880 NOMINAL LM

ON REQUEST
 10 x 54 W CRI>90
 2700 K - 6536 NOMINAL LM

DIMMABLE
 1-10V + PUSH + DALI



NAPPE C3 LN 75




W 75 cm / 29.50"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE
 1-10V + PUSH



NAPPE C3 LN 125




W 125 cm / 49.20"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE
 1-10V + PUSH



NAPPE C5 LN 175




W 175 cm / 68.90"
 D 20 cm / 7.90"
 H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

ON REQUEST
 5 x 27 W CRI>90
 2700 K - 3268 NOMINAL LM

DIMMABLE
 1-10V + PUSH



NAPPE C3 RD 40




∅ 40 cm / 15.70"
 H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE
 1-10V + PUSH



NAPPE C3 RD 60




∅ 60 cm / 23.60"
 H MAX 155 cm / 61.00"

STANDARD INTEGRATED LED LIGHTING
 3 x 16,2 W CRI>90
 3000 K - 2064 NOMINAL LM

ON REQUEST
 3 x 16,2 W CRI>90
 2700 K - 1960 NOMINAL LM

DIMMABLE
 1-10V + PUSH



NAPPE C5 RD 80




∅ 80 cm / 31.50"
 H MAX 155 cm / 61.00"




STANDARD INTEGRATED LED LIGHTING
 5 x 27 W CRI>90
 3000 K - 3440 NOMINAL LM

ON REQUEST
 5 x 27 W CRI>90
 2700 K - 3268 NOMINAL LM




DIMMABLE
 1-10V + PUSH





SUGGESTED CONFIGURATION FOR C3



SUGGESTED CONFIGURATION FOR C5




SUGGESTED CONFIGURATION FOR C10



SINGLE CANOPIES


SINGLE CANOPY

SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
ø 10 cm / 3.90"	● V95	● G12	NAPPE N0-N1-N2-N3-N4
H 5 cm / 2.00"	● V72 ● V51 ● V21 ● V95	● G12	N5-N6-N7-N8-N9
	● V90	● G12	
	● V35 ● V70 ● V84	● G12	
	● G29	● G29	



SINGLE CANOPY


SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
ø 22,5 cm / 8.90"	● V95	● F01	NAPPE XL1 - XL2 - XL3
H 6 cm / 2.40"	● V90	● F01	NAPPE XL1 - XL2 - XL3
	● V35 ● V70 ● V84	● F01	NAPPE XL1 - XL2 - XL3
	● V72 ● V51 ● V21 ● V95 ● V95		NAPPE XL1
	● V72 ● V51 ● V21 ● V95 ● V72		NAPPE XL2
	● V72 ● V51 ● V21 ● V95 ● V51		NAPPE XL3



MULTIPLE CANOPIES


LINEAR CANOPY LN 75

SIZE	FINISHINGS	PRODUCT NAME
W 75 cm / 29.50"	● V98	NAPPE C3 LN 75
D 20 cm / 7.90"		
H 4 cm / 1.60"		




LINEAR CANOPY LN 125

SIZE	FINISHINGS	PRODUCT NAME
W 125 cm / 49.20"	● V98	NAPPE C3 LN 125
D 20 cm / 7.90"		
H 4 cm / 1.60"		




LINEAR CANOPY LN 175

SIZE	FINISHINGS	PRODUCT NAME
W 175 cm / 68.90"	● V98	NAPPE C5 LN 175
D 20 cm / 7.90"		
H 4 cm / 1.60"		




ROUND CANOPY RD 40

SIZE	FINISHINGS	PRODUCT NAME
ø 40 cm / 15.70"	● V98	NAPPE C3 RD 40
H 4 cm / 1.60"		



ROUND CANOPY RD 60

SIZE	FINISHINGS	PRODUCT NAME
ø 60 cm / 23.60"	● V98	NAPPE C3 RD 60
H 4 cm / 1.60"		



ROUND CANOPY RD 80

SIZE	FINISHINGS	PRODUCT NAME
ø 80 cm / 31.50"	● V98	NAPPE C5 RD 80
H 4 cm / 1.60"		

