





























































































	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	Art. 21520/AP	<b>Metallo / Frame:</b> A – nickel / nickel C – cromo / chrome N – nickel sat./ satin nickel V – nickel nero / black nickel R – placcato rame / copper plated X – oro shadow / shadow gold O – placcato oro / gold plated G – 25ttone sat./ satin brass B – brunito / brushed bronze		<b>Misura / Size</b> Ø 9,5 cm. - H.7 cm. Sp.11 cm.  <b>Lampade / Bulbs</b> 1 x Cob 6W 3000K – 230V 960 lumen (included)	 0,015   1,50
	Art. 21521/AG	<b>Metallo / Frame:</b> A – nickel / nickel C – cromo / chrome N – nickel sat./ satin nickel V – nickel nero / black nickel R – placcato rame / copper plated X – oro shadow / shadow gold O – placcato oro / gold plated G – ottone sat./ satin brass B – brunito / brushed bronze		<b>Misura / Size</b> Ø 25 cm. - H.7 cm. Sp.10 cm.  <b>Lampade / Bulbs</b> 2 x Cob 6W 3000K – 230V 1920 lumen (included)	 0,025   2,50










## The Light









	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	Art. 21523/SG	<b>Metallo / Frame :</b> cromo /chrome  <b>Cristallo / Crystal:</b> trasparente / transparent  <b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i>	 <b>Remoto</b> <b>Remote</b>   <b>Con driver 4W</b> <b>With driver 4W</b>	<b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)  <b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.  <b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen	 0,015   4,00
	Art. 21524/SP	<b>Metallo / Frame :</b> cromo /chrome  <b>Cristallo / Crystal:</b> trasparente / transparent  <b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i>	 <b>Remoto</b> <b>Remote</b>   <b>Con driver 4W</b> <b>With driver 4W</b>	<b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)  <b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.  <b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen	 0,015   2,50
	Art. 21525/SG	<b>Metallo / Frame :</b> cromo /chrome  <b>Cristallo / Crystal:</b> bulegoso / bulegoso  <b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i>	 <b>Remoto</b> <b>Remote</b>   <b>Con driver 4W</b> <b>With driver 4W</b>	<b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)  <b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.  <b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen	 0,015   4,00
	Art. 21526/SP	<b>Metallo / Frame :</b> cromo /chrome  <b>Cristallo / Crystal:</b> bulegoso / bulegoso  <b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i>	 <b>Remoto</b> <b>Remote</b>   <b>Con driver 4W</b> <b>With driver 4W</b>	<b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)  <b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.  <b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen	 0,015   2,50

	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	Art. 21527/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato trasparente transparent faceted</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>
	Art. 21528/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato trasparente transparent faceted</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21529/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato bulegoso bulegoso faceted</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>
	Art. 21530/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato bulegoso bulegoso faceted</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21531/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato effetto ghiaccio grezzo faceted wiht raw ice effect</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>
	Art. 21532/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> sfaccettato effetto ghiaccio grezzo faceted wiht raw ice effect</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21533/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> trasparente con bolle aria transparent with air bubbles</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>

	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	Art. 21534/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> trasparente con bolle aria <i>transparent with air bubbles</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> M3 0,015</p> <p> 2,50</p>
	Art. 21535/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> bulegoso con bolle aria <i>bulegoso with air bubbles</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>
	Art. 21536/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> bulegoso con bolle aria <i>bulegoso with air bubbles</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21537/SG	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> trasparente effetto diamante <i>transparent with diamond effect</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 14 cm. - H.14 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 4,00</p>
	Art. 21538/SP	<p><b>Metallo / Frame :</b> cromo /chrome</p> <p><b>Cristallo / Crystal:</b> trasparente effetto diamante <i>transparent with diamond effect</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.11 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21539/S	<p><b>Metallo in finitura cromo</b> <i>Chrome frame:</i></p> <p><b>Cristallo / Crystal:</b> T – trasparente / transparent A – ambra / amber V – verde / green R – rosa / pink</p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 15 cm. - H.22 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 0,8W Chip Led 4000K 135 lumen</p>	<p> 0,015</p> <p> 3,00</p>
	Art. 21540/S	<p><b>Metallo in finitura cromo</b> <i>Chrome frame</i></p> <p><b>Cristallo trasparente molato e lucidato a mano con effetto diamante</b> <i>Lead crystal, hand made cutted and polished with diamond effect</i></p> <p><b>Cristallo al piombo certificato</b> <i>Certified Lead crystal</i></p>	<p>Remoto Remote</p> <p>Con driver 4W With driver 4W</p>	<p><b>Misura / Size</b> Ø 11 cm. - H.29 cm. (cavo / wire cm.130)</p> <p><b>Rosone / Canopy</b> Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p><b>Lampade / Bulbs</b> 1 x 2W G4 led – 12V 4000K – 220 lumen (included)</p>	<p> 0,015</p> <p> 2,50</p>

	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	Art. 21541/S	<p>Metallo in finitura cromo <i>Chrome frame</i></p> <p>Cristallo trasparente molato e lucidato a mano con effetto sfaccettato <i>Transparent Lead crystal, hand polished with faceted effect</i></p> <p>Cristallo al piombo certificato <i>Certified Lead crystal Lead crystal</i></p>	<p>Remoto <i>Remote</i></p> <p>Con driver 4W <i>With driver 4W</i></p>	<p>Misura / Size Ø 11 cm. - H.29 cm. (cavo / wire cm.130)</p> <p>Rosone / Canopy Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p>Lampade / Bulbs 1 x 2W G4 led - 12V 4000K - 220 lumen (included)</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21542/S	<p>Metallo in finitura cromo <i>Chrome frame</i></p> <p>Cristallo trasparente molato e lucidato a mano con effetto sfaccettato bulegoso <i>Bulegoso Lead crystal, hand made polished and faceted</i></p> <p>Cristallo al piombo certificato <i>Certified Lead crystal Lead crystal</i></p>	<p>Remoto <i>Remote</i></p> <p>Con driver 4W <i>With driver 4W</i></p>	<p>Misura / Size Ø 11 cm. - H.29 cm. (cavo / wire cm.130)</p> <p>Rosone / Canopy Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p>Lampade / Bulbs 1 x 2W G4 led - 12V 4000K - 220 lumen (included)</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21543/S	<p>Metallo in finitura cromo <i>Chrome frame</i></p> <p>Cristallo trasparente molato a mano con effetto ghiaccio grezzo <i>Lead crystal, hand made faceted with raw ice effect</i></p> <p>Cristallo al piombo certificato <i>Certified Lead crystal Lead crystal</i></p>	<p>Remoto <i>Remote</i></p> <p>Con driver 4W <i>With driver 4W</i></p>	<p>Misura / Size Ø 11 cm. - H.29 cm. (cavo / wire cm.130)</p> <p>Rosone / Canopy Ø 5 cm. h.2,5 cm. Ø 5 cm. h.8 cm.</p> <p>Lampade / Bulbs 1 x 2W G4 led - 12V 4000K - 220 lumen (included)</p>	<p> 0,015</p> <p> 2,50</p>
	Art. 21544/PLF	<p>Rosone in argento satinato con particolari cromo <i>Canopy in matt silver with chrome particulars</i></p> <p>Opzione sfera cristallo <i>Crystal shade option</i></p> <p> 1 - sfaccettato bulegoso <i>faceted bulegoso</i></p> <p> 2 - diamante / <i>diamond</i></p> <p> 3 - sfaccettato trasparente <i>faceted transparent</i></p> <p> 4 - sfaccettato ghiaccio <i>faceted raw ice</i></p> <p> 5 - crackrè / <i>crackrè</i></p>	<p></p> <p></p> <p></p> <p></p> <p></p>	<p>Misura / Size Ø 25 cm. - H.130cm. (cavo / wire cm.100)</p> <p>Rosone / Canopy Ø 20 cm. h.4 cm.</p> <p>Lampade / Bulbs 3 x G4 2W led - 12V 4000K - 660 lumen (ballast 12V and bulbs included)</p>	<p> 0,061</p> <p> 7,00</p>

	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	<p>Art. 21545/L</p>	<p><b>Metallo / Frame:</b>  <b>A</b> – nickel / <i>nickel</i>  <b>C</b> – cromo / <i>chrome</i>  <b>N</b> – nickel sat./ <i>satın nickel</i>  <b>V</b> – nickel nero / <i>black nickel</i>  <b>R</b> – placcato rame / <i>copper plated</i>  <b>X</b> – oro shadow / <i>shadow gold</i>  <b>O</b> – placcato oro / <i>gold plated</i>  <b>G</b> – ottone sat./ <i>satın brass</i>  <b>B</b> – brunito / <i>brushed bronze</i></p> <p><b>Opzione sfera cristallo</b>  <b>Crystal shade option</b></p> <p>  <b>1</b> – sfaccettato bulegoso  <i>faceted buegoso</i></p> <p>  <b>2</b> – diamante / <i>diamond</i></p> <p>  <b>3</b> – sfaccettato trasparente  <i>faceted transparent</i></p> <p>  <b>4</b> – sfaccettato ghiaccio  <i>faceted raw ice</i></p> <p>  <b>5</b> – crackrè / <i>crackrè</i></p>		<p><b>Misura / Size</b>  Ø 11 cm. - H.30 cm.</p> <p><b>Base / Base</b>  Ø 12 cm.</p> <p><b>Lampade / Bulbs</b>  1 x 2W G4 led – 12V  4000K - 220 lumen  (socket ballast 12V and  bulbs included)</p>	 0,025  2,50

	ARTICOLO ITEM	DECORO FINISH		DATI TECN. TECN. DATA	VOLUME VOLUME
	<p>Art. 21546/P</p>	<p><b>Metallo / Frame:</b>  <b>N</b> – nero velluto / velvet black  <b>B</b> – blue / blue  <b>V</b> – verde / green  <b>C</b> – sabbia / sand  <b>M</b> – bronzo / bronze  <b>R</b> – rame / copper</p> <p><b>colori con effetto metallizzato</b>  <b>metallized colour effect</b></p> <p><b>Opzione sfera cristallo</b>  <b>Crystal shade option</b></p>  <p><b>1</b> – sfaccettato bulegoso  <i>faceted bulegoso</i></p>  <p><b>2</b> – diamante / <i>diamond</i></p>  <p><b>3</b> – sfaccettato trasparente  <i>faceted transparent</i></p>  <p><b>4</b> – sfaccettato ghiaccio  <i>faceted raw ice</i></p>  <p><b>5</b> – crackrè / <i>crackrè</i></p>		<p><b>Misura / Size</b>  Ø 11 cm. - H.176 cm.</p> <p><b>Base / Base</b>  Ø 16 cm.</p> <p><b>Lampade / Bulbs</b>  0,8W Chip Led 4000K  135 lumen  (socket ballast 24V included)</p>	 <p>0,120</p>  <p>12,00</p>