

Aqaba

SUSPENSION
CEILING
APPLIQUE

Telaio in metallo galvanizzato con braccia ricoperte in vetro trasparente. Pendagli trasparenti in vetro o cristallo. Illuminazione tradizionale o LED integrato.

Galvanised metal frame with arms covered in clear glass. Clear glass or clear crystal pendants. Traditional or integrated LED lighting.

Galvanisch beschichtete Metallstruktur, Arme mit transparentem Glas ummantelt. Transparenter Behang aus Glas bzw. Kristall. Herkömmliche Beleuchtung oder integriertes LED-Leuchtsystem.

Marco de metal galvanizado con brazos revestidos de vidrio transparente. Colgantes de vidrio o cristal transparente. Iluminación tradicional o LED integrada.

Structure en métal galvanisé avec bras recouverts de verre transparent. Pampilles transparentes en verre ou en cristal. Éclairage traditionnel ou à LED intégré.


Каркас из оцинкованного металла с арматурными элементами, покрытыми прозрачным стеклом. Подвески из прозрачного стекла или хрустала. Лампы традиционного типа или встроенные светодиодные элементы.

电镀金属灯架，带透明玻璃装饰的灯臂。
透明玻璃或水晶吊坠。
传统照明灯或集成 LED 灯。

إطار معدني مجلفن بأذرع مغطاة بالزجاج الشفاف.

المعلقات الزجاجية أو الكريستالية الشفافة.

الإضاءة التقليدية أو إضاءة ليد المدمجة.



FINISHINGS

STANDARD



G03 Oro lucido
Shiny gold



G04 Cromo lucido
Shiny chrome


PENDANTS

HALF CUT GLASS
CUT CRYSTAL
PREMIUM CRYSTAL



TR Trasparente
Transparent

STANDARD CHAIN



STANDARD LIGHTING



Aqaba illuminazione tradizionale.
Lampadine E14.

Aqaba traditional lighting.
E14 bulbs.

DYNAMIC WHITE - INTEGRATED LED LIGHTING



Il sistema di illuminazione Dynamic White LED permette di personalizzare la temperatura della luce ricreando il ciclo naturale del sole, seguendo il ritmo del ciclo circadiano.

La luce bianca può essere regolata ad una temperatura compresa tra i 2700°K e 6500°K grazie ai diversi sistemi di controllo della dimmerazione previsti.

Ogni dispositivo Aqaba può essere gestito alternativamente nei seguenti modi: protocollo DMX, telecomando, pannello di controllo, Tuya, Alexa, Google Home.

The Dynamic White LED lighting system adjusts the temperature of the light by recreating the natural cycle of the sun, following the rhythm of the circadian cycle.

White light can be adjusted to a temperature ranging from 2700°K to 6500°K thanks to the various dimming control systems provided.

Each Aqaba device can be alternatively managed in the following ways: DMX protocol, remote control, control panel, Tuya, Alexa, Google Home.

SINGLE WARM WHITE LED DIODE = 242 NOMINAL LM
SINGLE COLD WHITE LED DIODE = 300 NOMINAL LM

COMPOSITE WHITE LED= 1084 NOMINAL LM

LED WHITE CRI >90

RGB-W - INTEGRATED LED LIGHTING



Grazie al sistema di illuminazione RGB-W LED, il lampadario Aqaba trasforma la luce in colore puro, colorando l'ambiente di infinite sfumature.

Le superfici cambiano aspetto e l'intero ambiente si modifica in base al tuo umore. Può essere ottenuta anche luce bianca a 3000°K.

Ogni dispositivo Aqaba può essere gestito alternativamente nei seguenti modi: protocollo DMX, telecomando, pannello di controllo, Tuya, Alexa, Google Home.

Through the RGB-W LED lighting system, the Aqaba chandelier transforms light into pure colour, filling the space with infinite nuances.

Surfaces alter their appearance and the whole ambience changes according to your mood. White light at 3000°K can also be obtained.


Each Aqaba device can be alternatively managed in the following ways: DMX protocol, remote control, control panel, Tuya, Alexa, Google Home.

SINGLE RED LED DIODE = 150 NOMINAL LM
SINGLE GREEN LED DIODE = 236 NOMINAL LM
SINGLE BLUE LED DIODE = 70 NOMINAL LM
SINGLE WHITE LED DIODE = 280 NOMINAL LM


COMPOSITE WHITE LED= 736 NOMINAL LM

LED WHITE CRI >90

STANDARD LIGHTING DIMMING CONTROL





INTEGRATED LED LIGHTING DIMMING CONTROL OPTIONS




AQABA S 5/48/47

∅ 48 cm / 18.90"
H 47 cm / 18.50"
■ 6 kg / 13.20 lb


STANDARD LIGHTING 
5×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 5×LED SOURCE - 42,5 W TOT
DW 5×LED SOURCE - 40,5 W TOT




AQABA S 8/62/50

∅ 62 cm / 24.40"
H 50 cm / 19.70"
■ 9 kg / 19.80 lb


STANDARD LIGHTING 
8×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 8×LED SOURCE - 68 W TOT
DW 8×LED SOURCE - 64,8 W TOT




AQABA S 12/95/94

∅ 95 cm / 37.40"
H 94 cm / 37.00"
■ 27 kg / 59.40 lb


STANDARD LIGHTING 
12×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 12×LED SOURCE - 102 W TOT
DW 12×LED SOURCE - 97,2 W TOT




AQABA S 15/88/62

∅ 88 cm / 34.60"
H 62 cm / 24.40"
■ 19 kg / 41.80 lb


STANDARD LIGHTING 
15×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 15×LED SOURCE - 127,5 W TOT
DW 15×LED SOURCE - 121,5 W TOT




AQABA S 15/90/80

∅ 90 cm / 35.40"
H 80 cm / 31.50"
■ 20 kg / 44.00 lb


STANDARD LIGHTING 
15×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 15×LED SOURCE - 127,5 W TOT
DW 15×LED SOURCE - 121,5 W TOT




AQABA S 18/105/65

∅ 105 cm / 41.30"
H 65 cm / 25.60"
■ 23 kg / 50.60 lb


STANDARD LIGHTING 
18×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 18×LED SOURCE - 153 W TOT
DW 18×LED SOURCE - 145,8 W TOT




AQABA S 18/120/100

∅ 120 cm / 47.20"
H 100 cm / 39.40"
■ 35 kg / 77.00 lb


STANDARD LIGHTING 
18×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 18×LED SOURCE - 153 W TOT
DW 18×LED SOURCE - 145,8 W TOT




AQABA S 18/120/115

∅ 120 cm / 47.20"
H 115 cm / 45.30"
■ 41 kg / 90.20 lb

STANDARD LIGHTING 
18×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
RGB-W 18×LED SOURCE - 153 W TOT
DW 18×LED SOURCE - 145,8 W TOT





☎ : for the US market, refer to the relevant price list.

AQABA S 18/140/172

∅ 140 cm / 55.10"
 H 172 cm / 67.70"
 ■ 38 kg / 83.60 lb


STANDARD LIGHTING 
 18×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 18×LED SOURCE - 153 W TOT
 DW 18×LED SOURCE - 145,8 W TOT




AQABA S 24/120/134

∅ 120 cm / 47.20"
 H 134 cm / 52.80"
 ■ 43 kg / 94.60 lb


STANDARD LIGHTING 
 24×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 24×LED SOURCE - 204 W TOT
 DW 24×LED SOURCE - 194,4 W TOT




AQABA S 24/130/100

∅ 130 cm / 51.20"
 H 100 cm / 39.40"
 ■ 41 kg / 90.20 lb


STANDARD LIGHTING 
 24×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 24×LED SOURCE - 204 W TOT
 DW 24×LED SOURCE - 194,4 W TOT




AQABA S 24/155/130

∅ 155 cm / 61.00"
 H 130 cm / 51.20"
 ■ 55 kg / 121.00 lb


STANDARD LIGHTING 
 24×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 24×LED SOURCE - 204 W TOT
 DW 24×LED SOURCE - 194,4 W TOT




AQABA S 25/100/90

∅ 100 cm / 39.40"
 H 90 cm / 35.40"
 ■ 30 kg / 66.00 lb


STANDARD LIGHTING 
 25×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 25×LED SOURCE - 212,5 W TOT
 DW 25×LED SOURCE - 202,5 W TOT




AQABA S 25/110/140

∅ 110 cm / 43.30"
 H 140 cm / 55.10"
 ■ 41 kg / 90.20 lb


STANDARD LIGHTING 
 25×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 25×LED SOURCE - 212,5 W TOT
 DW 25×LED SOURCE - 202,5 W TOT




AQABA S 32/130/105

∅ 130 cm / 51.20"
 H 105 cm / 41.30"
 ■ 53 kg / 116.60 lb


STANDARD LIGHTING 
 32×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 32×LED SOURCE - 272 W TOT
 DW 32×LED SOURCE - 259,2 W TOT




AQABA S 32/130/170

∅ 130 cm / 51.20"
 H 170 cm / 66.90"
 ■ 45 kg / 99.00 lb

STANDARD LIGHTING 
 32×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 32×LED SOURCE - 272 W TOT
 DW 32×LED SOURCE - 259,2 W TOT





Ⓜ : for the US market, refer to the relevant price list.

AQABA S 36/165/160

∅ 165 cm / 65.00"
 H 160 cm / 63.00"
 ■ 90 kg / 198.00 lb


STANDARD LIGHTING 
 36×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 36×LED SOURCE - 306 W TOT
 DW 36×LED SOURCE - 291,6 W TOT




AQABA S 40/200/155

∅ 200 cm / 78.70"
 H 155 cm / 61.00"
 ■ 82 kg / 180.40lb


STANDARD LIGHTING 
 40×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 40×LED SOURCE - 340 W TOT
 DW 40×LED SOURCE - 324 W TOT




AQABA S 48/215/120

∅ 215 cm / 84.60"
 H 120 cm / 47.20"
 ■ 93 kg / 204.60 lb


STANDARD LIGHTING 
 48×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 48×LED SOURCE - 408 W TOT
 DW 48×LED SOURCE - 388,8 W TOT




AQABA S 56/185/165

∅ 185 cm / 72.80"
 H 165 cm / 65.00"
 ■ 108 kg / 237.60 lb


STANDARD LIGHTING 
 56×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 56×LED SOURCE - 476 W TOT
 DW 56×LED SOURCE - 453,6 W TOT




AQABA S 56/185/230

∅ 185 cm / 72.80"
 H 230 cm / 90.60"
 ■ 103 kg / 226.60 lb


STANDARD LIGHTING 
 56×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 56×LED SOURCE - 476 W TOT
 DW 56×LED SOURCE - 453,6 W TOT




AQABA S 56/210/190

∅ 210 cm / 82.70"
 H 190 cm / 74.80"
 ■ 132 kg / 290.40 lb


STANDARD LIGHTING 
 56×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 56×LED SOURCE - 476 W TOT
 DW 56×LED SOURCE - 453,6 W TOT




AQABA S 65/170/250

∅ 170 cm / 66.90"
 H 250 cm / 98.40"
 ■ 142 kg / 312.40 lb


STANDARD LIGHTING 
 65×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 65×LED SOURCE - 552,5 W TOT
 DW 65×LED SOURCE - 526,5 W TOT




AQABA S 70/150/380

∅ 150 cm / 59.10"
 H 380 cm / 149.60"
 ■ 105 kg / 231.00 lb

STANDARD LIGHTING 
 70×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 70×LED SOURCE - 595 W TOT
 DW 70×LED SOURCE - 567 W TOT





Ⓜ : for the US market, refer to the relevant price list.

AQABA S 70/245/290

∅ 245 cm / 96.50"
 H 290 cm / 114.20"
 ■ 233 kg / 512.60 lb


STANDARD LIGHTING 
 70×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 70×LED SOURCE - 595 W TOT
 DW 70×LED SOURCE - 567 W TOT





AQABA S 116/245/400

∅ 245 cm / 96.50"
 H 400 cm / 157.50"
 ■ 200 kg / 440.00 lb

STANDARD LIGHTING 
 116×E14×10 W MAX (NOT INCL.)



INTEGRATED LED LIGHTING 
 RGB-W 116×LED SOURCE - 986 W TOT
 DW 116×LED SOURCE - 939,6 W TOT






 : for the US market, refer to the relevant price list.

AQABA PL 5/82/36

∅ 82 cm / 32.30"
 H 36 cm / 14.20"
 ■ 15 kg / 33.00 lb



STANDARD LIGHTING  
 5×E14×10 W MAX (NOT INCL.)



INTEGRATED LED LIGHTING  
 RGB-W 5×LED SOURCE - 42,5 W TOT
 DW 5×LED SOURCE - 40,5 W TOT




AQABA PL 7/100/40

∅ 100 cm / 39.40"
 H 40 cm / 15.70"
 ■ 25 kg / 55.00 lb


STANDARD LIGHTING  
 7×E14×10 W MAX (NOT INCL.)



INTEGRATED LED LIGHTING  
 RGB-W 7×LED SOURCE - 59,5 W TOT
 DW 7×LED SOURCE - 56,7 W TOT




AQABA PL 8/120/45

∅ 120 cm / 47.20"
 H 45 cm / 17.70"
 ■ 36 kg / 79.20 lb



STANDARD LIGHTING  
 8×E14×10 W MAX (NOT INCL.)



INTEGRATED LED LIGHTING  
 RGB-W 8×LED SOURCE - 68 W TOT
 DW 8×LED SOURCE - 64,8 W TOT




AQABA PL 16/155/37 OV

W 155 cm / 61.00"
 D 73 cm / 28.70"
 H 37 cm / 14.60"
 ■ 31 kg / 68.20 lb



STANDARD LIGHTING  
 16×E14×10 W MAX (NOT INCL.)



INTEGRATED LED LIGHTING  
 RGB-W 16×LED SOURCE - 136 W TOT
 DW 16×LED SOURCE - 129,6 W TOT




AQABA PL 20/180/37 OV

W 180 cm / 70.90"
 D 73 cm / 28.70"
 H 37 cm / 14.60"
 ■ 40 kg / 88.00 lb

STANDARD LIGHTING  
 20×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING  
 RGB-W 20×LED SOURCE - 170 W TOT
 DW 20×LED SOURCE - 162 W TOT





 : for the US market, refer to the relevant price list.

AQABA A 2/40/36

W 40 cm / 15.70"
 D 20 cm / 7.90"
 H 36 cm / 14.20"
 ■ 2,5 kg / 5.50 lb


STANDARD LIGHTING 
 2×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 2×LED SOURCE - 17 W TOT
 DW 2×LED SOURCE - 16,2 W TOT




AQABA A 2/44/37


W 44 cm / 17.30"
 D 20 cm / 7.90"
 H 37 cm / 14.60"
 ■ 2 kg / 4.40 lb

STANDARD LIGHTING 
 2×E14×10 W MAX (NOT INCL.)


INTEGRATED LED LIGHTING 
 RGB-W 2×LED SOURCE - 17 W TOT
 DW 2×LED SOURCE - 16,2 W TOT




SINGLE CANOPY/STANDARD LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 16,5 cm / 6.50"	● G03	● G03	AQABA S 5/48/42
	H 8 cm / 3.10"	● G04	● G04	AQABA S 8/62/50
				AQABA S 12/95/94
				AQABA S 15/88/62
				AQABA S 15/90/80
				AQABA S 18/105/65
				AQABA S 25/100/90
				AQABA S 25/110/140


SINGLE CANOPY/STANDARD LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 20,5 cm / 8.10"	● G03	● G03	AQABA S 18/120/100
	H 10 cm / 3.90"	● G04	● G04	AQABA S 18/120/115
				AQABA S 18/140/172
				AQABA S 24/120/134
				AQABA S 24/130/100
				AQABA S 24/155/130
				AQABA S 32/130/105
				AQABA S 32/130/170
				AQABA S 36/165/160
				AQABA S 40/200/155
				AQABA S 48/215/120
				AQABA S 56/185/165
				AQABA S 56/185/230
				AQABA S 56/210/190
				AQABA S 65/170/250
				AQABA S 70/150/380
				AQABA S 70/245/290
				AQABA S 116/245/400


SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 20 cm / 7.90"	● G03	● G03	AQABA S 5/48/42
	H 14 cm / 5.50"	● G04	● G04	AQABA S 8/62/50

SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 30 cm / 11.80"	● G03	● G03	AQABA S 12/95/94
	H 16 cm / 6.30"	● G04	● G04	AQABA S 15/88/62
				AQABA S 15/90/80
				AQABA S 18/105/65
				AQABA S 18/120/100
				AQABA S 18/120/115
				AQABA S 18/140/172
				AQABA S 24/120/134
				AQABA S 24/130/100
				AQABA S 24/155/130
				AQABA S 25/100/90
				AQABA S 25/110/140
				AQABA S 32/130/105
				AQABA S 32/130/170
				AQABA S 36/165/160
				AQABA S 40/200/155
			AQABA S 48/215/120	

SINGLE CANOPY/INTEGRATED LED LIGHTING

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 35 cm / 13.80"	● G03	● G03	AQABA S 56/185/165
	H 21 cm / 8.30"	● G04	● G04	AQABA S 56/185/230
				AQABA S 56/210/190
				AQABA S 65/170/250
				AQABA S 70/150/380
				AQABA S 70/245/290
				AQABA S 116/245/400