CTOLIGHTING

AXIS PENDANT LARGE

FINISH

bronze with smoked glass shades satin brass with smoked glass shades

DIMENSIONS (body of fixture)

 $1720 \times 1170 \times 190 \text{ mm} (w \times d \times h)$

WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 325 mm maximum on request 3215 mm supplied with 1000 mm drop rod

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k) 110-130v - 6 x E12 - 25w max (or 4.5w LED 2700k)

DIMMING

dimmable bulb required trailing edge dimmable / phase cut (rotary dimmer) - standard DALI option available (220-240v only)

CEILING ROSE / PLATE


round ceiling rose - ø 116 x 25 mm (dia x h)


CERTIFICATION














^{*}Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AXIPELBZSG-240	bronze with smoked glass shades	220 - 240V
AXIPELSBSG-240	satin brass with smoked glass shades	220 - 240V
AXIPELBZSG-110	bronze with smoked glass shades	110 - 130V
AXIPELSBSG-110	satin brass with smoked glass shades	110 - 130V

1170mm (46.1)

CTOLIGHTING

AXIS PENDANT LARGE - DALI-A

FINISH

bronze with smoked glass shades satin brass with smoked glass shades

DIMENSIONS (body of fixture)

 $1720 \times 1170 \times 190 \text{ mm} (w \times d \times h)$

WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 325 mm maximum on request 3215 mm supplied with 1000 mm drop rod

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k) DALI converter to be installed in the cavity

DIMMING

dimmable bulb required DALI compatible

CEILING ROSE / PLATE

round ceiling rose - ø 116 x 25 mm (dia x h)

116mm (4.6)

25mm (1)


CERTIFICATION



min 325mm (12.8)











mounting plate dimensions



DALI converter dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AXIPELBZSG-DALIA-240	bronze with smoked glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
AXIPELSBSG-DALIA-240	satin brass with smoked glass shades	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

1170mm (46.1)

CTOLIGHTING

AXIS PENDANT LARGE - DALI-B

FINISH

bronze with smoked glass shades satin brass with smoked glass shades

DIMENSIONS (body of fixture)

 $1720 \times 1170 \times 190 \text{ mm} (w \times d \times h)$

WEIGHT

15kg (33.1lbs)

please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 335 mm maximum on request 3225 mm supplied with 1000 mm drop rod

ILLUMINATION

220-240v - 6 x E14 - 25w max (or 4.5w LED 2700k) DALI converter to be installed in the ceiling rose

DIMMING

dimmable bulb required DALI compatible


CEILING ROSE / PLATE


round ceiling rose - ø 140 x 35 mm (dia x h)

CERTIFICATION












mounting plate dimensions



*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AXIPELBZSG-DALIB-240	bronze with smoked glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
AXIPELSBSG-DALIB-240	satin brass with smoked glass shades	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V